

May 17, 2001

Mr. James Scarola, Vice President
Shearon Harris Nuclear Power Plant
Carolina Power & Light Company
Post Office Box 165, Mail Code: Zone 1
New Hill, North Carolina 27562-0165

SUBJECT: PROMATEC HEMYC 1-HOUR AND MT 3-HOUR FIRE BARRIER SYSTEMS

Dear Mr. Scarola:

By letter dated March 19, 2001, I informed you that the staff was planning a meeting with plants using Hemyc and MT fire barriers. In response to these letters to the affected plants, the Nuclear Energy Institute (NEI), by letter dated April 25, 2001 (Agency Wide Documents Access and Management System (ADAMS) Accession No. ML011220179), provided additional background information on the use of these fire barriers. Also, by letter dated April 17, 2001 (ADAMS Accession No. ML011150030), counsel for Carolina Power & Light Company (CP&L) provided additional information on the use of Hemyc fire barriers at the Shearon Harris Nuclear Power Plant.

The staff is reviewing the information provided by NEI and CP&L. At this time, the staff does not intend to hold a meeting with the affected licensees.

Sincerely,

/RA/

Richard J. Laufer, Project Manager, Section 2
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-400

cc: See next page

May 17, 2001

Mr. James Scarola, Vice President
Shearon Harris Nuclear Power Plant
Carolina Power & Light Company
Post Office Box 165, Mail Code: Zone 1
New Hill, North Carolina 27562-0165

SUBJECT: PROMATEC HEMYC 1-HOUR AND MT 3-HOUR FIRE BARRIER SYSTEMS

Dear Mr. Scarola:

By letter dated March 19, 2001, I informed you that the staff was planning a meeting with plants using Hemyc and MT fire barriers. In response to these letters to the affected plants, the Nuclear Energy Institute (NEI), by letter dated April 25, 2001 (Agency Wide Documents Access and Management System (ADAMS) Accession No. ML011220179), provided additional background information on the use of these fire barriers. Also, by letter dated April 17, 2001 (ADAMS Accession No. ML011150030), counsel for Carolina Power & Light Company (CP&L) provided additional information on the use of Hemyc fire barriers at the Shearon Harris Nuclear Power Plant.

The staff is reviewing the information provided by NEI and CP&L. At this time, the staff does not intend to hold a meeting with the affected licensees.

Sincerely,

/RA/

Richard J. Laufer, Project Manager, Section 2
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-400

cc: See next page

Distribution:

Docket File PUBLIC RLaufer
PDII-2 Rdg OGC ACRS
DFrumkin BBonser

ADAMS ACCESSION NUMBER: ML011370770 *see previous concurrence

OFFICE	PM:PDII/S2	LA:PDII/S2	SC:SPLB	(A)SC:PDII/S2	
NAME	RLaufer	CHawes for EDunnington	EWeiss *	PMadden	
DATE	05/15/01	05/15/01	05/ 09/01	05/15/01	
COPY	Yes/No	Yes/No	Yes/No	Yes/No	

OFFICIAL RECORD COPY

Mr. James Scarola
Carolina Power & Light Company

Shearon Harris Nuclear Power Plant
Unit 1

cc:

Mr. William D. Johnson
Vice President and Corporate Secretary
Carolina Power & Light Company
Post Office Box 1551
Raleigh, North Carolina 27602

Mr. Chris L. Burton
Director of Site Operations
Carolina Power & Light Company
Shearon Harris Nuclear Power Plant
Post Office Box 165, MC: Zone 1
New Hill, North Carolina 27562-0165

Resident Inspector/Harris NPS
c/o U.S. Nuclear Regulatory Commission
5421 Shearon Harris Road
New Hill, North Carolina 27562-9998

Mr. Robert P. Gruber
Executive Director
Public Staff NCUC
Post Office Box 29520
Raleigh, North Carolina 27626

Ms. Karen E. Long
Assistant Attorney General
State of North Carolina
Post Office Box 629
Raleigh, North Carolina 27602

Chairman of the North Carolina
Utilities Commission
Post Office Box 29510
Raleigh, North Carolina 27626-0510

Public Service Commission
State of South Carolina
Post Office Drawer
Columbia, South Carolina 29211

Mr. Vernon Malone, Chairman
Board of County Commissioners
of Wake County
P. O. Box 550
Raleigh, North Carolina 27602

Mr. Mel Fry, Director
Division of Radiation Protection
N.C. Department of Environment
and Natural Resources
3825 Barrett Dr.
Raleigh, North Carolina 27609-7721

Mr. Richard H. Givens, Chairman
Board of County Commissioners
of Chatham County
P. O. Box 87
Pittsboro, North Carolina 27312

Mr. Terry C. Morton
Manager
Performance Evaluation and
Regulatory Affairs CPB 7
Carolina Power & Light Company
Post Office Box 1551
Raleigh, North Carolina 27602-1551

Mr. Richard J. Field, Manager
Regulatory Affairs
Carolina Power & Light Company
Shearon Harris Nuclear Power Plant
P.O. Box 165, Mail Zone 1
New Hill, NC 27562-0165

Mr. Robert J. Duncan II
Plant General Manager
Carolina Power & Light Company
Shearon Harris Nuclear Power Plant
P.O. Box 165, Mail Zone 3
New Hill, North Carolina 27562-0165

Mr. Eric A. McCartney, Supervisor
Licensing/Regulatory Programs
Carolina Power & Light Company
Shearon Harris Nuclear Power Plant
P. O. Box 165, Mail Zone 1
New Hill, NC 27562-0165

Mr. John H. O'Neill, Jr.
Shaw, Pittman, Potts & Trowbridge
2300 N Street, NW.
Washington, DC 20037-1128