

May 24, 2001

Mr. G. R. Peterson
Site Vice President
Catawba Nuclear Station
Duke Energy Corporation
4800 Concord Road
York, South Carolina 29745-9635

SUBJECT: CATAWBA NUCLEAR STATION, UNITS 1 AND 2 RE: PROMATEC HEMYC
1-HOUR AND MT 3-HOUR FIRE BARRIER SYSTEMS (TAC NO. MB1311)

Dear Mr. Peterson:

By letter dated March 26, 2001, I informed you that the staff was planning a meeting with plants using Hemyc and MT fire barriers. In response to these letters to the affected plants, the Nuclear Energy Institute (NEI), by letter dated April 25, 2001, (Agency Wide Documents Access and Management System (ADAMS) Accession No. ML011220179), provided additional background information on the use of these fire barriers. In addition, by letter dated April 17, 2001, (ADAMS Accession No. ML011150030), counsel for Carolina Power & Light Company (CP&L) provided additional information on the use of Hemyc fire barriers at the Shearon Harris Nuclear Power Plant.

The staff is reviewing the information provided by NEI and CP&L. At this time, the staff does not intend to hold a meeting with the affected licensees.

Sincerely,

/RA/

Chandu P. Patel, Project Manager, Section 1
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-413 and 50-414

cc: See next page

May 24, 2001

Mr. G. R. Peterson
Site Vice President
Catawba Nuclear Station
Duke Energy Corporation
4800 Concord Road
York, South Carolina 29745-9635

SUBJECT: CATAWBA NUCLEAR STATION, UNITS 1 AND 2 RE: PROMATEC HEMYC
1-HOUR AND MT 3-HOUR FIRE BARRIER SYSTEMS (TAC NO. MB1311)

Dear Mr. Peterson:

By letter dated March 26, 2001, I informed you that the staff was planning a meeting with plants using Hemyc and MT fire barriers. In response to these letters to the affected plants, the Nuclear Energy Institute (NEI), by letter dated April 25, 2001, (Agency Wide Documents Access and Management System (ADAMS) Accession No. ML011220179), provided additional background information on the use of these fire barriers. In addition, by letter dated April 17, 2001, (ADAMS Accession No. ML011150030), counsel for Carolina Power & Light Company (CP&L) provided additional information on the use of Hemyc fire barriers at the Shearon Harris Nuclear Power Plant.

The staff is reviewing the information provided by NEI and CP&L. At this time, the staff does not intend to hold a meeting with the affected licensees.

Sincerely,

/RA/

Chandu P. Patel, Project Manager, Section 1
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-413 and 50-414

cc: See next page

Distribution: RidsAcrsAcnwMailCenter RidsNrrLACHawes (hard copy)
PUBLIC RLauffer RidsNrrPMCPatel (hard copy)
PD II-1 Rdg. RidsOgcRp
DFrumkin RidsRgn2MailCenter
RidsNrrDlpmLpdii1 (hard copy)

ADAMS ACCESSION NUMBER: ML011440508

OFFICE	PDII-1:PM	PDII-1:LA	PDII-1:SC
NAME	CPatel:cn	CHawes	LOlshan for REmch
DATE	05/23/2001	05/22/2001	05/23/2001

OFFICIAL RECORD COPY

Catawba Nuclear Station

cc:

Mr. Gary Gilbert
Regulatory Compliance Manager
Duke Energy Corporation
4800 Concord Road
York, South Carolina 29745

Ms. Lisa F. Vaughn
Legal Department (PB05E)
Duke Energy Corporation
422 South Church Street
Charlotte, North Carolina 28201-1006

Anne Cottingham, Esquire
Winston and Strawn
1400 L Street, NW
Washington, DC 20005

North Carolina Municipal Power
Agency Number 1
1427 Meadowwood Boulevard
P. O. Box 29513
Raleigh, North Carolina 27626

County Manager of York County
York County Courthouse
York, South Carolina 29745

Piedmont Municipal Power Agency
121 Village Drive
Greer, South Carolina 29651

Ms. Karen E. Long
Assistant Attorney General
North Carolina Department of Justice
P. O. Box 629
Raleigh, North Carolina 27602

Elaine Wathen, Lead REP Planner
Division of Emergency Management
116 West Jones Street
Raleigh, North Carolina 27603-1335

North Carolina Electric Membership
Corporation
P. O. Box 27306
Raleigh, North Carolina 27611

Senior Resident Inspector
U.S. Nuclear Regulatory Commission
4830 Concord Road
York, South Carolina 29745

Virgil R. Autry, Director
Division of Radioactive Waste Management
Bureau of Land and Waste Management
Department of Health and Environmental
Control
2600 Bull Street
Columbia, South Carolina 29201-1708

Mr. C. Jeffrey Thomas
Manager - Nuclear Regulatory
Licensing
Duke Energy Corporation
526 South Church Street
Charlotte, North Carolina 28201-1006

Saluda River Electric
P. O. Box 929
Laurens, South Carolina 29360

Mr. Peter R. Harden, IV
VP-Customer Relations and Sales
Westinghouse Electric Company
5929 Carnegie Blvd.
Suite 500
Charlotte, North Carolina 28209

Catawba Nuclear Station

cc:

Mr. T. Richard Puryear
Owners Group (NCEMC)
Duke Energy Corporation
4800 Concord Road
York, South Carolina 29745

Richard M. Fry, Director
Division of Radiation Protection
North Carolina Department of
Environment, Health, and
Natural Resources
3825 Barrett Drive
Raleigh, North Carolina 27609-7721