

Mr. Robert J. Wanczyk
 Acting Director of Operations
 Vermont Yankee Nuclear Power Corporation
 185 Old Ferry Road
 Brattleboro, VT 05301

October 31, 1999

SUBJECT: CORRECTION TO SAFETY EVALUATION FOR AMENDMENT NO. 178
 REGARDING MAIN STEAM LINE ISOLATION VALVE LEAKAGE - VERMONT
 YANKEE NUCLEAR POWER STATION (TAC NO. MA6028)

Dear Mr. Wanczyk:

By letter dated October 1, 1999, the Commission issued Amendment No. 178 to Facility Operating License No. DPR-28 for the Vermont Yankee Nuclear Power Station as requested by your June 29, 1999, application. By letter dated October 8, 1999, you provided a clarification to the June 29, 1999, application.

We have reviewed the clarification and concluded that it does not change the conclusions reached in our safety evaluation (SE) associated with Amendment No. 178. We do not intend to issue a revised SE, however, a copy of your October 8, 1999, letter and this letter should be maintained with the documentation associated with Amendment No. 178.

If there are any questions please contact me at (301) 415-1475.

Sincerely,

ORIGINAL SIGNED BY:
 Richard P. Croteau, Project Manager, Section 2
 Project Directorate I
 Division of Licensing Project Management
 Office of Nuclear Reactor Regulation

Docket No. 50-271

cc: See next page

DISTRIBUTION: ACRS G. Hill(2) E. Adensam (e-mail)
 Docket File OGC PUBLIC R. Scholl (e-mail)
 PDI-2 Rdg. T. Clark M. Oprendeck, RI
 R. Croteau J. Clifford W. Beckner

ARC FILE CENTER COPY

DOCUMENT NAME: G:\PDI-2\Vermont\CORA6028.wpd *See previous concurrence
 To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	PD-I-2/PM	PDI-2/IA	C	SPLB*			SC:PDI-2
NAME	Rcroteau:lc	TClark	JHannon				JClifford
DATE	10/27/99	10/27/99	10/21/99				10/31/99

OFFICIAL RECORD COPY

DF01



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

October 31, 1999

Mr. Robert J. Wanczyk
Acting Director of Operations
Vermont Yankee Nuclear Power Corporation
185 Old Ferry Road
Brattleboro, VT 05301

SUBJECT: CORRECTION TO SAFETY EVALUATION FOR AMENDMENT NO. 178
REGARDING MAIN STEAM LINE ISOLATION VALVE LEAKAGE - VERMONT
YANKEE NUCLEAR POWER STATION (TAC NO. MA6028)

Dear Mr. Wanczyk:

By letter dated October 1, 1999, the Commission issued Amendment No. 178 to Facility Operating License No. DPR-28 for the Vermont Yankee Nuclear Power Station as requested by your June 29, 1999, application. By letter dated October 8, 1999, you provided a clarification to the June 29, 1999, application.

We have reviewed the clarification and concluded that it does not change the conclusions reached in our safety evaluation (SE) associated with Amendment No. 178. We do not intend to issue a revised SE, however, a copy of your October 8, 1999, letter and this letter should be maintained with the documentation associated with Amendment No. 178.

If there are any questions please contact me at (301) 415-1475.

Sincerely,

A handwritten signature in black ink, appearing to read "R. Croteau", written over a horizontal line.

Richard P. Croteau, Project Manager, Section 2
Project Directorate I
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-271

cc: See next page

Vermont Yankee Nuclear Power Station

cc:

Regional Administrator, Region I
U. S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Mr. David R. Lewis
Shaw, Pittman, Potts & Trowbridge
2300 N Street, N.W.
Washington, DC 20037-1128

Mr. Richard P. Sedano, Commissioner
Vermont Department of Public Service
112 State Street
Montpelier, VT 05620-2601

Mr. Michael H. Dworkin, Chairman
Public Service Board
State of Vermont
112 State Street
Montpelier, VT 05620-2701

Chairman, Board of Selectmen
Town of Vernon
P.O. Box 116
Vernon, VT 05354-0116

Mr. Richard E. McCullough
Operating Experience Coordinator
Vermont Yankee Nuclear Power Station
P.O. Box 157
Governor Hunt Road
Vernon, VT 05354

G. Dana Bisbee, Esq.
Deputy Attorney General
33 Capitol Street
Concord, NH 03301-6937

Chief, Safety Unit
Office of the Attorney General
One Ashburton Place, 19th Floor
Boston, MA 02108

Ms. Deborah B. Katz
Box 83
Shelburne Falls, MA 01370

Mr. Raymond N. McCandless
Vermont Department of Health
Division of Occupational
and Radiological Health
108 Cherry Street
Burlington, VT 05402

Mr. Gautam Sen
Licensing Manager
Vermont Yankee Nuclear Power
Corporation
185 Old Ferry Road
Brattleboro, VT 05301

Resident Inspector
Vermont Yankee Nuclear Power Station
U. S. Nuclear Regulatory Commission
P.O. Box 176
Vernon, VT 05354

Director, Massachusetts Emergency
Management Agency
ATTN: James Muckerheide
400 Worcester Rd.
P.O. Box 1496
Framingham, MA 01701-0317

Jonathan M. Block, Esq.
Main Street
P. O. Box 566
Putney, VT 05346-0566

Distribution Sheet

Priority: Normal

From: Elaine Walker

Action Recipients:

Copies:

Internal Recipients:

FILE CENTER 01

1

Not Found

External Recipients:

NRC PDR

1

Not Found

NOAC

1

Not Found

Total Copies:

3

Item: ADAMS Document

Library: ML_ADAMS^HQNTAD01

ID: 993200260

Subject:

CORRECTION TO SAFETY EVALUATION FOR AMENDMENT NO.178 REGARDING MAIN STEAM LINE ISOLATION VALVE LEAKAGE VERMONT YANKEE NUCLEAR POWER STATION (TAC NO. MA6028)

Body:

pdr adock 05000271 p

Docket: 05000271, Notes: N/A