

DISTRIBUTION

Docket File ✓
NRC PDR
Local PDR
ORB 1 File
D. Eisenhut
C. Parrish
W. Ross
OELD
OI&E (5)
G. Deegan (4)
B. Scharf
J. Wetmore
ACRS (10)
OPA (Clare Miles)
R. Diggs
NSIC

TERA
Chairman, ASLAP

MAY 12 1981

Docket No. 50-272

Mr. F. W. Schneider, Vice President
Production
Public Service Electric and Gas Company
80 Park Plaza, 15A
Newark, New Jersey 07101

Dear Mr. Schneider:

The Commission has issued the enclosed Amendment No. 36 to Facility Operating License No. DPR-70 for the Salem Nuclear Generating Station, Unit No. 1. This amendment modifies your license in response to your submittal of August 17, 1979, as revised by your letter of March 13, 1981 to include a requirement to maintain a Guard Training and Qualification Plan to be followed in accordance with 10 CFR 73.55(b)(4) within 60 days of this approval by the Commission. All security personnel shall be qualified within 2 years of this approval.

We have reviewed your Guard Training Qualification Plan against the requirements of 10 CFR §73.55(b) and the general criteria set forth in Appendix B of 10 CFR Part 73 and have found that the plan contains all of the elements required for it to be acceptable.

Changes which would not decrease the safeguards effectiveness of your approved Guard Training and Qualification Plan may be made without approval by the Commission. A report containing a description of each change shall be furnished to the Director, Office of Nuclear Reactor Regulation, U. S. Nuclear Regulatory Commission, Washington, D. C. 20555, with a copy to the appropriate NRC Regional Office within two months after the change is made. Records of changes made without Commission approval shall be maintained for a period of two years from the date of the change.

This amendment applies to the Guard Training and Qualification Plan and, therefore, does not authorize a change in effluent types or total amounts nor an increase in power level, and will not result in any significant environmental impact. Having made this determination, we have further concluded that this amendment involves an action which is insignificant from the standpoint of environmental impact and pursuant to 10 CFR 51.5(d)(4) that an environmental impact statement, or negative declaration and environmental impact appraisal need not be prepared in connection with the issuance of this amendment.



OFFICE						
SURNAME						
DATE	P 8105260018					

MAY 12 1981

Mr. F. W. Schneider

- 2 -

Since this amendment applies to the Guard Training and Qualification Plan, it does not involve a significant increase in the probability or consequences of an accident, does not involve a significant decrease in a safety margin and, therefore, does not involve a significant hazards consideration. We have also concluded that there is reasonable assurance that the health and safety of the public will not be endangered by this action and that the issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public.

We will continue to withhold your Guard Training and Qualification Plan and related materials from public disclosure in accordance with the provisions of 10 CFR 2.790(d).

A copy of the Notice of Issuance is also enclosed.

Sincerely,

Original Signed By:

Steven A. Varga, Chief
Operating Reactors Branch No. 1
Division of Licensing

Enclosures:

- 1. Amendment No. 36 to DPR-70
- 2. Notice of Issuance

cc: w/enclosures
See next page

to 5/2/81

see attached

*Concur subject
to changes*

OFFICE	ORB 1	ORB 1	ORB 1	AD/OR	OELD	
SURNAME	CParrish	WRoss	SVarga	TNovak	Om	
DATE	4/30/81	4/23/81	4/28/81	5/4/81	5/8/81	

Mr. F. W. Schneider
Public Service Electric and Gas Company

-1-

MAY 12 1981

cc: Mark J. Wetterhahn, Esquire
Conner, Moore and Corber
Suite 1050
1747 Pennsylvania Avenue, NW
Washington, D. C. 20006

Richard Fryling, Jr., Esquire
Assistant General Solicitor
Public Service Electric and Gas Company
80 Park Place
Newark, New Jersey 07101

Gene Fisher, Bureau of Chief
Bureau of Radiation Protection
380 Scotch Road
Trenton, New Jersey 08628

Mr. Henry J. Midura, Manager
Salem Nuclear Generating Station
Public Service Electric and Gas Company
P. O. Box 168
Hancocks Bridge, New Jersey 08038

Salem Free Library
112 West Broadway
Salem, New Jersey 08079

Leif J. Norrholm, Resident Inspector
Salem Nuclear Generating Station
U. S. Nuclear Regulatory Commission
Drawer I
Hancocks Bridge, New Jersey 08038

Attorney General
Department of Law and Public Safety
State House Annex
Trenton, New Jersey 08625

Samuel E. Donelson, Mayor
Lower Alloways Creek Township
Municipal Hall
Hancocks Bridge, New Jersey 08038

Richard B. McGlynn, Commissioner
Department of Public Utilities
State of New Jersey
101 Commerce Street
Newark, New Jersey 07102

Deputy Attorney General
State House Annex
State of New Jersey
36 West State Street
Trenton, New Jersey 08625

Director, Criteria and Standards
Division
Office of Radiation Programs (ANW-460)
U. S. Environmental Protection Agency
Washington, D. C. 20460

U. S. Environmental Protection Agency
Region II Office
ATTN: EIS COORDINATOR
26 Federal Plaza
New York, New York 10007

Mr. E. N. Schwalje, Manager
of Quality Assurance
Public Service Electric and Gas Company
80 Park Place
Newark, New Jersey 07101

Mr. R. L. Mittl, General Manager
Licensing and Environment
Public Service Electric and Gas Company
80 Park Plaza 17C
Newark, New Jersey 07101

Peter A. Moeller
Nuclear Licensing Engineer
Public Service Electric and Gas Company
80 Park Plaza - 15A
Newark, New Jersey 07101

Mr. F. W. Schneider
Public Service Electric and Gas Company

-2-

MAY 12 1981

cc: Mr. R. A. Uderitz, General Manager
Nuclear Production
Production Department
Public Service Electric and Gas
Company
80 Park Plaza 15A
Newark, New Jersey 07101

Mr. Dale Bridenbaugh
M.H.B. Technical Associates
1723 Hamilton Avenue, Suite K
San Jose, California 95125

Mr. J. T. Boettger, General Manager
Quality Assurance I&E
Public Service Electric and Gas
Company
80 Park Plaza
Newark, New Jersey 07101

Mr. Edwin A. Liden, Manager
Nuclear Licensing
Licensing and Environment Dept.
80 Park Plaza 16D
Newark, New Jersey 07101

Carl Valore, Jr., Esquire
Valore, McAllister, Aron and
Westmoreland, P.A.
535 Tilton Road
Northfield, New Jersey 08225

June D. MacArtor, Esquire
Deputy Attorney General
Tatnall Building
P. O. Box 1401
Dover, Delaware 19901

Keith A. Orsdorff, Esquire
Department of the Public Advocate
Division of Public Interest Advocacy
520 East State Street
Trenton, New Jersey 08601

Lower Alloways Creek Township
c/o Michael H. Facemyer, Clerk
Municipal Building
Hancocks Bridge, New Jersey 08038

Mr. Alfred C. Coleman, Jr.
Mrs. Eleanor G. Coleman
35 K Drive
Pennsville, New Jersey 08070

Mr. Mark L. First
Deputy Attorney General
State of New Jersey
Department of Law and Public Safety
Environmental Protection Section
36 West State Street
Trenton, New Jersey 08625

ROUTING AND TRANSMITTAL SLIP

Date

TO: (Name, office symbol, room number, building, Agency/Post)	Initials	Date
1. Hazel Smith		5/8/81
2. <i>(over left page)</i>		
3. <i>reinsert</i>		
4. <i>attach to yellow</i>		
5.		

Action	File	Note and Return
Approval	For Clearance	Per Conversation
As Requested	For Correction	Prepare Reply
Circulate	For Your Information	See Me
Comment	Investigate	Signature
Coordination	Justify	

REMARKS

I would suggest these changes:

We have reviewed your Guard Training Qualification Plan against the requirements of 10 C.F.R. §73.55(b) and the general criteria set forth in Appendix B of 10 CFR Part 73 and have found that the plan contains all of the elements required for it to be acceptable.

(also change in Federal Register Notice)

DO NOT use this form as a RECORD of approvals, concurrences, disposals, clearances, and similar actions

FROM: (Name, org. symbol, Agency/Post)	Room No.—Bldg.
	Phone No.

Janice E. Moore

5041-102
 * GPO : 1980 O - 311-156 (6)

OPTIONAL FORM 41 (Rev. 7-76)
 Prescribed by GSA
 FPMR (41 CFR) 101-11.206

Distribution
 Docket File
 NRC PDR
 Local PDR
 ORB Reading
 D. Eisenhut
 C. Parrish
 W. Ross
 OELD
 OI&E (5)
 G. Deegan (4)
 B. Scharf
 J. Wetmore
 ACRS (10)
 OPA (Clare Miles)
 R. Diggs
 NSIC
 TERA
 Chairman, ASLAB

Docket No. 50-272

Mr. F. W. Schneider, Vice President
 Production
 Public Service Electric and Gas Company
 80 Park Plaza, 15A
 Newark, New Jersey 07101

Dear Mr. Schneider:

The Commission has issued the enclosed Amendment No. to Facility Operating License No. DPR-70 for the Salem Nuclear Generating Station, Unit No. 1. This amendment modifies your license in response to your submittal of August 17, 1979, as revised by your letter of March 13, 1981 to include a requirement to maintain a Guard Training and Qualification Plan to be followed in accordance with 10 CFR 73.55(b)(4) within 60 days of this approval by the Commission. All security personnel shall be qualified within 2 years of this approval.

See attached
 We have completed our review and evaluation of your Guard Training and Qualification Plan and have concluded that the plan for this facility, when fully implemented, will provide the protection needed to satisfy the objectives of the specific requirements of 10 CFR 73.55(b)(4) and Appendix B to 10 CFR 73. We, therefore, further conclude that your Guard Training and Qualification Plan is acceptable.

Changes which would not decrease the safeguards effectiveness of your approved Guard Training and Qualification Plan may be made without approval by the Commission. A report containing a description of each change shall be furnished to the Director, Office of Nuclear Reactor Regulation, U. S. Nuclear Regulatory Commission, Washington, D. C. 20555, with a copy to the appropriate NRC Regional Office within two months after the change is made. Records of changes made without Commission approval shall be maintained for a period of two years from the date of the change.

This amendment applies to the Guard Training and Qualification Plan and, therefore, does not authorize a change in effluent types or total amounts nor an increase in power level, and will not result in any significant environmental impact. Having made this determination, we have further concluded that this amendment involves an action which is insignificant from the standpoint of environmental impact and pursuant to 10 CFR 51.5(d)(4) that an environmental impact statement, or negative declaration and environmental impact appraisal need not be prepared in connection with the issuance of this amendment.

OFFICE ▶
SURNAME ▶
DATE ▶

DISTRIBUTION

Docket File
NRC PDR
Local PDR
ORB 1 File
D. Eisenhut
C. Parrish
W. Ross
OELD
OI&E (5)
G. Deegan (4)
B. Scharf
J. Wetmore
ACRS (10)
OPA (Clare Miles)
R. Diggs
NSIC

TERA
Chairman, ASLAP

MAY 12 1981

Docket No. 50-272

Mr. F. W. Schneider, Vice President
Production
Public Service Electric and Gas Company
80 Park Plaza, 15A
Newark, New Jersey 07101

Dear Mr. Schneider:

The Commission has issued the enclosed Amendment No. 36 to Facility Operating License No. DPR-70 for the Salem Nuclear Generating Station, Unit No. 1. This amendment modifies your license in response to your submittal of August 17, 1979, as revised by your letter of March 13, 1981 to include a requirement to maintain a Guard Training and Qualification Plan to be followed in accordance with 10 CFR 73.55(b)(4) within 60 days of this approval by the Commission. All security personnel shall be qualified within 2 years of this approval.

We have reviewed your Guard Training Qualification Plan against the requirements of 10 CFR §73.55(b) and the general criteria set forth in Appendix B of 10 CFR Part 73 and have found that the plan contains all of the elements required for it to be acceptable.

Changes which would not decrease the safeguards effectiveness of your approved Guard Training and Qualification Plan may be made without approval by the Commission. A report containing a description of each change shall be furnished to the Director, Office of Nuclear Reactor Regulation, U. S. Nuclear Regulatory Commission, Washington, D. C. 20555, with a copy to the appropriate NRC Regional Office within two months after the change is made. Records of changes made without Commission approval shall be maintained for a period of two years from the date of the change.

This amendment applies to the Guard Training and Qualification Plan and, therefore, does not authorize a change in effluent types or total amounts nor an increase in power level, and will not result in any significant environmental impact. Having made this determination, we have further concluded that this amendment involves an action which is insignificant from the standpoint of environmental impact and pursuant to 10 CFR 51.5(d)(4) that an environmental impact statement, or negative declaration and environmental impact appraisal need not be prepared in connection with the issuance of this amendment.

OFFICE							
SURNAME							
DATE							

MAY 12 1981

Mr. F. W. Schneider

- 2 -

Since this amendment applies to the Guard Training and Qualification Plan, it does not involve a significant increase in the probability or consequences of an accident, does not involve a significant decrease in a safety margin and, therefore, does not involve a significant hazards consideration. We have also concluded that there is reasonable assurance that the health and safety of the public will not be endangered by this action and that the issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public.

We will continue to withhold your Guard Training and Qualification Plan and related materials from public disclosure in accordance with the provisions of 10 CFR 2.790(d).

A copy of the Notice of Issuance is also enclosed.

Sincerely,

Original Signed By:

Steven A. Varga, Chief
Operating Reactors Branch No. 1
Division of Licensing

Enclosures:

- 1. Amendment No. 36 to DPR-70
- 2. Notice of Issuance

cc: w/enclosures
See next page

HS 5/12/81

see attached
Concur subject
90 changes

OFFICE	ORB 1	ORB 1	ORB 1	AD/OR	OELD	
SURNAME	CParrish	WRoss	SVarga	TNovak	Qm	
DATE	4/30/81	4/23/81	4/28/81	5/4/81	5/8/81	

Mr. F. W. Schneider
Public Service Electric and Gas Company

-1-

MAY 12 1981

cc: Mark J. Wetterhahn, Esquire
Conner, Moore and Corber
Suite 1050
1747 Pennsylvania Avenue, NW
Washington, D. C. 20006

Richard Fryling, Jr., Esquire
Assistant General Solicitor
Public Service Electric and Gas Company
80 Park Place
Newark, New Jersey 07101

Gene Fisher, Bureau of Chief
Bureau of Radiation Protection
380 Scotch Road
Trenton, New Jersey 08628

Mr. Henry J. Midura, Manager
Salem Nuclear Generating Station
Public Service Electric and Gas Company
P. O. Box 168
Hancocks Bridge, New Jersey 08038

Salem Free Library
112 West Broadway
Salem, New Jersey 08079

Leif J. Norrholm, Resident Inspector
Salem Nuclear Generating Station
U. S. Nuclear Regulatory Commission
Drawer I
Hancocks Bridge, New Jersey 08038

Attorney General
Department of Law and Public Safety
State House Annex
Trenton, New Jersey 08625

Samuel E. Donelson, Mayor
Lower Alloways Creek Township
Municipal Hall
Hancocks Bridge, New Jersey 08038

Richard B. McGlynn, Commissioner
Department of Public Utilities
State of New Jersey
101 Commerce Street
Newark, New Jersey 07102

Deputy Attorney General
State House Annex
State of New Jersey
36 West State Street
Trenton, New Jersey 08625

Director, Criteria and Standards
Division
Office of Radiation Programs (ANW-460)
U. S. Environmental Protection Agency
Washington, D. C. 20460

U. S. Environmental Protection Agency
Region II Office
ATTN: EIS COORDINATOR
26 Federal Plaza
New York, New York 10007

Mr. E. N. Schwalje, Manager
of Quality Assurance
Public Service Electric and Gas Company
80 Park Place
Newark, New Jersey 07101

Mr. R. L. Mittl, General Manager
Licensing and Environment
Public Service Electric and Gas Company
80 Park Plaza 17C
Newark, New Jersey 07101

Peter A. Moeller
Nuclear Licensing Engineer
Public Service Electric and Gas Company
80 Park Plaza - 15A
Newark, New Jersey 07101

Mr. F. W. Schneider
Public Service Electric and Gas Company

-2-

MAY 12 1981

cc: Mr. R. A. Uderitz, General Manager
Nuclear Production
Production Department
Public Service Electric and Gas
Company
80 Park Plaza 15A
Newark, New Jersey 07101

Mr. Dale Bridenbaugh
M.H.B. Technical Associates
1723 Hamilton Avenue, Suite K
San Jose, California 95125

Mr. J. T. Boettger, General Manager
Quality Assurance I&E
Public Service Electric and Gas
Company
80 Park Plaza
Newark, New Jersey 07101

Mr. Edwin A. Liden, Manager
Nuclear Licensing
Licensing and Environment Dept.
80 Park Plaza 16D
Newark, New Jersey 07101

Carl Valore, Jr., Esquire
Valore, McAllister, Aron and
Westmoreland, P.A.
535 Tilton Road
Northfield, New Jersey 08225

June D. MacArtor, Esquire
Deputy Attorney General
Tatnall Building
P. O. Box 1401
Dover, Delaware 19901

Keith A. Orsdorff, Esquire
Department of the Public Advocate
Division of Public Interest Advocacy
520 East State Street
Trenton, New Jersey 08601

Lower Alloways Creek Township
c/o Michael H. Facemyer, Clerk
Municipal Building
Hancocks Bridge, New Jersey 08038

Mr. Alfred C. Coleman, Jr.
Mrs. Eleanor G. Coleman
35 K Drive
Pennsville, New Jersey 08070

Mr. Mark L. First
Deputy Attorney General
State of New Jersey
Department of Law and Public Safety
Environmental Protection Section
36 West State Street
Trenton, New Jersey 08625



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

PUBLIC SERVICE ELECTRIC AND GAS COMPANY
PHILADELPHIA ELECTRIC COMPANY
DELMARVA POWER AND LIGHT COMPANY
ATLANTIC CITY ELECTRIC COMPANY

DOCKET NO. 50-272

SALEM NUCLEAR GENERATING STATION, UNIT NO. 1

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 36
License No. DPR-70


1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The filing for amendment by Public Service Electric and Gas Company, Philadelphia Electric Company, Delmarva Power and Light Company and Atlantic City Electric Company (the licensees) dated August 17, 1979, as revised by letter dated March 13, 1981, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act) and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - D. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, Facility Operating License No. DPR-70 is hereby amended by renumbering, and reformatting the existing Section 2 and by adding a new Paragraph E that reads as follows:

8105260 022

- E. The licensee shall follow the Salem Nuclear Generating Station Guard Training and Qualification Plan, as revised March 13, 1981, in accordance with 10 CFR 73.55(b)(4) 60 days after approval by the Commission. All security personnel, as required in the above plan, shall be qualified within two years of this approval. The licensee may make changes to this plan without prior Commission approval if the changes do not decrease the safeguards effectiveness of the plan. The licensee shall maintain records of and submit reports concerning such changes in the same manner as required for changes made to the Safeguards Contingency Plan pursuant to 10 CFR 50.54(p).

This license amendment is effective as of its date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION


Steven A. Varga, Chief
Operating Reactors Branch No. 1
Division of Licensing

Attachment: -
Changes to License DPR-70

Date of Issuance: . MAY 12 1981

ATTACHMENT TO LICENSE AMENDMENT NO. 36

FACILITY OPERATING LICENSE NO. DPR-70

DOCKET NO. 50-272

Revise License No. DPR-70 as follows:

Remove Page

5

Insert Page

5

Amdt #26 9-15-88

D The licensee shall fully implement and maintain in effect all provisions of the NRC approved physical security plan, including amendments and changes made pursuant to 10 CFR 50.54(p). The approved security plan, withheld from public disclosure pursuant to 10 CFR 2.790(d), collectively titled "Salem Nuclear Generating Station, Unit Nos. 1 and 2 Physical Security Plan", dated May 24, 1977 as revised September 29, 1977 and August 3, 1978 and February 16, 1979, includes, as a revised Chapter 8, the NRC approved Safeguards Contingency Plan as transmitted by letter of June 30, 1980.

E. The licensee shall follow the Salem Nuclear Generating Station Guard Training and Qualification Plan, as revised March 13, 1981, in accordance with 10 CFR 73.55(b)(4) 60 days after approval by the Commission. All security personnel, as required in the above plan, shall be qualified within two years of this approval. The licensee may make changes to this plan without prior Commission approval if the changes do not decrease the safeguards effectiveness of the plan. The licensee shall maintain records of and submit reports concerning such changes in the same manner as required for changes made to the Safeguards Contingency Plan pursuant to 10 CFR 50.54(p).

F. In accordance with the requirement imposed by the October 8, 1976, order of the United States Court of Appeals for the District of Columbia Circuit in Natural Resources Defense Council v. Nuclear Regulatory Commission, No. 74-1385 and 74-1586, that the Nuclear Regulatory Commission "shall make any licenses granted between July 21, 1976 and such time when the mandate is issued subject to the outcome of the proceedings herein," the license amendment issued herein shall be subject to the outcome of such proceedings.

~~Prior to exceeding twenty percent of rated core power, Public Service Electric and Gas Company shall reanalyze, to the satisfaction of the Commission, the emergency core cooling system performance as delineated in Item F.1. of Attachment 1 of this amended license. Related by Amdt #4~~

Prior to startup following the first regularly scheduled refueling outage, Public Service Electric and Gas Company shall install, to the satisfaction of the Commission, a long-term means of protection against reactor coolant system over-pressurization when water-solid.

This amended license is effective as of the date of its issuance. Facility Operating License No. DPR-70, as amended, shall expire at midnight, September 25, 2008.

FOR THE NUCLEAR REGULATORY COMMISSION

R. S. Boyd
Roger S. Boyd, Director
Division of Project Management
Office of Nuclear Reactor Regulation

Attachments:

1. Incomplete Preoperational Tests, Startup Tests, and Other Items Which Must be Completed
2. Page Changes to Technical Specifications, Appendix A

Amend. #36

Date of Issuance: December 1, 1976

Handwritten notes:
G.K.
H. 1976
JAN 6 1977

UNITED STATES NUCLEAR REGULATORY COMMISSION

DOCKET NO. 50-272
PUBLIC SERVICE ELECTRIC AND GAS COMPANY,
PHILADELPHIA ELECTRIC COMPANY,
DELMARVA POWER AND LIGHT COMPANY, AND
ATLANTIC CITY ELECTRIC COMPANY

NOTICE OF ISSUANCE OF AMENDMENT TO FACILITY
OPERATING LICENSE

The U. S. Nuclear Regulatory Commission (the Commission) has issued Amendment No. 36 to Facility Operating License No. DPR-70, issued to Public Service Electric and Gas Company, Philadelphia Electric Company, Delmarva Power and Light Company and Atlantic City Electric Company (the licensees), which revised the license for operation of the Salem Nuclear Generating Station, Unit No. 1 (the facility) located in Salem County, New Jersey. The amendment is effective as of the date of issuance and is to be fully implemented within 60 days of Commission approval in accordance with the provisions of 10 CFR 73.55(b)(4).

The amendment adds a license condition to include the Commission-approved Guard Training and Qualification Plan as part of the license.

The licensee's filing, which has been handled by the Commission as an application, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations. The Commission has made appropriate findings as required by the Act and the Commission's rules and regulations in 10 CFR Chapter I, which are set forth in the license amendment. Prior public notice of this amendment was not required since the amendment does not involve a significant hazards consideration.

8105260026

- 2 -


The Commission has determined that the issuance of this amendment will not result in any significant environmental impact and that pursuant to 10 CFR Section 51.5(d)(4) an environmental impact statement, or negative declaration and environmental impact appraisal need not be prepared in connection with issuance of this amendment.

The licensee's filing dated August 17, 1979, and its revision submitted by letter dated March 13, 1981 are being withheld from public disclosure pursuant to 10 CFR 2.790(d). The withheld information is subject to disclosure in accordance with the provisions of 10 CFR §9.12.

For further details with respect to this action, see (1) Amendment No. to License No. DPR-70 and (2) the Commission's related letter to the licensee dated May 12, 1981. All of these items are available for public inspection at the Commission's Public Document Room 1717 H Street, N. W., Washington, D. C., and at the Salem Free Public Library, 112 West Broadway, Salem, New Jersey. A copy of items (1) and (2) may be obtained upon request addressed to the U. S. Nuclear Regulatory Commission, Washington, D. C. 20555, Attention: Director, Division of Licensing.

Dated at Bethesda, Maryland, this 12th day of May 1981.

FOR THE NUCLEAR REGULATORY COMMISSION



Steven A. Varga, Chief
Operating Reactors Branch No. 1
Division of Licensing