



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

October 4, 1988

Docket Nos. 50-272/311
50-354

Mr. Steven E. Miltenberger
Vice President and Chief Nuclear
Officer
Public Service Electric and Gas
Company
Post Office Box 236
Hancocks Bridge, New Jersey 08038

Dear Mr. Miltenberger:

SUBJECT: SALEM GENERATING STATION, UNITS 1 AND 2 AND HOPE CREEK GENERATING
STATION - TEMPORARY EXEMPTION FROM THE SCHEDULAR REQUIREMENTS OF THE
PROPERTY INSURANCE RULE EFFECTIVE OCTOBER 4, 1988
(10 CFR 50.54(w)(5)(i))

The Commission has issued the enclosed temporary exemption from the schedular requirements of the property insurance rule effective October 4, 1988 (10 CFR 50.54(w)(5)(i)) for the Salem Generating Station, Units 1 and 2 and the Hope Creek Generating Station. This part of the rule requires licensees to obtain insurance policies that prioritize insurance proceeds for stabilization and decontamination after an accident and provide for payment of proceeds to an independent trustee who would disburse funds for decontamination and cleanup before any other purpose.

The Commission has proposed a revision of 10 CFR 50.54(w)(5)(i) extending the implementation schedule for 18 months (53 FR 36338, September 19, 1988). However, because it is unlikely that this rulemaking action will be completed by October 4, 1988 the Commission is issuing a temporary exemption from the requirements of 10 CFR 50.54(w)(5)(i) until completion of the pending rulemaking extending the implementation date specified in 10 CFR 50.54(w)(5)(i), but not later than April 1, 1989. Upon completion of such rulemaking, the licensee shall comply with the provisions of such rule.

The Commission, pursuant to 10 CFR 50.12(a), hereby grants a temporary exemption from the schedular requirements of 10 CFR 50.54(w)(5)(i). This temporary exemption is valid until April 1, 1989 or until such time as action on this rulemaking is completed.

In granting the exemption, the staff has determined that this action is authorized by law and will not endanger life or property or the common defense and security and is otherwise in the public interest.

8810110298 881004
PDR ADCK 05000272
J FDC

C/P 3
38

A copy of these exemptions are being filed with the Office of the Federal Register for publication.

Sincerely,

Original signed by
George W. Rivenbark (for)

James C. Stone, Project Manager
Project Directorate I-2
Division of Reactor Projects I/II
Office of Nuclear Reactor Regulation

Original signed by George W. Rivenbark

George W. Rivenbark, Project Manager
Project Directorate I-2
Division of Reactor Projects I/II
Office of Nuclear Reactor Regulation

Enclosures: As stated

cc w/enclosures:
See next page

DISTRIBUTION

- Docket File
- NRC PDR
- Local PDR
- PDI-2 Reading
- TMurley/JSniezek
- DCrutchfield
- FMiraglia
- CRossi
- SVarga/BBoger
- WButler
- MO'Brien
- JStone/MThadani
- GRivenbark/SBrown
- OGC
- EJordan
- BGrimes
- TBarnhart (12)
- ACRS (10)
- GPA/PA
- ARM/LFMB
- ETourigny

DFOI
/1

[Signature]
PDI-2/PA
MO'Brien
9/29/88

[Signature]
PDI-2/PM
JStone:mr
9/29/88

[Signature]
PDI-2/PM
GRivenbark
9/29/88

[Signature]
PDI-2/D
WButler
9/29/88

[Signature]
AD/RI
BBoger
10/4/88

[Signature]
DORPI/II
SVarga
10/4/88

A copy of these exemptions are being filed with the Office of the Federal Register for publication.

Sincerely,



James C. Stone, Project Manager
Project Directorate I-2
Division of Reactor Projects I/II
Office of Nuclear Reactor Regulation



George W. Rivenbark, Project Manager
Project Directorate I-2
Division of Reactor Projects I/II
Office of Nuclear Reactor Regulation

Enclosures: As stated

cc w/enclosures:
See next page

Mr. Steven E. Miltenberger
Public Service Electric & Gas Company

Salem Nuclear Generating Station

cc:

Mark J. Wetterhahn, Esquire
Conner and Wetterhahn
Suite 1050
1747 Pennsylvania Avenue, NW
Washington, DC 20006

Richard B. McGlynn, Commission
Department of Public Utilities
State of New Jersey
101 Commerce Street
Newark, NJ 07102

Richard Fryling, Jr., Esquire
Law Department - Tower 5E
80 Park Place
Newark, NJ 07101

Regional Administrator, Region I
U. S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406

Mr. John M. Zupko, Jr.
General Manager - Salem Operations
Salem Generating Station
P.O. Box E
Hancocks Bridge, NJ 08038

Lower Alloways Creek Township
c/o Mary O. Henderson, Clerk
Municipal Building, P.O. Box 157
Hancocks Bridge, NJ 08038

Robert Traee, Mayor
Lower Alloways Creek Township
Municipal Hall
Hancocks Bridge, NJ 08038

Mr. Bruce A. Preston, Manager
Licensing and Regulation
Nuclear Department
P.O. Box 236
Hancocks Bridge, NJ 08038

Richard W. Borchardt, Resident Inspector
Salem Nuclear Generating Station
U.S. Nuclear Regulatory Commission
Drawer I
Hancocks Bridge, NJ 08038

Mr. David Wersan
Assistant Consumer Advocate
Office of Consumer Advocate
1425 Strawberry Square
Harrisburg, PA 17120

Richard F. Engel
Deputy Attorney General
Department of Law and Public Safety
CN-112
State House Annex
Trenton, NJ 08625

Morgan J. Morris, III
General Manager - Operating License
Atlantic Electric
P.O. Box 1500
1199 Black Horse Pike
Pleasantville, NJ 08232

Mr. David M. Scott, Chief
Bureau of Nuclear Engineering
Department of Environmental Protection
State of New Jersey
CN 411
Trenton, NJ 08625

Delmarva Power & Light Company
c/o Jack Urban
General Manager, Fuel Supply
800 King Street
P.O. Box 231
Wilmington, DE 19899

Mr. Steven E. Miltenberger
Public Service Electric & Gas Co.

Hope Creek Generating Station

cc:

M. J. Wetterhahn, Esquire
Conner & Wetterhahn
Suite 1050
1747 Pennsylvania Avenue
Washington, D.C. 20006

R. Fryling, Jr., Esquire
Law Department - Tower 5E
80 Park Place
Newark, New Jersey 07101

Resident Inspector
U.S. Nuclear Regulatory Commission
P.O. Box 241
Hancocks Bridge, New Jersey 08038

Mr. J. Hagan
General Manager - Hope Creek Operations
Hope Creek Generating Station
P.O. Box 118
Hancocks Bridge, New Jersey 08038

Mr. B. A. Preston, Manager
Licensing and Regulation
Nuclear Department
P.O. Box 236
Hancocks Bridge, New Jersey 08038

Regional Administrator, Region I
U.S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, Pennsylvania 19406

Mr. David M. Scott, Chief
Bureau of Nuclear Engineering
Division of Environmental Quality
Department of Environmental Protection
State of New Jersey
CN 411
Trenton, New Jersey 08625

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

In the matter of)	
)	
PUBLIC SERVICE ELECTRIC AND GAS)	Docket Nos. 50-272/311
COMPANY)	
)	
Salem Generating Station, Units 1 and 2)	
)	

EXEMPTION

I.

Public Service Electric and Gas Company (the licensee) is the holder of Facility Operating License Nos. DPR-70 and DPR-75 which authorizes operation of the Salem Generating Station, Units 1 and 2. The license provides, among other things, that it is subject to all rules, regulations, and orders of the Commission now or hereafter in effect.

The facility consists of pressurized water reactors at the licensee's site located in Salem County, New Jersey.

II.

On August 5, 1987, the NRC published in the FEDERAL REGISTER a final rule amending 10 CFR 50.54(w). The rule increased the amount of on-site property damage insurance required to be carried by NRC's power reactor licensees. The rule also required these licensees to obtain by October 4, 1988 insurance policies that prioritized insurance proceeds for stabilization and decontamination after an accident and provided for payment of proceeds to an independent trustee who would disburse funds for decontamination and cleanup before any other purpose. Subsequent to publication of the rule, the NRC has been informed by insurers who offer nuclear property insurance that, despite a good faith effort to obtain trustees required by the rule, the decontamination priority and trusteeship provisions will not be able to be incorporated into policies by the time required in the rule. In response to these comments and related petitions for rulemaking,

the Commission has proposed a revision of 10 CFR 50.54(w)(5)(i) extending the implementation schedule for 18 months (53 FR 36338, September 19, 1988).

However, because it is unlikely that this rulemaking action will be completed by October 4, 1988, the Commission is issuing a temporary exemption from the requirements of 10 CFR 50.54(w)(5)(i) until completion of the pending rulemaking extending the implementation date specified in 10 CFR 50.54(w)(5)(i), but not later than April 1, 1989. Upon completion of such rulemaking, the licensee shall comply with the provisions of such rule.

III.

Pursuant to 10 CFR 50.12, "The Commission may, upon application by any interested person or upon its own initiative, grant exemptions from the requirements of the regulations of [10 CFR Part 50], which are ... Authorized by law, will not present an undue risk to the public health and safety, and are consistent with the common defense and security." Further, Section 50.12(a)(2) provides inter alia, "The Commission will not consider granting an exemption unless special circumstances are present. Special circumstances are present whenever ... (v) The exemption would provide only temporary relief from the applicable regulation and the licensee has made good faith efforts to comply with the regulation."

Despite a good faith effort to comply with the provisions of the rule, insurers providing property damage insurance for nuclear power facilities and licensees insured by such insurers have not been able to comply with the regulation and the exemption provides only temporary relief from the applicable regulation.

As noted by the Commission in the Supplementary Information accompanying the proposed rule, there are several reasons for concluding that delaying for a reasonable time the implementation of the stabilization and decontamination priority and trusteeship provisions of Section 50.54(w) will not adversely affect protection of public health and safety. First, during the period of delay, the licensee will still be required to carry \$1.06 billion insurance. This is a substantial amount of coverage that provides a significant financial cushion to licensees to decontaminate and clean up after an accident even without the prioritization and trusteeship provisions. Second, nearly 75% of the required coverage is already prioritized under the decontamination liability and excess property insurance language of the Nuclear Electric Insurance Limited-II policies. Finally, there is only an extremely small probability of a serious accident occurring during the exemption period. Even if a serious accident giving rise to substantial insurance claims were to occur, NRC would be able to take appropriate enforcement action to assure adequate cleanup to protect public health and safety and the environment.

IV.

Accordingly, the Commission has determined, pursuant to 10 CFR 50.12(a), that (1) a temporary exemption as described in Section III. is authorized by law, will not present an undue risk to the public health and safety, and is consistent with the common defense and security and (2) in this case, special circumstances are present as described in Section III. Therefore, the Commission hereby grants the following exemption:

Public Service Electric and Gas Company is exempt from the requirements of 10 CFR 50.54(w)(5)(i) until the completion of the pending rulemaking extending the implementation date specified in 10 CFR 50.54(w)(5)(i), but not later than April 1, 1989. Upon completion of such rulemaking the licensee shall comply with the provisions of such rule.

Pursuant to 10 CFR 51.32, the Commission has determined that the granting of this exemption will not result in any significant environmental impact (53 FR 38820).

This exemption is effective upon issuance.

Dated at Rockville, Maryland this 4th day of October , 1988.

FOR THE NUCLEAR REGULATORY COMMISSION



Steven A. Varga, Director
Division of Reactor Projects I/II
Office of Nuclear Reactor Regulation

UNITED STATES OF AMERICA
 NUCLEAR REGULATORY COMMISSION

In the matter of)	
)	
PUBLIC SERVICE ELECTRIC AND GAS)	Docket No. 50-354
COMPANY)	
)	
Hope Creek Generating Station)	
)	

EXEMPTION

I.

Public Service Electric and Gas Company (the licensee) is the holder of Facility Operating License No. NPF-57 which authorizes operation of the Hope Creek Generating Station. The license provides, among other things, that it is subject to all rules, regulations, and orders of the Commission now or hereafter in effect.

The facility consists of a boiling water reactor at the licensee's site located in Salem County, New Jersey.

II.

On August 5, 1987, the NRC published in the FEDERAL REGISTER a final rule amending 10 CFR 50.54(w). The rule increased the amount of on-site property damage insurance required to be carried by NRC's power reactor licensees. The rule also required these licensees to obtain by October 4, 1988 insurance policies that prioritized insurance proceeds for stabilization and decontamination after an accident and provided for payment of proceeds to an independent trustee who would disburse funds for decontamination and cleanup before any other purpose. Subsequent to publication of the rule, the NRC has been informed by insurers who offer nuclear property insurance that, despite a good faith effort to obtain trustees required by the rule, the decontamination priority and trusteeship provisions will not be able to be incorporated into policies by the time required in the rule. In response to these comments and related petitions for rulemaking,

the Commission has proposed a revision of 10 CFR 50.54(w)(5)(i) extending the implementation schedule for 18 months (53 FR 36338, September 19, 1988). However, because it is unlikely that this rulemaking action will be completed by October 4, 1988, the Commission is issuing a temporary exemption from the requirements of 10 CFR 50.54(w)(5)(i) until completion of the pending rulemaking extending the implementation date specified in 10 CFR 50.54(w)(5)(i), but not later than April 1, 1989. Upon completion of such rulemaking, the licensee shall comply with the provisions of such rule.

III.

Pursuant to 10 CFR 50.12, "The Commission may, upon application by any interested person or upon its own initiative, grant exemptions from the requirements of the regulations of [10 CFR Part 50], which are ... Authorized by law, will not present an undue risk to the public health and safety, and are consistent with the common defense and security." Further, Section 50.12(a)(2) provides inter alia, "The Commission will not consider granting an exemption unless special circumstances are present. Special circumstances are present whenever ... (v) The exemption would provide only temporary relief from the applicable regulation and the licensee has made good faith efforts to comply with the regulation."

Despite a good faith effort to comply with the provisions of the rule, insurers providing property damage insurance for nuclear power facilities and licensees insured by such insurers have not been able to comply with the regulation and the exemption provides only temporary relief from the applicable regulation.

As noted by the Commission in the Supplementary Information accompanying the proposed rule, there are several reasons for concluding that delaying for a reasonable time the implementation of the stabilization and decontamination priority and trusteeship provisions of Section 50.54(w) will not adversely affect protection of public health and safety. First, during the period of delay, the licensee will still be required to carry \$1.06 billion insurance. This is a substantial amount of coverage that provides a significant financial cushion to licensees to decontaminate and clean up after an accident even without the prioritization and trusteeship provisions. Second, nearly 75% of the required coverage is already prioritized under the decontamination liability and excess property insurance language of the Nuclear Electric Insurance Limited-II policies. Finally, there is only an extremely small probability of a serious accident occurring during the exemption period. Even if a serious accident giving rise to substantial insurance claims were to occur, NRC would be able to take appropriate enforcement action to assure adequate cleanup to protect public health and safety and the environment.

IV.

Accordingly, the Commission has determined, pursuant to 10 CFR 50.12(a), that (1) a temporary exemption as described in Section III. is authorized by law, will not present an undue risk to the public health and safety, and is consistent with the common defense and security and (2) in this case, special circumstances are present as described in Section III. Therefore, the Commission hereby grants the following exemption:

Public Service Electric and Gas Company is exempt from the requirements of 10 CFR 50.54(w)(5)(i) until the completion of the pending rulemaking extending the implementation date specified in 10 CFR 50.54(w)(5)(i), but not later than April 1, 1989. Upon completion of such rulemaking the licensee shall comply with the provisions of such rule.

Pursuant to 10 CFR 51.32, the Commission has determined that the granting of this exemption will not result in any significant environmental impact (53 FR 38819).

This exemption is effective upon issuance.

Dated at Rockville, Maryland this 4th day of October , 1988.

FOR THE NUCLEAR REGULATORY COMMISSION



Steven A. Varga, Director
Division of Reactor Projects I/II
Office of Nuclear Reactor Regulation