

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

PAGE 1

1. LICENSEE AND 2. ADDRESS

HAYES TESTING LABORATORY INC
2521 HOLLOWAY ROAD
LOUISVILLE, KY 40299

ATTENTION: DANIEL J. HAYES, PRESIDENT
TELEPHONE: 502-266-9729

PURSUANT TO KRS 211.842 ET SEQ., THE KENTUCKY CABINET FOR HUMAN RESOURCES REGULATIONS, 902 KAR 100, AND IN RELIANCE ON STATEMENTS AND REPRESENTATIONS HERETOFORE MADE BY THE LICENSEE, A LICENSE IS HEREBY ISSUED TO RECEIVE, ACQUIRE, OWN, POSSESS AND TRANSFER RADIOACTIVE MATERIAL LISTED BELOW; AND TO USE SUCH RADIOACTIVE MATERIAL FOR THE PURPOSE(S) AND AT THE PLACE(S) DESIGNATED BELOW. THIS LICENSE IS SUBJECT TO ALL APPLICABLE RULES, REGULATIONS, AND ORDERS OF THE CABINET FOR HEALTH SERVICES, NOW OR HEREINAFTER IN EFFECT AND TO ANY CONDITIONS SPECIFIED BELOW.

3. LICENSE NUMBER: 201-168-05
AMENDMENT NO. 51

4. EXPIRATION DATE: JULY 31, 2002

5. REVIEWER: 12

6. LICENSED MATERIAL	7. FORM	8. POSSESSION LIMIT
A. IRIIDIUM 192	A. SEALED SOURCE (AMERSHAM MODEL A 424-9)	A. NO SINGLE SOURCE TO EXCEED 120 CURIES
B. COBALT 60	B. SEALED SOURCE (AMERSHAM MODEL A-424-14 OR 943)	B. NO SINGLE SOURCE TO EXCEED 110 CURIES

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

LICENSE NUMBER: 201-168-05

AMENDMENT 51

PAGE 2

9. AUTHORIZED USE

- A. TO BE USED IN AMERSHAM 660B PROJECTOR, AND AMERSHAM MODEL 650L SOURCE CHANGER.
- B. TO BE USED FOR INDUSTRIAL RADIOGRAPHY PROCEDURES IN AMERSHAM MODEL 680B EXPOSURE DEVICES.

CONDITIONS:

10. THE LICENSEE SHALL COMPLY WITH THE PROVISIONS OF THE KENTUCKY CABINET FOR HEALTH SERVICES ADMINISTRATIVE RADIATION REGULATIONS, 902 KAR 100.

11. RADIOACTIVE MATERIAL MAY BE STORED AT:
2521 HOLLOWAY ROAD, LOUISVILLE, KENTUCKY.

RADIOACTIVE MATERIAL MAY BE USED AT TEMPORARY JOB SITES, IN AREAS NOT UNDER EXCLUSIVE FEDERAL JURISDICTION, ANYWHERE IN THE COMMONWEALTH OF KENTUCKY WHERE THE CABINET MAINTAINS JURISDICTION FOR REGULATING THE USE OF RADIOACTIVE MATERIAL. (THIS CONDITION DOES NOT PROHIBIT USE IN OTHER STATES UNDER RECIPRO-CITY PRIVILEGES WHICH MAY BE GRANTED BY THE REGULATORY AGENCY HAVING JURISDICTION.)

12. THE INDIVIDUALS LISTED BELOW ARE THE ONLY PERSONS AUTHORIZED BY THIS LICENSE TO ACT AS RADIOGRAPHERS OR RADIOGRAPHERS' ASSISTANTS AS DEFINED IN 902 KAR 100:010.

A. RADIOGRAPHERS:

- 1. TIMOTHY BORDERS
- 2. WILLIAM FOWLER
- 3. DANIEL J. HAYES
- 4. DANIEL J. HAYES JR.
- 5. RAYMOND TEODORSKI

B. RADIOGRAPHERS' ASSISTANTS:

- 1. STUART H. BILYEU
- 2. ROBERT INGRAM

13. THE RADIATION SAFETY OFFICER FOR THE ACTIVITIES AUTHORIZED BY THIS LICENSE IS DANIEL HAYES .

14. SEALED SOURCES CONTAINING RADIOACTIVE MATERIAL SHALL NOT BE OPENED.

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

LICENSE NUMBER: 201-168-05

AMENDMENT 51

PAGE 3

15. THE LICENSEE SHALL CONDUCT A QUARTERLY PHYSICAL INVENTORY TO ACCOUNT FOR ALL SEALED SOURCES RECEIVED AND POSSESSED UNDER THE LICENSE. THE RECORDS OF THE INVENTORIES SHALL BE MAINTAINED FOR FIVE (5) YEARS FROM THE DATE OF THE INVENTORY FOR INSPECTION BY THE CABINET, AND SHALL INCLUDE THE RADIONUCLIDES, QUANTITIES, MANUFACTURER'S NAME AND MODEL NUMBERS, LOCATION OF SEALED SOURCES, THE DATES OF THE INVENTORY, AND THE NAME OF THE INDIVIDUAL CONDUCTING THE INVENTORY.
16. NOTWITHSTANDING THE REQUIREMENTS OF 902 KAR 100:100, SECTION 1 (1), AND PURSUANT TO 902 KAR 100:015, SECTION 7(1), RADIOGRAPHIC EQUIPMENT AUTHORIZED FOR USE IN RADIOGRAPHIC OPERATIONS UNDER THIS LICENSE NEED NOT COMPLY WITH THE TORQUE CRITERIA OF SECTION 6.3.3.1. OF AMERICAN NATIONAL STANDARD INSTITUTE (ANSI) N43.9 - 1991.
17. THE LICENSEE IS AUTHORIZED TO RECEIVE, POSSESS, AND USE SEALED SOURCES OF IRIDIUM-192 OR COBALT-60 WHERE THE RADIOACTIVITY EXCEEDS THE MAXIMUM AMOUNT OF RADIOACTIVITY SPECIFIED IN ITEM 8 OF THIS LICENSE PROVIDED:
 - A. SUCH POSSESSION DOES NOT EXCEED THE QUANTITY PER SOURCE SPECIFIED IN ITEM 8 BY MORE THAN 20% FOR IRIDIUM-192 OR OR 10% FOR COBALT-60.
 - B. RECORDS OF THE LICENSEE SHOW THAT NO MORE THAN THE MAXIMUM AMOUNT OF RADIOACTIVITY PER SOURCE SPECIFIED IN ITEM 8 OF THE LICENSE WAS ORDERED FROM THE SUPPLIER OR TRANSFEROR OF THE RADIOACTIVE MATERIAL; AND
 - C. THE LEVELS OF RADIATION FOR RADIOGRAPHIC EXPOSURE DEVICES AND STORAGE CONTAINERS DO NOT EXCEED THOSE SPECIFIED IN IN 902 KAR 100:100, SECTION 2.
18. PURSUANT TO 902 KAR 100, THE LICENSEE IS AUTHORIZED TO RECEIVE TITLE TO, POSSESS, USE, AND TRANSFER UP TO 999 KILOGRAMS OF URANIUM CONTAINED AS SHIELDING MATERIAL IN THE RADIOGRAPHY EXPOSURE DEVICES AND SOURCE CHANGERS AUTHORIZED BY THIS LICENSE.
19. THE LICENSEE MAY TRANSPORT RADIOACTIVE MATERIAL, OR DELIVER RADIOACTIVE MATERIAL TO A CARRIER FOR TRANSPORT, IN ACCORDANCE WITH THE PROVISIONS OF 902 KAR 100:070, AND OTHER DEPARTMENTS OF THE COMMONWEALTH OF KENTUCKY HAVING JURISDICTION.

CABINET FOR HEALTH SERVICES
COMMONWEALTH OF KENTUCKY
RADIOACTIVE MATERIAL LICENSE

LICENSE NUMBER: 201-168-05

AMENDMENT 51

PAGE 4


20. EXCEPT AS SPECIFICALLY PROVIDED OTHERWISE IN THIS LICENSE, THE LICENSEE SHALL CONDUCT ITS PROGRAM IN ACCORDANCE WITH THE STATEMENTS, REPRESENTATIONS, AND PROCEDURES CONTAINED IN THE DOCUMENTS, INCLUDING ANY ENCLOSURES, LISTED BELOW. THE CABINET FOR HEALTH SERVICES REGULATIONS, 902 KAR 100, SHALL GOVERN UNLESS STATEMENTS, REPRESENTATIONS, AND PROCEDURES IN THE LICENSEE'S APPLICATION AND CORRESPONDENCE ARE MORE RESTRICTIVE THAN THE REGULATION.

A. APPLICATION DATED AUGUST 14, 1996, SIGNED BY DANIEL J. HAYES, SR., PRESIDENT.

B. HAYES TESTING LABORATORY, INC. INDUSTRIAL RADIOGRAPHY RADIATION SAFETY MANUAL REVISED AUGUST, 1996.

C. LETTERS DATED:

1. AUGUST 14, 1996, SIGNED BY DANIEL J. HAYES, PRESIDENT.
2. OCTOBER 4, 1996, SIGNED BY DANIEL J. HAYES, SR., PRESIDENT.
3. OCTOBER 17, 1997, SIGNED BY DANIEL J. HAYES, SR., PRESIDENT.
4. AUGUST 25, 1998, SIGNED BY DANIEL J. HAYES, SR., PRESIDENT.
5. AUGUST 14, 2000, SIGNED BY DANIEL J. HAYES, SR., PRESIDENT.
6. JANUARY 16, 2001, SIGNED BY DANIEL J. HAYES, SR., PRESIDENT.



SUPERVISOR
RADIATION HEALTH & TOXIC
AGENTS BRANCH

MARCIA R. MORGAN

SECRETARY
CABINET FOR HEALTH SERVICES

DATE ISSUED JUNE 13, 2001