

RO ILT EXAM OUTLINE CHANGES

System Number	K / A	Exam	Comment
202002	A2.07	BOTH	Randomly selected from 202002 A2.##'s available to replace 202002 A2.01 which was not applicable to LaSalle.
215003	2.2.22	RO	Randomly selected RO Tier 2 K/A (215003 A4.01) and replaced with randomly selected Generic K/A (215003 2.2.22) to meet (ES-401-2) 2 K/As per Tier requirement.
295001	AA2.06	BOTH	KA changed from RO to BOTH to meet NUREG 1021 Rev 8 Draft 2000 criteria for Tier 1 & 2
295003	AA2.03	BOTH	KA changed from RO to BOTH to meet NUREG 1021 Rev 8 Draft 2000 criteria for Tier 1 & 2
295017	AK2.08	BOTH	Randomly selected from 295017 AK2.##'s available to replace 295017 AK2.13 which was not applicable to LaSalle.
295038	EA2.04	BOTH	KA changed from RO to BOTH to meet NUREG 1021 Rev 8 Draft 2000 criteria for Tier 1 & 2
GENERIC	2.2.26	RO	Randomly selected K/A changed from BOTH to RO to meet NUREG 1021 Rev 8 Draft 2000 criteria for Tier 3.
GENERIC	2.3.2	RO	Randomly selected K/A changed from BOTH to RO to meet NUREG 1021 Rev 8 Draft 2000 criteria for Tier 3.
GENERIC	2.4.17	RO	Randomly selected K/A changed from BOTH to RO to meet NUREG 1021 Rev 8 Draft 2000 criteria for Tier 3.