

OPERATING TEST NO.: 2

Applicant Type	Evolution Type	Minimum Number	Scenario Number		
			2.1	2.2	2.3
RO	Reactivity	1	4	1, 7	2
	Normal	1	(1)	(2)	(1)
	Instrument	2	2, 6 (5)	5 (3)	6 (3)
	Component	2	3 (9)	6 (4)	5 (4)
	Major	1	8 (8)	9, 10 (9, 10)	7 (7)

As RO	Reactivity	1	4	1, 7	2
	Normal	0	N/A	N/A	N/A
	Instrument	1	2, 6	5	6
	Component	1	3	6	5
	Major	1	8	9, 10	7

SRO-I	Reactivity	0	N/A	N/A	N/A
	Normal	1	1	2	1
	Instrument	1	2, 5, 6	3, 5	3, 6
	Component	1	3, 9	4, 6	4, 5
	Major	1	8	9, 10	7

SRO-U	Reactivity	0	N/A	N/A	N/A
	Normal	1	N/A	N/A	N/A
	Instrument	1	N/A	N/A	N/A
	Component	1	N/A	N/A	N/A
	Major	1	N/A	N/A	N/A

Instructions: (1) Enter the operating test number and Form ES-D-1 event numbers for each evolution type.

(Note) Event numbers shown in parenthesis under the RO Applicant section are for the BOP position. Those outside parenthesis are for the RO position.

(2) Reactivity manipulations may be conducted under normal or controlled abnormal conditions (refer to Section D.4.d) but must be significant per Section C.2.a of Appendix D.

Author:

K. B. Smart 8-11-00

Chief Examiner:

John R. McNeil