

Facility: <b>LaSalle County Station</b>		Date of Exam: <b>Nov 13-24, 2000</b>		Exam Level: <b>RO/SRO</b>			
Item Description				Initials			
				a	b*	c*	
1.	Questions and answers technically accurate and applicable to facility.			ES	J	BR	
2.	a. NRC K/As referenced for all questions b. Facility learned objectives referenced as available			ES	J	BR	
3.	RO/SRO overlap is no more than 75 percent, and SRO questions are appropriate per Section D.2.d of ES-401			ES	J	BR	
4.	No more than 25 questions are duplicated from [practice exams, quizzes, and] the last two NRC licensing exams; enter the actual number of duplicated questions at right	NRC	Other	N/A	N/A	N/A	
4.	[No (Less than 5 percent) Question duplication from the license screening/audit exam (if independently written)] was controlled as indicated below (check the item that applies) and appears appropriate: <input type="checkbox"/> the audit exam was systematically and randomly developed; or <input checked="" type="checkbox"/> the audit exam was completed before the license exam was started; or <input type="checkbox"/> the licensee certifies that there is no duplication; or <input type="checkbox"/> the license exam was prepared by the NRC			ES	J	BR	
5.	Bank use meets limits (no more than 50 percent from the bank, at least 10 percent new, and the rest modified); enter the actual question distribution at right	Bank	Modified	New	ES	J	BR
		21	11	68			
6.	Between 50 and 60 percent of the questions on the exam (including 10 new questions) are written at the comprehension/analysis level; enter the actual question distribution at right	Memory	C/A		ES	J	BR
		45	55 (38 new)				
7.	References/handouts provided do not give away answers			ES	J	BR	
8.	Question content conforms with specific K/A statements in the <del>distribution</del> meets previously approved examination outline; deviations are justified			ES	J	BR	
9.	Question psychometric quality and format meet ES Appendix B, guidelines			ES	J	BR	
10.	The exam contains 100, one-point, multiple choice items; the total is correct and agrees with value on cover sheet			ES	J	BR	
Printed Name / Signature				Date			
a. Author	Kevin P. Smart / <i>[Signature]</i>			8-11-00			
b. Facility Reviewer(*)	Robert J. McConnaughay / <i>[Signature]</i>			8-11-00			
c. NRC Chief Examiner(*)	Dell R. McNeil / <i>[Signature]</i>			8/28/00			
d. NRC Regional Supervisor(*)	David C. Hill / <i>[Signature]</i>			11/2/00			
<p>Note: * The facility reviewer's signature is not applicable for NRC-developed examinations; two independent NRC reviews are required. # See special instructions (Section E.2.c) for Items 1, 4, 5, and 6. ☐ The items in brackets do not apply to NRC prepared examinations.</p>							