

Facility: LaSalle County Station		Date of Exam: Nov 13-24, 2000		Exam Level: RO/SRO			
Item Description				Initials			
				a	b*	c*	
1.	Questions and answers technically accurate and applicable to facility.			ES	JG	BR	
2.	a. NRC K/As referenced for all questions b. Facility learned objectives referenced as available			ES	JG	BR	
3.	RO/SRO overlap is no more than 75 percent, and SRO questions are appropriate per Section D.2.d of ES-401			ES	JG	BR	
4.	No more than 25 questions are duplicated from [practice exams, quizzes, and] the last two NRC licensing exams; enter the actual number of duplicated questions at right	NRC	Other	N/A	N/A	N/A	
4.	[No (Less than 5 percent) Question duplication from the license screening/audit exam (if independently written)] was controlled as indicated below (check the item that applies) and appears appropriate: <input type="checkbox"/> the audit exam was systematically and randomly developed; or <input checked="" type="checkbox"/> the audit exam was completed before the license exam was started; or <input type="checkbox"/> the licensee certifies that there is no duplication; or <input type="checkbox"/> the license exam was prepared by the NRC			ES	JG	BR	
5.	Bank use meets limits (no more than 50 percent from the bank, at least 10 percent new, and the rest modified); enter the actual question distribution at right	Bank	Modified	New	ES	JG	BR
		21	11	68			
6.	Between 50 and 60 percent of the questions on the exam (including 10 new questions) are written at the comprehension/analysis level; enter the actual question distribution at right	Memory	C/A		ES	JG	BR
		45	55 (38 new)				
7.	References/handouts provided do not give away answers			ES	JG	BR	
8.	Question content conforms with specific K/A statements in the distribution-meets previously approved examination outline; deviations are justified			ES	JG	BR	
9.	Question psychometric quality and format meet ES Appendix B, guidelines			ES	JG	BR	
10.	The exam contains 100, one-point, multiple choice items; the total is correct and agrees with value on cover sheet			ES	JG	BR	
Printed Name / Signature				Date			
a. Author	Kevin P. Smart / <i>[Signature]</i>			8-11-00			
b. Facility Reviewer(*)	Robert J. McConnaughay / <i>[Signature]</i>			8-11-00			
c. NRC Chief Examiner(*)	Dell R. McNeil / <i>[Signature]</i>			8/28/00			
d. NRC Regional Supervisor(*)	David C. Hill / <i>[Signature]</i>			11/2/00			
<p>Note: * The facility reviewer's signature is not applicable for NRC-developed examinations; two independent NRC reviews are required. # See special instructions (Section E.2.c) for Items 1, 4, 5, and 6. [] The items in brackets do not apply to NRC prepared examinations.</p>							