March 29, 1999

Mr. Raymond P. Necci Vice President-Nuclear O sight and Regulatory Affairs Northeast Nuclear Energy Company c/o Mr. David A. Smith Manager - Regulatory Affairs P. O. Box 128 Waterford CT 06385

SUBJECT: MILLSTONE NUCLEAR POWER STATION, UNIT NO. 3 - CORRECTION TO

AMENDMENT NO. 165 (TAC NO. MA1085)

Dear Mr. Necci:

By letter dated January 20, 1999, the NRC issued Amendment No. 165 to Facility Operating License No. NPF-49 for Millstone Nuclear Power Station, Unit No. 3, in response to your application dated March 3, 1998, as supplemented May 7, 1998.

The amendment revised the Millstone Unit 3 licensing basis by eliminating the requirement to have the recirculation spray system directly inject into the reactor coolant system following a design basis accident, with the exception of loss-of-coolant accident (LOCA) scenarios involving a long term passive failure. The Millstone Unit 3 licensing basis maintains the direct injection requirement for scenarios, as a contingency, for situations where it may be needed as in the case of a LOCA with a long term passive failure or for beyond design basis scenarios.

It has recently come to the NRC staff's attention that the wording in the related safety evaluation is not accurate. Specifically, on page 2 of the safety evaluation the staff states:

The licensee has evaluated the changes to the cold leg and hot leg recirculation modes and concluded that the flow provided by the two CHS [charging] and two SIH [safety injection] pumps was sufficient to assure the minimum flow for core cooling.

While this statement is true, it implies that the systems could not withstand a single failure. The sentence should have stated that the flow provided by one CHS and one SIH pump was sufficient to assure the minimum flow for core cooling. We regret any inconvenience this may have incurred.

Sincerely,

Original signed by:

ic far center 637

John A. Nakoski, Project Manager Project Directorate I-2

Division of Licensing Project Management Office of Nuclear Reactor Regulation

Docket No. 50-423

9904070231 990329

ADDCK 050

cc: See next page

073337

DISTRIBUTION

Docket File

JNakoski PUBLIC

TClark

GHill(2)

WBeckner

OGC PDI-2 Reading JZwolinski/SBlack

ACRS

DScrenci, RGN-I

Clifford

.II inville, RGN-I

ODIIIIOI G	OEIIITIII O,				
OFFICE	PDI-2/PM	PDI-2/LA	PDI-2/\$C /	/ 	
NAME	JNakoski:rbW	TClark RC	JClifford (V		
DATE	3/29/99	3 15/199	3129199		

OFFICIAL RECORD COPY

DOCUMENT NAME: MI1085.COR

March 29, 1999

Mr. Raymond P. Necci Vice President-Nuclear Carsight and Regulatory Affairs Northeast Nuclear Energy Company c/o Mr. David A. Smith Manager - Regulatory Affairs P. O. Box 128

SUBJECT: MILLSTONE NUCLEAR POWER STATION, UNIT NO. 3 - CORRECTION TO

AMENDMENT NO. 165 (TAC NO. MA1085)

Dear Mr. Necci:

Waterford, CT 06385

By letter dated January 20, 1999, the NRC issued Amendment No. 165 to Facility Operating License No. NPF-49 for Millstone Nuclear Power Station, Unit No. 3, in response to your application dated March 3, 1998, as supplemented May 7, 1998.

The amendment revised the Millstone Unit 3 licensing basis by eliminating the requirement to have the recirculation spray system directly inject into the reactor coolant system following a design basis accident, with the exception of loss-of-coolant accident (LOCA) scenarios involving a long term passive failure. The Millstone Unit 3 licensing basis maintains the direct injection requirement for scenarios, as a contingency, for situations where it may be needed as in the case of a LOCA with a long term passive failure or for beyond design basis scenarios.

It has recently come to the NRC staff's attention that the wording in the related safety evaluation is not accurate. Specifically, on page 2 of the safety evaluation the staff states:

The licensee has evaluated the changes to the cold leg and hot leg recirculation modes and concluded that the flow provided by the two CHS [charging] and two SIH [safety injection] pumps was sufficient to assure the minimum flow for core cooling.

While this statement is true, it implies that the systems could not withstand a single failure. The sentence should have stated that the flow provided by one CHS and one SIH pump was sufficient to assure the minimum flow for core cooling. We regret any inconvenience this may have incurred.

Sincerely,

Original signed by:

John A. Nakoski, Project Manager

Project Directorate I-2

Division of Licensing Project Management Office of Nuclear Reactor Regulation

Docket No. 50-423

cc: See next page

DISTRIBUTION

Docket File

JNakoski

GHill(2)

PUBLIC

TClark

WBeckner

PDI-2 Reading

OGC

JZwolinski/SBlack

ACRS

DScrenci, RGN-I

JClifford

JLinville, RGN-I

OFFICE	PDI-2/PM	PDI-2/LA	PDI-20\$C
NAME	JNakoski:rb	TClark	JClifford (1)
DATE	3/29/99	<i>3 №</i> /99	3129199

OFFICIAL RECORD COPY

DOCUMENT NAME: MI1085.COR



UNITED STATES NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

March 29, 1999

Mr. Raymond P. Necci Vice President-Nuclear Oversight and Regulatory Affairs Northeast Nuclear Energy Company c/o Mr. David A. Smith Manager - Regulatory Affairs P. O. Box 128 Waterford, CT 06385

SUBJECT: MILLSTONE NUCLEAR POWER STATION, UNIT NO. 3 - CORRECTION TO

AMENDMENT NO. 165 (TAC NO. MA1085)

Dear Mr. Necci:

By letter dated January 20, 1999, the NRC issued Amendment No. 165 to Facility Operating License No. NPF-49 for Millstone Nuclear Power Station, Unit No. 3, in response to your application dated March 3, 1998, as supplemented May 7, 1998.

The amendment revised the Millstone Unit 3 licensing basis by eliminating the requirement to have the recirculation spray system directly inject into the reactor coolant system following a design basis accident, with the exception of loss-of-coolant accident (LOCA) scenarios involving a long term passive failure. The Millstone Unit 3 licensing basis maintains the direct injection requirement for scenarios, as a contingency, for situations where it may be needed as in the case of a LOCA with a long term passive failure or for beyond design basis scenarios.

It has recently come to the NRC staff's attention that the wording in the related safety evaluation is not accurate. Specifically, on page 2 of the safety evaluation the staff states:

The licensee has evaluated the changes to the cold leg and hot leg recirculation modes and concluded that the flow provided by the two CHS [charging] and two SIH [safety injection] pumps was sufficient to assure the minimum flow for core cooling.

While this statement is true, it implies that the systems could not withstand a single failure. The sentence should have stated that the flow provided by one CHS and one SIH pump was sufficient to assure the minimum flow for core cooling. We regret any inconvenience this may have incurred.

Sincerely,

Jøhn A. Nakoski, Project Manager

Project Directorate I-2

Division of Licensing Project Management Office of Nuclear Reactor Regulation

Docket No. 50-423

cc: See next page

Millstone Nuclear Power Station Unit 3

CC:

Ms. L. M. Cuoco Senior Nuclear Counsel Northeast Utilities Service Company P. O. Box 270 Hartford, CT 06141-0270

Edward L. Wilds, Jr., Ph.D.
Director, Division of Radiation
Department of Environmental Protection
79 Elm Street
Hartford, CT 06106-5127

Regional Administrator, Region I U.S. Nuclear Regulatory Commission 475 Allendale Road King of Prussia, PA 19406

First Selectmen Town of Waterford 15 Rope Ferry Road Waterford, CT 06385

Mr. Wayne D. Lanning, Director Millstone Inspections Office of the Regional Administrator 475 Allendale Road King of Prussia, PA 19406-1415

Mr. M. H. Brothers Vice President - Operations Northeast Nuclear Energy Company P.O. Box 128 Waterford, CT 06385

Mr. M. R. Scully, Executive Director Connecticut Municipal Electric Energy Cooperative 30 Stott Avenue Norwich, CT 06360

Mr. J. T. Carlin Vice President - Human Services Northeast Utilities Service Company P. O. Box 128 Waterford, CT 06385 Mr. F. C. Rothen Vice President - Operations Northeast Utilities Service Company P. O. Box 128 Waterford, CT 06385

Ernest C. Hadley, Esquire 1040 B Main Street P.O. Box 549 West Wareham, MA 02576

Mr. James S. Robinson, Manager Nuclear Investments and Administration New England Power Company 25 Research Drive Westborough, MA 01582

Mr. R. P. Necci Vice President - Nuclear Oversight and Regulatory Affairs Northeast Nuclear Energy Company P. O. Box 128 Waterford, CT 06385

Deborah Katz, President Citizens Awareness Network P.O. Box 83 Shelburne Falls, MA 03170

Mr. Allan Johanson, Assistant Director Office of Policy and Management Policy Development and Planning Division 450 Capitol Avenue - MS# 52ERN P. O. Box 341441 Hartford, CT 06134-1441

Ms. Terry Concannon Co-Chair Nuclear Energy Advisory Council Room 4100 Legislative Office Building Capitol Avenue Hartford, CT 06106 Millstone Nuclear Power Station Unit 3

CC:

Mr. Evan W. Woollacott Co-Chair Nuclear Energy Advisory Council 128 Terry's Plain Road Simsbury, CT 06070

Mr. John W. Beck, President Little Harbor Consultants, Inc. Millstone - ITPOP Project Office P.O. Box 0630 Niantic, CT 06357-0630

Mr. L. J. Olivier
Senior Vice President and
Chief Nuclear Officer - Millstone
Northeast Nuclear Energy Company
P.O. Box 128
Waterford, CT 06385

Mr. C. J. Schwarz Director - Unit 3 Operations Northeast Nuclear Energy Company P.O. Box 128 Waterford, CT 06385

Senior Resident Inspector Millstone Nuclear Power Station c/o U.S. Nuclear Regulatory Commission P. O. Box 513 Niantic, CT 06357

Nicholas J. Scobbo, Jr., Esquire Ferriter, Scobbo, Caruso, & Rodophele, P.C. 75 State Street, 7th Floor Boston, MA 0210 Citizens Regulatory Commission ATTN: Ms. Susan Perry Luxton 180 Great Neck Road Waterford, CT 06385

Mr. William D. Meinert Nuclear Engineer Massachusetts Municipal Wholesale Electric Company P.O. Box 426 Ludlow, MA 01056

Mr. B. D. Kenyon
President and Chief Executive OfficerNuclear Group
Northeast Utilities Service Company
P.O. Box 128
Waterford, CT 06385

Mr. D. B. Amerine Vice President - Engineering Services Northeast Nuclear Energy Company P. O. Box 128 Waterford, CT 06385

Mr. D. A. Smith Manager - Regulatory Affairs Northeast Nuclear Energy Company P. O. Box 128 Waterford, CT 06385

Ms. Nancy Burton 147 Cross Highway Redding Ridge, CT 00870