VERMONT YANKEE NUCLEAR POWER CORPORATION



P.O. Box 157, Governor Hunt Road Vernon, Vermont 05354-0157 (802) 257-7711

> July 5, 2001 BVY 01-53

U.S. Nuclear Regulatory Commission Washington, D.C. 20555

ATTN: Document Control Desk

Reference: a) License No. DPR-28 (Docket No. 50-271)

Dear Sir:

Subject: Fitness for Duty Program for the Period 1/1/01-6/30/01

Pursuant to the provisions of 10 CFR 26.71, enclosed is the testing data and associated results for the Fitness for Duty Program at Vermont Yankee. The attached information includes both our corporate and plant locations as our program does not distinguish between the two sites but treats them as a single entity.

Also attached is the evaluation of the data for the period.

We trust that the enclosed information is adequate. However, should you have any questions, please feel free to contact us.

Very truly yours.

Vermont Yankee Nuclear Power Corporation

Kevin H. Bronson Plant Manager

Poz

Attachment A

Evaluation of FFD Data

1/1/01 - 6/30/01

For-Cause Test Results

No for-cause tests were required to be administered during this evaluation period.

Positive Test Results

There were nine (9) positive test results during this period. These positives were in our pre-access screening program and these individuals were denied unescorted access authorization.

Follow-up Testing Program

No additional personnel were placed into the Vermont Yankee Follow-Up Testing program during the six-month period, three (3) completed the program, one (1) gave up their unescorted access, with three (3) left in the program. All are performing testing requirements satisfactorily.

Test Results Assessment

The test results for this period indicate that Vermont Yankee continues to maintain an effective FFD program which ensures that the plant site remains a work environment free from the effects of drugs and alcohol.

Fitness For Duty Program

Semi-Annual Performance Data Report - Personnel Subject to 10CFR26

Section I - Company Data

Six-Month Period: 1/1/01 - 6/30/01 Company: Vermont Yankee Nuclear Power Screen/Confirmation (ng/ml) Location: Governor Hunt Road Drugs Tested For Marijuana 100/15 P.O. Box 157 Marijuana 50/15 Vernon, VT 05354 300/150 Cocaine Opiates 300/300 Point of Contact: John M. Moriarty, Security Manager Amphetamines 1000/500 Phencyclidine 25/25 Phone #: (802)258-5801 Alcohol (%BAC) 0.04% BAC Random Testing Rate: NLT 50% per annum.

Section II - Testing Results

	Licensee Employees 450			Long-Term Contractors			Short-Term Contractors 285		
Average Number with Unescorted Access									
Categories	#	#	#	#	#	#	#	#	#
	Tested	Positive	Refused	Tested	Positive	Refused	Tested	Positive	Refused
Pre-Access	30	0	0	419	0	0	90	9	0
For-Cause: Post-Accident	0	0	0	2	0	0	1	0	0
For-Cause: Observed	0	0	0	0	0	0	0	0	0
Random	113	0	0	43	0	0	53	0	0
Follow-up	11	0	0	2	0	0	9	0	0
Other	3	0	0	6	0	0	77	0	0
Totals	157	0	0	472	0	0	230	9	0

Section III - Breakdown of Confirmed Positive Tests for Specific Substances

	Refusal to	Marijuana				Amphetam	Phenyclidi		
	Test	100/15	50/15	Cocaine	Opiates	ines	ne	Alcohol	Total
Licensee Employees	0	0	0	0	0	0	0	0	0
Long-Term Contractors	0	0	0	0	0	0	0	0	0
Short-Term Contractors	0	6	0	2	0	0	0	1	9
Totals	0	6	0	2	0	0	0	1	9