



Gary R. Peterson
Vice President

Duke Power
Catawba Nuclear Station
4800 Concord Road
York, SC 29745
(803) 831-4251 OFFICE
(803) 831-3221 FAX

August 6, 2001

U.S. Nuclear Regulatory Commission
Document Control Desk
Washington, DC 20555-0001

Subject: Duke Energy Corporation
Catawba Nuclear Station
Docket Nos. 50-413 and 50-414
UFSAR/Selected Licensee Commitment Changes

Pursuant to 10CFR 50.71(e), please find attached changes to the Catawba Nuclear Station Selected Licensee Commitments Manual. This document constitutes Chapter 16 of the Updated Final Safety Analysis Report (UFSAR).

Any questions regarding this information should be directed to L. J. Rudy, Regulatory Compliance, at (803) 831-3084.

I certify that I am a duly authorized officer of Duke Energy Corporation, and that the information contained herein accurately represents changes made to Chapter 16 of the UFSAR since the previous submittal.

Gary R. Peterson

Attachment

A053

U.S. Nuclear Regulatory Commission
August 6, 2001
Page 2

xc:L. A. Reyes, Regional Administrator
U. S. Nuclear Regulatory Commission, Region II

C. P. Patel, Project Manager
U.S. Nuclear Regulatory Commission
Office of Nuclear Reactor Regulation, Mail Stop 0-8 H12

D. J. Roberts
Senior Resident Inspector
Catawba Nuclear Station



Duke Power
Catawba Nuclear Station
4800 Concord Road
York, SC 29745
(803) 831-3000

August 6, 2001

RE: Catawba Nuclear Station
Selected Licensee Commitments Manual
Revision Dates 07/30/01 & 08/02/01

Attached are revisions to the Catawba Nuclear Station Selected Licensee Commitments Manual.
Please remove and replace the following pages:

REMOVE

INSERT

LIST OF EFFECTIVE PAGES

Pages 1-8

Pages 1-8

TAB 16.0

Chapter 16.0, page 1 of 4
dated 04/30/01

Chapter 16.0, page 1 of 4
dated 08/02/01

TAB 16.6

Chapter 16.6-4, pages 1&2 of 2
dated 01/16/99

Chapter 16.6-4, pages 1&2 of 2
dated 08/02/01

TAB 16.9

Chapter 16.9-22, pages 1&2 of 2
dated 01/16/99


Chapter 16.9-22, pages 1&2 of 2
dated 08/02/01

TAB 16.11

Chapter 16.11-7, page 7 of 10
dated 07/22/00

Chapter 16.11-7, page 7 of 10
dated 07/30/01

If you have any questions concerning the contents of this package update, contact Toni Pasour at (803) 831-3566.


Gary D. Gilbert
Regulatory Compliance Manager

**CATAWBA NUCLEAR STATION
SELECTED LICENSEE COMMITMENTS MANUAL**

List of Effective Pages

Tab 16.0

16.0 Page 1 of 4	08/02/01
16.0 Page 2 of 4	11/30/00
16.0 Page 3 of 4	11/30/00
16.0 Page 4 of 4	11/30/00

Tab 16.1

16.1 Page 1 of 1	01/17/00
------------------	----------

Tab 16.2

16.2 Page 1 of 2	01/16/99
16.2 Page 2 of 2	01/16/99

Tab 16.3

16.3 Page 1 of 4	01/16/99
16.3 Page 2 of 4	01/16/99
16.3 Page 3 of 4	01/16/99
16.3 Page 4 of 4	01/16/99

Tab 16.4

Tab 16.5

16.5-1 Page 1 of 4	03/09/00
16.5-1 Page 2 of 4	03/09/00
16.5-1 Page 3 of 4	03/09/00
16.5-1 Page 4 of 4	03/09/00
16.5-2 Page 1 of 3	04/15/99
16.5-2 Page 2 of 3	04/15/99
16.5-2 Page 3 of 3	04/15/99
16.5-3 Page 1 of 4	01/16/99
16.5-3 Page 2 of 4	01/16/99
16.5-3 Page 3 of 4	01/16/99
16.5-3 Page 4 of 4	01/16/99
16.5-4 Page 1 of 1	01/16/99
16.5-5 Page 1 of 2	01/16/99
16.5-5 Page 2 of 2	01/16/99
16.5-6 Page 1 of 2	01/17/00
16.5-6 Page 2 of 2	01/17/00
16.5-7 Page 1 of 1	01/16/99

**CATAWBA NUCLEAR STATION
SELECTED LICENSEE COMMITMENTS MANUAL**

List of Effective Pages

Tab 16.6

16.6-1 Page 1 of 1	01/16/99
16.6-2 Page 1 of 2	Deleted
16.6-2 Page 2 of 2	Deleted
16.6-3 Page 1 of 2	01/16/99
16.6-3 Page 2 of 2	01/16/99
16.6-4 Page 1 of 2	08/02/01
16.6-4 Page 2 of 2	08/02/01
16.6-5 Page 1 of 2	09/11/00
16.6-5 Page 2 of 2	09/11/00

Tab 16.7

16.7-1 Page 1 of 2	05/04/98
16.7-1 Page 2 of 2	05/04/98
16.7-2 Page 1 of 4	01/16/99
16.7-2 Page 2 of 4	01/16/99
16.7-2 Page 3 of 4	01/16/99
16.7-2 Page 4 of 4	01/16/99
16.7-3 Page 1 of 5	03/13/01
16.7-3 Page 2 of 5	03/13/01
16.7-3 Page 3 of 5	03/13/01
16.7-3 Page 4 of 5	03/13/01
16.7-3 Page 5 of 5	03/13/01
16.7-4 Page 1 of 2	09/20/99
16.7-4 Page 2 of 2	09/20/99
16.7-5 Page 1 of 2	06/10/99
16.7-5 Page 2 of 2	05/04/98
16.7-6 Page 1 of 2	01/16/99
16.7-6 Page 2 of 2	01/16/99
16.7-7 Page 1 of 2	05/05/99
16.7-7 Page 2 of 2	01/16/99
16.7-8 Page 1 of 4	05/15/01
16.7-8 Page 2 of 4	05/15/01
16.7-8 Page 3 of 4	05/15/01
16.7-8 Page 4 of 4	05/15/01
16.7-9 Page 1 of 4	05/15/01
16.7-9 Page 2 of 4	05/15/01
16.7-9 Page 3 of 4	05/15/01
16.7-9 Page 4 of 4	05/15/01
16.7-10 Page 1 of 7	11/30/00
16.7-10 Page 2 of 7	11/30/00
16.7-10 Page 3 of 7	11/30/00
16.7-10 Page 4 of 7	11/30/00
16.7-10 Page 5 of 7	11/30/00
16.7-10 Page 6 of 7	11/30/00
16.7-10 Page 7 of 7	11/30/00
16.7-11 Page 1 of 2	02/24/01
16.7-11 Page 2 of 2	02/24/01
16.7-12 Page 1 of 2	01/16/99
16.7-12 Page 2 of 2	01/16/99

**CATAWBA NUCLEAR STATION
SELECTED LICENSEE COMMITMENTS MANUAL**

List of Effective Pages

Tab 16.8

16.8-1 Page 1 of 51	01/17/00
16.8-1 Page 2 of 51	01/17/00
16.8-1 Page 3 of 51	01/17/00
16.8-1 Page 4 of 51	01/17/00
16.8-1 Page 5 of 51	01/17/00
16.8-1 Page 6 of 51	01/17/00
16.8-1 Page 7 of 51	01/17/00
16.8-1 Page 8 of 51	01/17/00
16.8-1 Page 9 of 51	01/17/00
16.8-1 Page 10 of 51	01/17/00
16.8-1 Page 11 of 51	01/17/00
16.8-1 Page 12 of 51	01/17/00
16.8-1 Page 13 of 51	01/17/00
16.8-1 Page 14 of 51	01/17/00
16.8-1 Page 15 of 51	01/17/00
16.8-1 Page 16 of 51	01/17/00
16.8-1 Page 17 of 51	01/17/00
16.8-1 Page 18 of 51	01/17/00
16.8-1 Page 19 of 51	01/17/00
16.8-1 Page 20 of 51	01/17/00
16.8-1 Page 21 of 51	01/17/00
16.8-1 Page 22 of 51	01/17/00
16.8-1 Page 23 of 51	01/17/00
16.8-1 Page 24 of 51	11/30/00
16.8-1 Page 25 of 51	11/30/00
16.8-1 Page 26 of 51	01/17/00
16.8-1 Page 27 of 51	01/17/00
16.8-1 Page 28 of 51	01/17/00
16.8-1 Page 29 of 51	01/17/00
16.8-1 Page 30 of 51	01/17/00
16.8-1 Page 31 of 51	01/17/00
16.8-1 Page 32 of 51	01/17/00
16.8-1 Page 33 of 51	01/17/00
16.8-1 Page 34 of 51	01/17/00
16.8-1 Page 35 of 51	01/17/00
16.8-1 Page 36 of 51	01/17/00
16.8-1 Page 37 of 51	01/17/00
16.8-1 Page 38 of 51	01/17/00
16.8-1 Page 39 of 51	01/17/00
16.8-1 Page 40 of 51	01/17/00
16.8-1 Page 41 of 51	01/17/00
16.8-1 Page 42 of 51	01/17/00
16.8-1 Page 43 of 51	01/17/00

**CATAWBA NUCLEAR STATION
SELECTED LICENSEE COMMITMENTS MANUAL**

List of Effective Pages

Tab 16.8 (continued)

16.8-1 Page 44 of 51	01/17/00
16.8-1 Page 45 of 51	01/17/00
16.8-1 Page 46 of 51	01/17/00
16.8-1 Page 47 of 51	01/17/00
16.8-1 Page 48 of 51	11/30/00
16.8-1 Page 49 of 51	11/30/00
16.8-1 Page 50 of 51	01/17/00
16.8-1 Page 51 of 51	01/17/00
16.8-2 Page 1 of 2	05/15/01
16.8-2 Page 2 of 2	05/15/01
16.8-3 Page 1 of 2	05/15/01
16.8-3 Page 2 of 2	05/15/01
16.8-4 Page 1 of 2	05/15/01
16.8-4 Page 2 of 2	05/15/01
16.8-5 Page 1 of 2	05/15/01
16.8-5 Page 2 of 2	05/15/01

Tab 16.9

16.9-1 Page 1 of 4	05/05/99
16.9-1 Page 2 of 4	01/17/00
16.9-1 Page 3 of 4	01/17/00
16.9-1 Page 4 of 4	01/17/00
16.9-2 Page 1 of 5	01/17/00
16.9-2 Page 2 of 5	01/17/00
16.9-2 Page 3 of 5	01/17/00
16.9-2 Page 4 of 5	01/16/99
16.9-2 Page 5 of 5	01/16/99
16.9-3 Page 1 of 4	05/05/99
16.9-3 Page 2 of 4	03/11/99
16.9-3 Page 3 of 4	06/10/99
16.9-3 Page 4 of 4	06/10/99
16.9-4 Page 1 of 5	01/16/99
16.9-4 Page 2 of 5	01/16/99
16.9-4 Page 3 of 5	01/16/99
16.9-4 Page 4 of 5	01/16/99
16.9-4 Page 5 of 5	01/16/99
16.9-5 Page 1 of 6	01/16/99
16.9-5 Page 2 of 6	01/16/99
16.9-5 Page 3 of 6	01/16/99
16.9-5 Page 4 of 6	06/10/99
16.9-5 Page 5 of 6	09/20/99
16.9-5 Page 6 of 6	01/16/99
16.9-6 Page 1 of 11	03/11/99

**CATAWBA NUCLEAR STATION
SELECTED LICENSEE COMMITMENTS MANUAL**

List of Effective Pages

Tab 16.9 (continued)

16.9-6 Page 2 of 11	03/11/99
16.9-6 Page 3 of 11	07/26/99
16.9-6 Page 4 of 11	07/26/99
16.9-6 Page 5 of 11	03/11/99
16.9-6 Page 6 of 11	07/26/99
16.9-6 Page 7 of 11	11/30/00
16.9-6 Page 8 of 11	03/11/99
16.9-6 Page 9 of 11	03/11/99
16.9-6 Page 10 of 11	05/05/99
16.9-6 Page 11 of 11	03/11/99
16.9-7 Page 1 of 2	03/09/00
16.9-7 Page 2 of 2	03/09/00
16.9-8 Page 1 of 2	10/16/00
16.9-8 Page 2 of 2	10/16/00
16.9-9 Page 1 of 2	03/09/00
16.9-9 Page 2 of 2	03/09/00
16.9-10 Page 1 of 2	10/16/00
16.9-10 Page 2 of 2	10/16/00
16.9-11 Page 1 of 4	05/15/01
16.9-11 Page 2 of 4	05/15/01
16.9-11 Page 3 of 4	05/15/01
16.9-11 Page 4 of 4	05/15/01
16.9-12 Page 1 of 4	05/15/01
16.9-12 Page 2 of 4	05/15/01
16.9-12 Page 3 of 4	05/15/01
16.9-12 Page 4 of 4	05/15/01
16.9-13 Page 1 of 12	04/30/01
16.9-13 Page 2 of 12	04/30/01
16.9-13 Page 3 of 12	04/30/01
16.9-13 Page 4 of 12	04/30/01
16.9-13 Page 5 of 12	04/30/01
16.9-13 Page 6 of 12	04/30/01
16.9-13 Page 7 of 12	04/30/01
16.9-13 Page 8 of 12	04/30/01
16.9-13 Page 9 of 12	04/30/01
16.9-13 Page 10 of 12	04/30/01
16.9-13 Page 11 of 12	04/30/01
16.9-13 Page 12 of 12	04/30/01
16.9-14 Page 1 of 2	01/16/99
16.9-14 Page 2 of 2	01/16/99
16.9-15 Page 1 of 1	01/16/99
16.9-16 Page 1 of 1	01/16/99
16.9-17 Page 1 of 1	01/16/99
16.9-18 Page 1 of 1	01/16/99
16.9-19 Page 1 of 2	01/16/99
16.9-19 Page 2 of 2	01/16/99
16.9-20 Page 1 of 1	01/16/99

**CATAWBA NUCLEAR STATION
SELECTED LICENSEE COMMITMENTS MANUAL**

List of Effective Pages

Tab 16.9 (continued)

16.9-21 Page 1 of 1	01/16/99
16.9-22 Page 1 of 2	08/02/01
16.9-22 Page 2 of 2	08/02/01
16.9-23 Page 1 of 3	05/04/98
16.9-23 Page 2 of 3	05/04/98
16.9-23 Page 3 of 3	05/04/98
16.9-24 Page 1 of 2	05/15/01
16.9-24 Page 2 of 2	05/15/01

Tab 16.10

16.10-1 Page 1 of 2	01/16/99
16.10-1 Page 2 of 2	01/16/99
16.10-2 Page 1 of 2	05/15/01
16.10-2 Page 2 of 2	05/15/01

Tab 16.11

16.11-1 Page 1 of 7	01/16/99
16.11-1 Page 2 of 7	01/16/99
16.11-1 Page 3 of 7	01/16/99
16.11-1 Page 4 of 7	09/20/99
16.11-1 Page 5 of 7	09/20/99
16.11-1 Page 6 of 7	01/16/99
16.11-1 Page 7 of 7	01/16/99
16.11-2 Page 1 of 6	01/16/99
16.11-2 Page 2 of 6	01/16/99
16.11-2 Page 3 of 6	09/20/99
16.11-2 Page 4 of 6	09/20/99
16.11-2 Page 5 of 6	09/20/99
16.11-2 Page 6 of 6	09/20/99
16.11-3 Page 1 of 2	01/16/99
16.11-3 Page 2 of 2	01/16/99
16.11-4 Page 1 of 2	01/16/99
16.11-4 Page 2 of 2	01/16/99
16.11-5 Page 1 of 3	08/01/94
16.11-5 Page 2 of 3	02/07/01
16.11-5 Page 3 of 3	08/01/94
16.11-6 Page 1 of 7	01/16/99
16.11-6 Page 2 of 7	01/16/99
16.11-6 Page 3 of 7	01/16/99
16.11-6 Page 4 of 7	01/16/99
16.11-6 Page 5 of 7	01/16/99
16.11-6 Page 6 of 7	01/16/99
16.11-6 Page 7 of 7	01/16/99

**CATAWBA NUCLEAR STATION
SELECTED LICENSEE COMMITMENTS MANUAL**

List of Effective Pages

Tab 16.11 (continued)

16.11-7 Page 1 of 10	07/22/00
16.11-7 Page 2 of 10	07/22/00
16.11-7 Page 3 of 10	07/22/00
16.11-7 Page 4 of 10	07/22/00
16.11-7 Page 5 of 10	07/22/00
16.11-7 Page 6 of 10	07/22/00
16.11-7 Page 7 of 10	07/30/01
16.11-7 Page 8 of 10	07/22/00
16.11-7 Page 9 of 10	07/22/00
16.11-7 Page 10 of 10	07/22/00
16.11-8 Page 1 of 2	01/16/99
16.11-8 Page 2 of 2	01/16/99
16.11-9 Page 1 of 2	01/16/99
16.11-9 Page 2 of 2	01/16/99
16.11-10 Page 1 of 2	01/16/99
16.11-10 Page 2 of 2	01/16/99
16.11-11 Page 1 of 2	01/16/99
16.11-11 Page 2 of 2	01/16/99
16.11-12 Page 1 of 2	01/16/99
16.11-12 Page 2 of 2	01/16/99
16.11-13 Page 1 of 14	01/16/99
16.11-13 Page 2 of 14	01/16/99
16.11-13 Page 3 of 14	01/16/99
16.11-13 Page 4 of 14	01/16/99
16.11-13 Page 5 of 14	01/16/99
16.11-13 Page 6 of 14	01/16/99
16.11-13 Page 7 of 14	01/16/99
16.11-13 Page 8 of 14	01/16/99
16.11-13 Page 9 of 14	01/16/99
16.11-13 Page 10 of 14	01/16/99
16.11-13 Page 11 of 14	01/16/99
16.11-13 Page 12 of 14	01/16/99
16.11-13 Page 13 of 14	01/16/99
16.11-13 Page 14 of 14	01/16/99
16.11-14 Page 1 of 2	01/16/99
16.11-14 Page 2 of 2	01/16/99
16.11-15 Page 1 of 1	01/16/99
16.11-16 Page 1 of 4	01/16/99
16.11-16 Page 2 of 4	03/11/99
16.11-16 Page 3 of 4	01/16/99
16.11-16 Page 4 of 4	01/16/99
16.11-17 Page 1 of 2	01/16/99
16.11-17 Page 2 of 2	01/16/99
16.11-18 Page 1 of 2	01/16/99

**CATAWBA NUCLEAR STATION
SELECTED LICENSEE COMMITMENTS MANUAL**

List of Effective Pages

Tab 16.11 (continued)

16.11-18 Page 2 of 2	01/16/99
16.11-19 Page 1 of 2	01/16/99
16.11-19 Page 2 of 2	01/16/99
16.11-20 Page 1 of 3	01/16/99
16.11-20 Page 2 of 3	01/16/99
16.11-20 Page 3 of 3	01/16/99
16.11-21 Page 1 of 2	01/16/99
16.11-21 Page 2 of 2	01/16/99

Tab 16.12

16.12-1 Page 1 of 2	01/16/99
16.12-1 Page 2 of 2	01/16/99

Tab 16.13

16.13-1 Page 1 of 2	05/05/99
16.13-1 Page 2 of 2	12/90
16.13-2 Page 1 of 4	02/07/01
16.13-2 Page 2 of 4	04/19/00
16.13-2 Page 3 of 4	02/07/01
16.13-2 Page 4 of 4	04/19/00
16.13-3 Page 1 of 2	01/16/99
16.13-3 Page 2 of 2	01/16/99
16.13-4 Page 1 of 6	11/30/00
16.13-4 Page 2 of 6	11/30/00
16.13-4 Page 3 of 6	11/30/00
16.13-4 Page 4 of 6	11/30/00
16.13-4 Page 5 of 6	11/30/00
16.13-4 Page 6 of 6	11/30/00

**CATAWBA NUCLEAR STATION
FINAL SAFETY ANALYSIS REPORT
SELECTED LICENSEE COMMITMENTS**

Table of Contents

16.0	Selected Licensee Commitments
16.1	Introduction
16.2	Applicability
16.3	Definitions
16.4	Commitments Related to Reactor Components
16.5	Commitments Related to Reactor Coolant System
16.5-1	Reduced Inventory and Mid-Loop Operation with Irradiated Fuel in the Core
16.5-2	Safety Valves - Shutdown
16.5-3	Chemistry
16.5-4	Pressurizer
16.5-5	Structural Integrity
16.5-6	Reactor Coolant System Vents
16.5-7	Steam Generator Pressure/Temperature Limitation
16.6	Commitments Related to Engineered Safety Features
16.6-1	Containment Sump
16.6-2	Deleted
16.6-3	Inlet Door Position Monitoring System
16.6-4	Chlorine Detectors and Associated Circuitry
16.6-5	Residual Heat Removal/Containment Spray Sump Pump Interlock
16.7	Commitments Related to Instrumentation
16.7-1	ATWS Mitigation System Actuation Circuitry (AMSAC)
16.7-2	Seismic Instrumentation
16.7-3	Meteorological Instrumentation
16.7-4	Loose-Part Detection System
16.7-5	Turbine Overspeed Protection
16.7-6	RN Discharge Instrumentation

16.6 **ENGINEERED SAFETY FEATURES**

16.6-4 **CHLORINE DETECTORS AND ASSOCIATED CIRCUITRY**

COMMITMENT:

Four chlorine detectors and associated circuitry (two per control room intake), with their Alarm Setpoints adjusted to actuate at a chlorine concentration of less than or equal to 5 ppm, shall be OPERABLE.

APPLICABILITY:

All MODES.

REMEDIAL ACTION:

- a. With one chlorine detector and/or associated circuitry inoperable in one or both control room intakes, restore the inoperable equipment to OPERABLE status within 30 days. Otherwise, isolate the affected control room intake(s) within the next hour. (In the event that both control room intakes are isolated, both trains of the Control Room Area Ventilation System (CRAVS) will be rendered inoperable and the applicable Conditions and Required Actions of Technical Specification 3.7.10 shall be entered and followed.)*
- b. With both chlorine detectors and/or associated circuitry inoperable in one or both control room intakes, immediately isolate the affected control room intake(s). (In the event that both control room intakes are isolated, both trains of the Control Room Area Ventilation System (CRAVS) will be rendered inoperable and the applicable Conditions and Required Actions of Technical Specification 3.7.10 shall be entered and followed.)*

NOTE: The provisions of SLC 16.2.3 are not applicable.

TESTING REQUIREMENTS:

Each chlorine detector and associated circuitry shall be demonstrated OPERABLE by performance of a CHANNEL OPERATIONAL TEST at least once per 31 days and a CHANNEL CALIBRATION at least once per 18 months.

* For the purpose of implementing modification work associated with deleting the high chlorine automatic control room intake isolation function and downgrading the chlorine detectors and/or associated circuitry to non-safety related status, entry into this REMEDIAL ACTION is not required for pre-planned activities resulting in one inoperable chlorine detector and/or associated circuitry.

REFERENCES:

1. Letter from NRC to Gary R. Peterson, Duke, Issuance of Improved Technical Specifications Amendments for Catawba, September 30, 1998.
2. Letter from NRC to G.R. Peterson, Duke, Issuance of Amendments 191/183, June 28, 2001.

BASES:

The OPERABILITY of the chlorine detectors and associated circuitry is provided as a defense-in-depth measure to ensure that sufficient capability is available to promptly detect and respond to an accidental chlorine release. The capability for the protection of control room personnel is consistent with the recommendations of Regulatory Guide 1.95, Revision 1, January 1977, "Protection of Nuclear Power Plant Control Room Operators Against an Accidental Chlorine Release."

Regulatory Guide 1.95 states in Section C.2 that the capability to manually isolate the control room should be provided "... if a chlorine container having an inventory of 150 lbs. or less is stored more than 100 meters from the control room or its fresh air intakes...." All chlorine containers at Catawba are stored or used at least 158 meters (520 feet) from the nearest control room outside air intake and the inventory of chlorine in any single "container" is less than or equal to 100 lbs. (Note that Catawba only uses 50-lb. cylinders with a maximum of two cylinders manifolded together.) Thus, automatic isolation/closure of an intake is not required and it is acceptable to leave an intake open for a limited time period even if a single detector on an intake were to alarm. This follows the implied logic of the Regulatory Guide that if the quantity of gaseous chlorine onsite is small enough, it is not credible to assume a chlorine container failure results in a significant impact to the control room. This position is documented in calculation CNC-1211.00-00-0124.

The REMEDIAL ACTIONS described above are consistent with the guidance provided in Regulatory Guide 1.78, Revision 0, June 1974, "Assumptions for Evaluating the Habitability of a Nuclear Power Plant Control Room During a Postulated Hazardous Chemical Release," and Regulatory Guide 1.95. Regulatory Guide 1.78 states in Section C.3 that "... the release of any hazardous chemical to be stored on the nuclear plant site in a quantity greater than 100 lbs. should be considered..." for its impact on control room habitability. Catawba does not allow any gaseous chlorine containers greater than 100 lbs. on site. There are also no credible accident scenarios that would cause the failure of more than 100 lbs. of chlorine.

16.9 **AUXILIARY SYSTEMS**

16.9-22 **CONTROL ROOM AREA VENTILATION SYSTEM – INTAKE ALARMS**

COMMITMENT:

The Control Room Area Ventilation Systems Intake Alarms shall be OPERABLE.

(This SLC applies to the Control Room Area Ventilation System radiation and smoke alarms only. The chlorine detection alarm is addressed in SLC 16.6-4.)

APPLICABILITY:

All MODES.

REMEDIAL ACTION: (Units 1 and 2)

MODES 1, 2, 3 and 4:

With the Control Room Area Ventilation System Intake Alarms inoperable restore the inoperable system to OPERABLE status within 7 days or be in at least HOT STANDBY within the next 6 hours and in COLD SHUTDOWN within the following 30 hours.

MODES 5 and 6:

With the Control Room Area Ventilation Systems Intake Alarms inoperable, suspend all operations involving CORE ALTERATIONS or positive reactivity changes.

NOTE: The provisions of SLC 16.2.3 are not applicable.

TESTING REQUIREMENTS:

The Control Room Area Ventilation System Intake Alarms shall be demonstrated OPERABLE at least once per 18 months by verifying that on a High Radiation-Air Intake, or Smoke Density-High test signal, an alarm is received in the control room.

REFERENCES:

1. Letter from NRC to Gary R. Peterson, Duke, Issuance of Improved Technical Specifications Amendments for Catawba, September 30, 1998.

BASES:

The Control Room Area Ventilation System Intake Alarms provide operator information relative to smoke and radiation concentrations at each control room intake. Operators use this information to align the Control Room Area Ventilation System to ensure that the control room will remain habitable for operations personnel during and following accident conditions.

TABLE 16.11-5 (Page 5 of 5)

TABLE NOTATIONS

ACTION I - With the number of channels OPERABLE less than the Minimum Channels OPERABLE requirement, containment releases to the environment through this pathway may continue provided that prior to initiating the release:

- a. Vent system noble gas activity monitor providing alarm and automatic termination of release (Low Range – EMF-36) has at least one channel OPERABLE; or,
- b. At least two independent samples of the containment atmosphere are analyzed, and at least two technically qualified members of the facility independently verify:
 1. The discharge valve lineup; and
 2. The manual portion of the computer input for the release rate calculations performed on the computer, or the entire release rate calculations if such calculations are performed manually.

Restore the inoperable instrumentation to OPERABLE status within 30 days, or explain in the next Radioactive Effluent Release Report, pursuant to Technical Specification 5.6.3, why this inoperability was not corrected within the time specified.

If the instrumentation remains, or is anticipated to remain, inoperable for 90 days or longer, re-evaluate the configuration of the affected unit in accordance with the applicable portions of 10CFR50.59 and 10CFR50.65(a)(4), prior to expiration of the 90 days.