

August 14, 2001
PY-CEI/NRR-2587L

United States Nuclear Regulatory Commission
Document Control Desk
Washington, D.C. 20555


Perry Nuclear Power Plant
Docket No. 50-440
License No. NPF-58
Monthly Operating Report

Ladies and Gentlemen:

Attached is the July 2001 Monthly Operating Report for Perry Unit 1. Page 1 is the Operating Data Report and page 2 is the Unit Shutdowns Report. This report is submitted in accordance with Technical Specification 5.6.4 and Generic Letter 97-02, "Revised Contents of the Monthly Operating Report."

If you have questions or require additional information, please contact Ms. Toni Phelps at (440) 280-7660.

Very truly yours,



Gregory A. Dunn
Manager - Regulatory Affairs

Attachment

cc: NRC Region III Administrator
NRC Project Manager
NRC Resident Inspector

IE24

OPERATING DATA REPORT

UNIT: Perry
DATE: 8/7/01

1. Docket: 50-440
2. Unit Name: Perry Nuclear Power Plant
3. Reporting Period: July 2001
4. Utility Contact: T. Phelps
5. Telephone: 440-280-7660
6. Design Electrical Rating (Net MWe): 1266*
7. Maximum Dependable Capacity (Net MWe): 1241**

	<u>This Month</u>	<u>Yr-to-Date</u>	<u>Cumulative</u>
8. Hours Reactor was Critical	<u>334.9</u>	<u>3,356.4</u>	<u>92,965.0</u>
9. Hours Generator On-Line	<u>285.7</u>	<u>3,154.8</u>	<u>90,517.0</u>
10. Unit Reserve Shutdown Hours	<u>0.0</u>	<u>0.0</u>	<u>0.0</u>
11. Net Electrical Energy (MWeH)	<u>324,672.0</u>	<u>3,418,757.0</u>	<u>102,239,714.0</u>

- *The New Design Electrical Rating is based on the 105% uprate which was completed April of 2001.
- ** The new MDC was effective April 1, 2001.

UNIT SHUTDOWNS REPORT MONTH – JULY 2001

DOCKET NO: 50-440
 NAME: Perry Nuclear Power Plant
 DATE: 8/7/01
 CONTACT: T. Phelps
 TELEPHONE: (440) 280-7660

No.	Date	Type 1	Duration Hours	Reason 2	Method 3	Cause and Corrective Action to Prevent Recurrence
01-7	7/11/01	F	458.35	A	3	The plant had an automatic scram on 7/11/01 at 2227. The scram was as a result of a power loss due to a blown fuse.

SUMMARY: The Perry plant began the month on line. On 7/11/01 2227 the plant incurred an automatic shutdown due to a blown fuse. The unit remained off line until 7/31/01 at 0048, when the Unit was synchronized to the grid.

1. TYPE:

F: Forced
 S: Scheduled

2. REASON:

A - Equipment Failure (explain)
 B - Maintenance or Test
 C - Refueling
 D - Regulatory
 E - Operating Training &
 License Examination
 F - Administrative
 G - Operational Error (explain)
 H - Other (explain)

3. METHOD:

1 - Manual
 2 - Manual Scram
 3 - Automatic Scram
 4 - Continuation
 5 - Other