

Mr. C. K. McCoy
 Vice President - Nuclear
 Vogtle Project
 Georgia Power Company
 P. O. Box 1295
 Birmingham, AL 35201

July 1, 1995

SUBJECT: EXEMPTION FROM CERTAIN REQUIREMENTS OF 10 CFR 73.55, "REQUIREMENTS FOR PHYSICAL PROTECTION OF LICENSED ACTIVITIES IN NUCLEAR POWER REACTORS AGAINST RADIOLOGICAL SABOTAGE" - VOGTLE ELECTRIC GENERATING PLANT, UNITS 1 AND 2 (TAC NOS. M92404 AND M92405)

Dear Mr. McCoy:

The Commission has issued the enclosed exemption from certain requirements of 10 CFR 73.55 relating to issuance, storage and retrieval of badges for personnel who have been granted unescorted access to the protected and vital areas of the site. This exemption is related to your application dated February 14, 1995, which requested exemption from the requirements of 10 CFR 73.55(d)(5) that requires an individual not employed by the licensee, but who requires frequent and extended access to protected and vital areas, to be authorized access to these areas without an escort provided the individual receives a picture badge upon entrance into the protected area that must be returned upon exit from the protected area. The exemption request proposes an alternative hand geometry biometrics system for site access control at the Vogtle Electric Generating Plant such that identification badges with photographs may be taken offsite by individuals not employed by the licensee.

A copy of the exemption is being forwarded to the Office of the Federal Register for publication.

By this letter the requested exemption is granted, effective when the hand geometry biometrics system is ready for implementation and the corresponding revisions to the Physical Security Plan for the Vogtle plant have been submitted, and reviewed and approved by the staff.

Sincerely,
 ORIGINAL SIGNED BY:
 Herbert N. Berkow, Director
 Project Directorate II-2
 Division of Reactor Projects - I/II
 Office of Nuclear Reactor Regulation

9507200311 950712
 PDR ADOCK 05000424
 P PDR

Docket Nos. 50-424 and 50-425

Enclosure: Exemption

cc w/encl: See next page

DISTRIBUTION

Docket File	S. Varga	R. Crlenjak, RII
PUBLIC	J. Zwolinski	G. Tracy
OGC	OPA	W. Russell/F. Miraglia
R. Zimmerman	ACRS	E. Merschoff, RII
R. Spessard	E. Jordan	OC/LFDCB
J. Lieberman	G. Hill (4)	

NRC FILE CENTER COPY

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	LA:PD22:DRPE	E	PM:PD22:DRPE	E	D:PD22:DRPE	OGC	N	S:DRPE	DOTS:DRK
NAME	LBerry		LWheeler		HBerkow			Svarga	LCunningham
DATE	6/13/95		6/14/95		6/5/95	6/1/95		6/1/95	6/16/95

OFFICIAL RECORD COPY

DOCUMENT NAME: G:\VOGTLE\92404.EX

170000

2-3



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

July 12, 1995

Mr. C. K. McCoy
Vice President - Nuclear
Vogtle Project
Georgia Power Company
P. O. Box 1295
Birmingham, AL 35201

SUBJECT: EXEMPTION FROM CERTAIN REQUIREMENTS OF 10 CFR 73.55, "REQUIREMENTS FOR PHYSICAL PROTECTION OF LICENSED ACTIVITIES IN NUCLEAR POWER REACTORS AGAINST RADIOLOGICAL SABOTAGE" - VOGTLE ELECTRIC GENERATING PLANT, UNITS 1 AND 2 (TAC NOS. M92404 AND M92405)

Dear Mr. McCoy:

The Commission has issued the enclosed exemption from certain requirements of 10 CFR 73.55 relating to issuance, storage and retrieval of badges for personnel who have been granted unescorted access to the protected and vital areas of the site. This exemption is related to your application dated February 14, 1995, which requested exemption from the requirements of 10 CFR 73.55(d)(5) that requires an individual not employed by the licensee, but who requires frequent and extended access to protected and vital areas, to be authorized access to these areas without an escort provided the individual receives a picture badge upon entrance into the protected area that must be returned upon exit from the protected area. The exemption request proposes an alternative hand geometry biometrics system for site access control at the Vogtle Electric Generating Plant such that identification badges with photographs may be taken offsite by individuals not employed by the licensee.

A copy of the exemption is being forwarded to the Office of the Federal Register for publication.

By this letter, the requested exemption is granted, effective when the hand geometry biometrics system is ready for implementation and the corresponding revisions to the Physical Security Plan for Vogtle plant have been submitted, and reviewed and approved by the staff.

Sincerely,

A handwritten signature in black ink, appearing to read "Herbert N. Berkow".

Herbert N. Berkow, Director
Project Directorate II-2
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation

Docket Nos. 50-424 and 50-425

Enclosure: Exemption

cc w/encl: See next page

Mr. C. K. McCoy
Georgia Power Company

Vogtle Electric Generating Plant

cc:

Mr. J. A. Bailey
Manager - Licensing
Georgia Power Company
P. O. Box 1295
Birmingham, Alabama 35201

Harold Reheis, Director
Department of Natural Resources
205 Butler Street, SE. Suite 1252
Atlanta, Georgia 30334

Mr. J. B. Beasley
General Manager, Vogtle Electric
Generating Plant
P. O. Box 1600
Waynesboro, Georgia 30830

Attorney General
Law Department
132 Judicial Building
Atlanta, Georgia 30334

Regional Administrator, Region II
U. S. Nuclear Regulatory Commission
101 Marietta Street, NW., Suite 2900
Atlanta, Georgia 30323

Mr. Ernie Toupin
Manager of Nuclear Operations
Oglethorpe Power Corporation
2100 East Exchange Place
Tucker, Georgia 30085-1349

Office of Planning and Budget
Room 615B
270 Washington Street, SW.
Atlanta, Georgia 30334

Charles A. Patrizia, Esquire
Paul, Hastings, Janofsky & Walker
12th Floor
1050 Connecticut Avenue, NW.
Washington, DC 20036

Office of the County Commissioner
Burke County Commission
Waynesboro, Georgia 30830

Arthur H. Domby, Esquire
Troutman Sanders
NationsBank Plaza
600 Peachtree Street, NE.
Suite 5200
Atlanta, Georgia 30308-2216

Mr. J. D. Woodard
Senior Vice President -
Nuclear Operations
Georgia Power Company
P. O. Box 1295
Birmingham, Alabama 35201

Resident Inspector
U. S. Nuclear Regulatory Commission
P. O. Box 572
Waynesboro, Georgia 30830

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

In the Matter of)	
)	
GEORGIA POWER COMPANY, ET AL.)	
)	
Vogtle Electric Generating Plant,)	
Units 1 and 2)	Docket Nos. 50-424 and 50-425

EXEMPTION

I.

Georgia Power Company, et al. (the licensee) is the holder of Facility Operating License Nos. NPF-68 and NPF-81 for the Vogtle Electric Generating Plant, Units 1 and 2. The licenses provide, among other things, that the licensee is subject to all rules, regulations, and orders of the Commission in effect now and hereafter.

The facility consists of two pressurized water reactors near Waynesboro in Burke County, Georgia.

II.

Title 10 of the Code of Federal Regulations (10 CFR) 73.55, "Requirements for Physical Protection of Licensed Activities in Nuclear Power Reactors Against Radiological Sabotage," paragraph (a), in part, states that "The licensee shall establish and maintain an onsite physical protection system and security organization which will have as its objective to provide high assurance that activities involving special nuclear material are not inimical to the common defense and security and do not constitute an unreasonable risk to the public health and safety."

Section 73.55(d), "Access Requirements," paragraph (1), specifies that "The licensee shall control all points of personnel and vehicle access into a protected area." Section 73.55(d)(5) requires that "A numbered picture badge identification system shall be used for all individuals who are authorized access to protected areas without escort." Section 73.55(d)(5) also states that an individual not employed by the licensee (i.e., contractors) may be authorized access to protected areas without escort provided the individual "receives a picture badge upon entrance into the protected area which must be returned upon exit from the protected area ..."

The licensee has proposed to implement an alternative unescorted access control system that would eliminate the need to issue and retrieve badges at each entrance/exit location and would allow all individuals with unescorted access to keep their badges when departing the site.

An exemption from 10 CFR 73.55(d)(5) is required to allow contractors who have unescorted access to take their badges offsite instead of returning them when exiting the site. By letter dated February 14, 1995, the licensee requested an exemption from the requirements of 10 CFR 73.55(d)(5) for this purpose.

III.

Pursuant to 10 CFR 73.5, "Specific exemptions," the Commission may, upon application of any interested person or upon its own initiative, grant such exemptions in this part as it determines are authorized by law and will not endanger life or property or the common defense and security, and are otherwise in the public interest. Pursuant to 10 CFR 73.55, the Commission may authorize a licensee to provide alternative measures for protection against radiological sabotage provided the licensee demonstrates that the

alternative measures have "the same high assurance objective" and meet "the general performance requirements" of the regulation, and "the overall level of system performance provides protection against radiological sabotage equivalent" to that which would be provided by the regulation.

Currently, unescorted access into the protected areas at the Vogtle site is controlled through the use of a photograph on a badge/keycard (hereafter, referred to as "badge"). The security officers at each entrance station use the photograph on the badge to visually identify the individual requesting access. The licensee's employees and contractor personnel who have been granted unescorted access are issued badges upon entrance at each entrance/exit location and the badges are returned upon exit. The badges are stored and are retrievable at each entrance/exit location. In accordance with 10 CFR 73.55(d)(5), contractors are not allowed to take these badges offsite.

Under the proposed biometric system, each individual who is authorized unescorted entry into protected areas would have the physical characteristics of his/her hand (i.e., hand geometry) registered, along with his/her badge number, in the access control system. When a registered user enters his/her badge into the card reader and places his/her hand onto the measuring surface, the system detects that the hand is properly positioned, and records the image. The unique characteristics of the hand image are then compared with the previously stored template in the access control computer system corresponding to the badge to verify authorization for entry.

Individuals, including Vogtle plant employees and contractors, would be allowed to keep their badges when they depart the site and, thus, eliminate the need to issue, retrieve, and store badges at the entrance stations to the plant. Badges do not carry any information other than a unique identification number.

All other access processes, including search function capability, would remain the same. This system would not be used for persons requiring escorted access (i.e., visitors).

Based on the Sandia report, "A Performance Evaluation of Biometrics Identification Devices," SAND91-0276•UC-906, Unlimited Release, June 1991, that concluded hand geometry equipment possesses strong performance and high detection characteristics, and on its own experience with the current photo-identification system the licensee determined that the proposed hand geometry system would provide the same high level of assurance as the current system that access is only granted to authorized individuals. The biometric system has been in use for a number of years at several sensitive Department of Energy facilities and, recently, at nuclear power plants.

The licensee will implement a process for testing the proposed system to ensure continued overall level of performance equivalent to that specified in the regulation. When the changes are implemented, the respective Physical Security Plan will be revised to include implementation and testing of the hand geometry access control system and to allow Vogtle plant employees and contractors to take their badges offsite.

When implemented, the licensee will control all points of personnel access into a protected area under the observation of security personnel through the use of a badge and a hand geometry verification system. The numbered picture badge identification system will continue to be used for all individuals who are authorized unescorted access to protected areas. Badges will continue to be displayed by all individuals while inside the protected areas.

Since both the badge and hand geometry would be necessary for access into the protected areas, the proposed system would provide a positive

verification process. The potential loss of a badge by an individual as a result of taking the badge offsite would not enable an unauthorized entry into protected areas.

IV.

For the foregoing reasons, pursuant to 10 CFR 73.55, the NRC staff has determined that the proposed alternative measures for protection against radiological sabotage meet "the same high assurance objective," and "the general performance requirements" of the regulation and that "the overall level of system performance provides protection against radiological sabotage equivalent" to that which would be provided by the regulation.


Accordingly, the Commission has determined that, pursuant to 10 CFR 73.5, this exemption is authorized by law and will not endanger life or property or common defense and security, and is otherwise in the public interest. Therefore, the Commission hereby grants the requested exemption from the requirements of 10 CFR 73.55(d)(5) to allow individuals not employed by the licensee (i.e., contractors) to take their photo identification badges offsite, provided that the proposed hand geometry biometrics system is in effect to control access into protected areas at the Vogtle Nuclear Plant.

Pursuant to 10 CFR 51.32, the Commission has determined that the granting of this exemption will not result in any significant adverse environmental impact (60 FR 35964).

For further details with respect to this action, see the request for exemption dated February 14, 1995, which is available for public inspection at the Commission's Public Document Room, 2120 L Street, NW., Washington, DC, and at the local public document room located at the Burke County Public Library, 412 Fourth Street, Waynesboro, Georgia.

This exemption is effective when modifications, procedures, and training to implement the hand geometry biometrics system have been completed and the corresponding revisions to the Physical Security Plan for the Vogtle plant have been submitted, and reviewed and approved by the staff.

FOR THE NUCLEAR REGULATORY COMMISSION

A handwritten signature in black ink, appearing to read "Steven A. Varga". The signature is written in a cursive, somewhat stylized font.

Steven A. Varga, Director
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation

Dated at Rockville, Maryland,
this 12th day of July 1995.

This exemption is effective when modifications, procedures, and training to implement the hand geometry biometrics system have been completed and the corresponding revisions to the Physical Security Plan for the Vogtle plant have been submitted, and reviewed and approved by the staff.

FOR THE NUCLEAR REGULATORY COMMISSION

ORIGINAL SIGNED BY:

Steven A. Varga, Director
Division of Reactor Projects - I/II
Office of Nuclear Reactor Regulation

Dated at Rockville, Maryland,
this 12th day of July 12, 1995.

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	LA:PD22:DRPE	E	PM:PD22:DRPE	DOTS:NRK	OGC	D:DRPE	D:PD22:DRPE
NAME	LBerry		LWheeler	LCunningham		SVarga	HBerkow
DATE	6/12/95		6/14/95	6/10/95	6/19/95	6/12/95	7/5/95

OFFICIAL RECORD COPY DOCUMENT NAME: G:\VOGTLE\92404.EX