

	WANL 93%	AVR 93%	HTLTR 16%	License 93%	TOTAL
Uranium on Books	30.920	29.621	15.083	1.044	76.668
NFS Returns to AEC	13.390				13.390
NFS Hold-up	.800				.800
NFS Losses	.550				.550
NFS Solubles	14.740				14.740
NFS Insolubles	2.430				2.430
Total NFS Responsibility	17.170				17.170
Converter Losses	1.727	0	0	0	1.727
TOTAL	18.900	0	0	0	18.900
Net UCC Responsibility	12.020	29.621	15.083	1.044	57.768
Product on Hand	0	11.604	9.489	0	21.093
Scrap Oxide	0	17.276	3.207	0	20.483
Other Scrap	0.025	9.279	1.918	0.342	11.524
Sample Material	.057	.528	.034	0	.419
Filter Load	0	.253	0	0	.253
Total Recoverable	.082	38.700	14.648	.342	53.772
Accountable Losses					
Burial	.032	0	0	0	.032
Ready for Burial	.205	.126	0	0	.331
Drain Spill	.039	0	0	0	.039
Painted into Wall	.020	0	0	0	.020
General Losses:					
Drain					.070
Stack					.002
Bldg. Level					.055
Incinerator					.010
TOTAL	.295	.126	0	0	.558
Total Accountable Material	.377	38.826	14.648	.342	54.330
Unaccountable	-11.643	+9.205	-.435	-.702	-3.438