

From: Anthony Kirkwood
To: INternet: gvandrish@idsdetection.com
Date: Mon, Jul 10, 2000 10:29 AM
Subject: NRC Letter Dated June 21, 2000

Mr. Vandrish,

We are in receipt of your letter dated June 28, 2000. We appologize for any inconvenience our typographical error in our letter dated June 21, 2000, may have caused you. We have always understood that the Orion and Orion Plus are explosive detectors, not chemical agent monitoring devices.

Again, if there are any questions we can answer to encourage a prompt response to our letter, please don't hesitate to ask. We would better be able to review your reponse in a timely fashion and issue your amended registry and exempt license within the next several weeks because of personnel on summer vacations.

Sincerely,

Anthony Kirkwood

CC: FCS , INternet: lhaley@idsdetection.com, INter...

7/20/00, NRC

Mail Envelope Properties (3969DDBF.52E : 18 : 21230)

Subject: NRC Letter Dated June 21, 2000
Creation Date: Mon, Jul 10, 2000 10:29 AM
From: Anthony Kirkwood

Created By: TWFN_DO.TWF4_PO:ASK

Recipients	Action	Date & Time
Post Office INternet mferrari CC (INternet: mferrari@idsdection.c	Transferred	07/10 10:29 AM

Post Office INternet gvandriah (INternet: gvandriah@idsdetect lhaley CC (INternet: lhaley@idsdetection.	Transferred	07/10 10:29 AM
---	-------------	----------------

Post Office TWFN_DO.twf4_po FCS CC (FCS) JPJ2 CC (JPJ2) SJL CC (SJL)	Delivered	07/10 10:29 AM
--	-----------	----------------

Domain.Post Office	Delivered	Route
INternet		
INternet		INternet:idsdection.com
TWFN_DO.twf4_po	07/10 10:29 AM	INternet:idsdetection.com TWFN_DO.twf4_po

Files	Size	Date & Time
Mail NR-1018-D-101-E_IDS.def.wpd 2000 4:19 PM MESSAGE	1493	18708 Wednesday, June 21, Monday, July 10, 2000 10:29 AM

Options

Auto Delete: No
Expiration Date: None
Notify Recipients: Yes
Priority: Standard
Reply Requested: No
Return Notification: None

Concealed Subject: No
Security: Standard