

Specialty Chemicals

Honeywell
Route 45 North
P.O. Box 430
Metropolis, IL 62960
618 524-2111
618 524-6239 Fax

September 27, 2001

Certified Mail:
2617-4207


Region III
U.S. Nuclear Regulatory Commission
Office of Inspection and Enforcement
801 Warrenville Road
Lisle, Illinois 60532-4351

Gentlemen:

Subject: SUB-526
Docket No. 40-3392

We have enclosed two (2) copies of our "Facility Effluent Report" representing the period of January 1, 2001 through June 30, 2001.

Sincerely,



J. William Lessig
Plant Manager

JWL/sm

Enclosure: Facility Effluent Report (2)

cc: Director, Nuclear Material Safety & Safeguards
Nuclear Regulatory Commission
Washington, D.C. 20555
Enclosure: 6 copies

R. Boucher - (MEY-4)
M. L. Shepherd
W. M. Davis
H. C. Roberts
File
ALARA Committee
(RA/BH/GH/BK/DG/JP/NR/SP)

Mr. Steven C. Collins
IL Dept. of Nuclear Safety
1035 Outer Park Drive
Springfield, IL 62704

Ms. Leslie Fields
Licensing Section 2, Licensing Branch
Division of Fuel Cycle Safety
& Safeguards, NMSS
US Nuclear Regulatory Commission
Washington, D.C. 20555-0001

OCT 1 2001

FACILITY EFFLUENT REPORT

TYPE OF FACILITY:

UF₆ Conversion

LICENSE:

Source Materials No. SUB-526
Docket No. 40-3392

FACILITY ADDRESS:

Honeywell - Metropolis Works
P. O. Box 430
Metropolis, IL 62960

REPORTING PERIOD:

January 1, 2001 - June 30, 2001

GASEOUS EFFLUENTS:

1. The average release rate for the reporting period = $5.9E^5$ ACFM.
2. The principle radionuclides released are particulate, oxides and fluorides as follows:

Uranium (Nat.)	=	$5.53E^2$ curies (measured)
Ra ²²⁶	=	$3.82 E^6$ curies (Note 1)
Th ²³⁰	=	$6.40 E^5$ curies (Note 1)

LIQUID EFFLUENTS:

1. The average release rate for the reporting period = 2222 GPM.
2. The principle radionuclides released are as follows:

Uranium (Nat.)	=	0.37 curies (measured)
Ra ²²⁶	=	$5.92 E^3$ curies (measured)
Th ²³⁰	=	$9.43 E^4$ curies (measured)

NOTES 1:

Calculated from measured Th²³⁰ and Ra²²⁶ content of the various types of ore concentrates processed during the reporting period. As the ratio from exit points of these nuclides to uranium is assumed to be the same as in the concentrates, this calculation results in conservative (high) reported quantities.

FACILITY EFFLUENT REPORT

TYPE OF FACILITY:

UF₆ Conversion

LICENSE:

Source Materials No. SUB-526
Docket No. 40-3392

FACILITY ADDRESS:

Honeywell - Metropolis Works
P. O. Box 430
Metropolis, IL 62960

REPORTING PERIOD:

January 1, 2001 - June 30, 2001

GASEOUS EFFLUENTS:

1. The average release rate for the reporting period = $5.9E^5$ ACFM.
2. The principle radionuclides released are particulate, oxides and fluorides as follows:

Uranium (Nat.)	=	$5.53E^2$ curies (measured)
Ra ²²⁶	=	$3.82 E^6$ curies (Note 1)
Th ²³⁰	=	$6.40 E^5$ curies (Note 1)

LIQUID EFFLUENTS:

1. The average release rate for the reporting period = 2222 GPM.
2. The principle radionuclides released are as follows:

Uranium (Nat.)	=	0.37 curies (measured)
Ra ²²⁶	=	$5.92 E^3$ curies (measured)
Th ²³⁰	=	$9.43 E^4$ curies (measured)

NOTES 1:


Calculated from measured Th²³⁰ and Ra²²⁶ content of the various types of ore concentrates processed during the reporting period. As the ratio from exit points of these nuclides to uranium is assumed to be the same as in the concentrates, this calculation results in conservative (high) reported quantities.

Honeywe

Specialty Chemi
Honeywell
P.O. Box 430, Hwy.
Metropolis, IL 6296



7099 3400 0007 2617 4207



2NMS

Region III
U.S. Nuclear Regulatory Commission
Office of Inspection and Enforcement
801 Warrenville Road
Lisle, Illinois 60532-4351