

September 14, 1982

Docket No. 50-369

Mr. H. B. Tucker, Vice President  
Nuclear Production Department  
Duke Power Company  
422 South Church Street  
Charlotte, North Carolina 28242

Dear Mr. Tucker:

Subject: Issuance of Amendment No. 16 to Facility Operating License  
NPF-9 - McGuire Nuclear Station, Unit 1

The Nuclear Regulatory Commission has issued Amendment No. 16 to Facility Operating License NPF-9 for the McGuire Nuclear Station, Unit 1, located in Mecklenburg County, North Carolina.

This amendment is in response to your letter dated July 30, 1982. The amendment revises the descriptions of the offsite organization and the station organization. The amendment is effective as of its date of issuance.

A copy of the related safety evaluation report supporting Amendment No. 16 to Facility Operating License NPF-9 is enclosed. Also enclosed is a copy of a related notice which has been forwarded to the Office of the Federal Register for publication.

Sincerely,

*5/*

Elinor G. Adensam, Chief  
Licensing Branch No. 4  
Division of Licensing

Enclosures:

1. Amendment No. 16
2. Safety Evaluation
3. Federal Register Notice

cc w/encl:  
See next page

8209230395 820914  
PDR ADOCK 05000364 367  
P PDR

*CP*  
*51*

OFFICE	LA:DL:LB #4	DL:LB #4	DL:LB #4				
SURNAME	MDuncan/hmc	RBirke1	EAdensam				
DATE	9/9/82	9/9/82	9/17/82				

McGuire

Mr. H. B. Tucker, Vice President  
Nuclear Production Department  
Duke Power Company  
422 South Church Street  
Charlotte, North Carolina 28242

cc: Mr. A. Carr  
Duke Power Company  
422 South Church Street  
Charlotte, North Carolina 28242

Mr. F. J. Twogood  
Power Systems Division  
Westinghouse Electric Corp.  
P.O. Box 355  
Pittsburgh, Pennsylvania 15230

J. Michael McGarry, III, Esq.  
Debevoise & Liberman  
1200 Seventeenth Street, N.W.  
Washington, D. C. 20036

Mr. G. A. Copp  
Duke Power Company  
Steam Production Division  
P.O. Box 33189  
Charlotte, North Carolina 28242

James P. O'Reilly, Regional Administrator  
U.S. Nuclear Regulatory Commission,  
Region II  
101 Marietta Street, Suite 3100  
Atlanta, Georgia 30303

Attorney General  
Department of Justice  
Justice Building  
Raleigh, North Carolina 27602

Office of Intergovernmental Relations  
116 West Jones Street  
Raleigh, North Carolina 27603

County Manager of Mecklenburg County  
720 East Fourth Street  
Charlotte, North Carolina 28202

Mr. Bruce Blanchard  
Environmental Projects Review  
Department of the Interior  
Room 4256  
18th and C Street, N.W.  
Washington, D. C. 20240

EIS Coordinator  
U.S. Environmental Protection Agency  
Region IV Office  
345 Courtland Street, N.E.  
Atlanta, Georgia 30308

Chairman, North Carolina  
Utilities Commission  
430 North Salisbury Street  
Dobbs Building  
Raleigh, North Carolina 27602

Dr. John M. Barry  
Department of Environmental Health  
Mecklenburg County  
1200 Blythe Boulevard  
Charlotte, North Carolina 28203

Mr. Paul Bemis  
Sr. Resident Inspector McGuire NPS  
c/o U.S. Nuclear Regulatory  
Commission  
Route 4, Box 529  
Huntersville, North Carolina 28078

OFFICE ▶	.....	.....	.....	.....	.....	.....	.....
SURNAME ▶	.....	.....	.....	.....	.....	.....	.....
DATE ▶	.....	.....	.....	.....	.....	.....	.....

DUKE POWER COMPANY

DOCKET NO. 50-369

MCGUIRE NUCLEAR STATION, UNIT 1

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 16  
License No. NPF-9

1. The Nuclear Regulatory Commission (the Commission) has found that:
  - A. The application for amendment to the McGuire Nuclear Station, Unit 1 (the facility) Facility Operating License No. NPF-9 filed by the Duke Power Company (licensee) dated July 30, 1982, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act) and the Commission's regulations as set forth in 10 CFR Chapter I;
  - B. The facility will operate in conformity with the application, as amended, the provisions of the Act, and the regulations of the Commission;
  - C. There is reasonable assurance: (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations set forth in 10 CFR Chapter I;
  - D. The issuance of this license amendment will not be inimical to the common defense and security or to the health and safety of the public;
  - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, the license is hereby amended by page changes to the Technical Specifications as indicated in the attachments to this license amendment and paragraph 2.C.(2) of Facility Operating License No. NPF-9 is hereby amended to read as follows:

(2) Technical Specifications

The Technical Specifications contained in Appendix A, as revised through Amendment No. 16, are hereby incorporated into this license. The licensee shall operate the facility in accordance with the Technical Specifications and the Environmental Protection Plan.

8209230398 820914  
PDR ADOCK 05000369  
PDR

DATE

OFFICIAL RECORD COPY

USGPO: 1981-335-960

3. This license amendment is effective as of its date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION

51

Elinor G. Adensam, Chief  
Licensing Branch No. 4  
Division of Licensing

Attachment:  
Technical Specification  
Changes

Date of Issuance: September 14, 1982

OFFICE	LA:DL:LB #4	DL:LB #4	OELO <i>Aug 11</i>	DL:LB #4	AD:DL		
SURNAME	MDuncan/hmc	RBirke1	CUTCHIN	EAdensam	TNovak		
DATE	9/9/82	9/9/82	9/10/82	9/11/82	9/11/82		

*PAB*  
*No local objection to form of amendment.*

ATTACHMENT TO LICENSE AMENDMENT NO. 16

FACILITY OPERATING LICENSE NO. NPF-9

DOCKET NO. 50-369

Replace the following pages of the Appendix "A" Technical Specifications with the enclosed pages. The revised pages are identified by Amendment number and contain a vertical line indicating the area of change. The corresponding overleaf pages are also provided to maintain document completeness.

<u>Overleaf</u> <u>Page</u>	<u>Amended</u> <u>Page</u>
6-1	6-2
6-4	6-3
	6-7
	6-8
6-9	6-10
	6-11
	6-12

OFFICE ▶	.....	.....	.....	.....	.....	.....	.....
SURNAME ▶	.....	.....	.....	.....	.....	.....	.....
DATE ▶	.....	.....	.....	.....	.....	.....	.....

## ADMINISTRATIVE CONTROLS

---

### 6.1 RESPONSIBILITY

6.1.1 The Station Manager shall be responsible for overall unit operation and shall delegate in writing the succession to this responsibility during his absence.

6.1.2 The Shift Supervisor (or during his absence from the Control Room, a designated individual) shall be responsible for the Control Room command function. A management directive to this effect signed by the Manager of Nuclear Production shall be reissued to all station personnel on an annual basis.

### 6.2 ORGANIZATION

#### OFFSITE

6.2.1 The offsite organization for unit management and technical support shall be as shown on Figure 6.2-1.


#### UNIT STAFF

6.2.2 The unit organization shall be as shown on Figure 6.2-2 and:

- a. Each on duty shift shall be composed of at least the minimum shift crew composition shown in Table 6.2-1.
- b. At least one licensed Reactor Operator shall be in the control room when fuel is in the reactor. In addition, while the unit is in MODE 1, 2, 3 or 4 at least one licensed Senior Reactor Operator shall be in the Control Room.
- c. A health physics technician<sup>#</sup> shall be on site when fuel is in the reactor.
- d. All CORE ALTERATIONS shall be observed and directly supervised by either a licensed Senior Reactor Operator or Senior Reactor Operator Limited to Fuel Handling who has no other concurrent responsibilities during this operation.
- e. A site Fire Brigade of at least 5 members shall be maintained onsite at all times<sup>#</sup>. The Fire Brigade shall not include 3 members of the minimum shift crew necessary for safe shutdown of the unit and any personnel required for other essential functions during a fire emergency.

---

<sup>#</sup>The health physics technician and Fire Brigade composition may be less than the minimum requirements for a period of time not to exceed 2 hours in order to accommodate unexpected absence provided immediate action is taken to fill the required positions.



\* CORPORATE RESPONSIBILITY FOR FIRE PROTECTION PROGRAM

Figure 6.2-1 Offsite Organization




Figure 6.2-2 Station Organization

The Health Physics Supervisor has direct access to the Station Manager in matters concerning any phase of radiological protection. The Health Physics Supervisor can also address any problems or concerns to the System Health Physicist.



TABLE 6.2-1  
MINIMUM SHIFT CREW COMPOSITION<sup>#</sup>

POSITION	NUMBER OF INDIVIDUALS REQUIRED TO FILL POSITION	
	MODES 1, 2, 3 & 4	MODES 5 & 6
SS	1	1
SRO	1	None
RO	2	1
AO	2	1
STA	1	None

SS - Shift Supervisor with a Senior Reactor Operator's License on Unit 1  
 SRO - Individual with a Senior Reactor Operator's License on Unit 1  
 RO - Individual with a Reactor Operator's License on Unit 1  
 AO - Auxiliary Operator  
 STA - Shift Technical Advisor

Except for the Shift Supervisor, the Shift Crew Composition may be one less than the minimum requirements of Table 6.2-1 for a period of time not to exceed 2 hours in order to accommodate unexpected absence of on-duty shift crew members provided immediate action is taken to restore the Shift Crew Composition to within the minimum requirements of Table 6.2-1. This provisions does not permit any shift crew position to be unmanned upon shift change due to an oncoming shift crewman being late or absent.

During any absence of the Shift Supervisor from the Control Room while the unit is in MODE 1, 2, 3 or 4, an individual (other than the Shift Technical Advisor\*) with a valid SRO license shall be designated to assume the Control Room command function. During any absence of the Shift Supervisor from the Control Room while the unit is in MODE 5 or 6 an individual with a valid RO license (other than the Shift Technical Advisor\*) shall be designated to assume the Control Room Command function.

\* On occasions when there is a need for both the Shift Supervisor and the SRO to be absent from the Control Room, the STA shall be allowed to assume the Control Room command function and serve as the SRO in the Control Room provided that: (1) the Shift Supervisor is available to return to the Control Room within 10 minutes, (2) the assumption of SRO duties by the STA be limited to periods not in excess of 15 minutes duration and a total time not be exceed one hour during any 8-hour shift, and (3) the STA has an SRO license on the unit.

## ADMINISTRATIVE CONTROLS

---

6.5.1.6 Events requiring 24 hour written notification to the Commission and all violations of Technical Specifications shall be investigated and a report prepared which evaluates the occurrence and which provides recommendations to prevent recurrence. Such reports shall be approved by the Station Manager and transmitted to the Vice President, Nuclear Production, and to the Director of the Nuclear Safety Review Board.

6.5.1.7 The Station Manager shall assure the performance of special reviews and investigations, and the preparation and submittal of reports thereon, as requested by the Vice President, Nuclear Production.

6.5.1.8 The station security program, and implementing procedures, shall be reviewed at least once per 12 months. Recommended changes shall be approved by the Station Manager and transmitted to the Vice President, Nuclear Production, and to the Director of the Nuclear Safety Review Board.

6.5.1.9 The station emergency plan, and implementing procedures, shall be reviewed at least once per 12 months. Recommended changes shall be approved by the Station Manager and transmitted to the Vice President, Nuclear Production, and to the Director of the Nuclear Safety Review Board.

6.5.1.10 The Station Manager shall assure the performance of a review by a qualified individual/organization of every unplanned onsite release of radioactive material to the environs including the preparation and forwarding of reports covering evaluation, recommendations and disposition of the corrective action to prevent recurrence to the Vice President, Nuclear Production and to the Nuclear Safety Review Board.

6.5.1.11 The Station Manager shall assure the performance of a review by a qualified individual/organization of changes to the PROCESS CONTROL PROGRAM, OFFSITE DOSE CALCULATION MANUAL, and radwaste treatment systems.

6.5.1.12 Reports documenting each of the activities performed under Specifications 6.5.1.1 through 6.5.1.11 shall be maintained. Copies shall be provided to the Vice President, Nuclear Production, and the Nuclear Safety Review Board.

### 6.5.2 NUCLEAR SAFETY REVIEW BOARD (NSRB)

#### FUNCTION

6.5.2.1 The Nuclear Safety Review Board shall function to provide independent review and audit of designated activities in the areas of:

- a. nuclear power plant operations
- b. nuclear engineering
- c. chemistry and radiochemistry

## ADMINISTRATIVE CONTROLS

---

### FUNCTION (Continued)

- d. metallurgy
- e. instrumentation and control
- f. radiological safety
- g. mechanical and electrical engineering
- h. administrative control and quality assurance practices

### ORGANIZATION

6.5.2.2 The Director, members and alternate members of the NSRB shall be appointed in writing by the Vice President, Nuclear Production, and shall have an academic degree in an engineering or physical science field; and in addition, shall have a minimum of five years technical experience, of which a minimum of three years shall be in one or more areas given in 6.5.2.1. No more than two alternates shall participate as voting members in NSRB activities at any one time.

6.5.2.3 The NSRB shall be composed of at least five members, including the Director. Members of the NSRB may be from the Nuclear Production Department, from other departments within the Company or from external to the Company. A maximum of one member of the NSRB may be from the McGuire Nuclear Station staff.

6.5.2.4 Consultants shall be utilized as determined by the NSRB Director to provide expert advice to the NSRB.

6.5.2.5 Staff assistance may be provided to the NSRB in order to promote the proper, timely and expeditious performance of its functions.

6.5.2.6 The NSRB shall meet at least once per calendar quarter during the initial year of unit operation following fuel loading and at least once per six months thereafter.

6.5.2.7 The minimum quorum of the NSRB necessary for the performance of the NSRB review and audit functions of these technical specifications shall consist of the Director, or his designated alternate, and at least 4 other NSRB members including alternates. No more than a minority of the quorum shall have line responsibility for operation of McGuire Nuclear Station.

## ADMINISTRATIVE CONTROLS

---

### SUBJECTS REQUIRING REVIEW

6.5.2.8 The following subjects shall be reported to and reviewed by the NSRB:

- a. The safety evaluations for (1) changes to procedures, equipment or systems, and (2) tests or experiments completed under the provision of Section 50.59, 10 CFR to verify that such actions did not constitute an unreviewed safety question.
- b. Proposed changes to procedures, equipment or systems which involve an unreviewed safety question as defined in Section 50.59, 10 CFR.
- c. Proposed tests or experiments which involve an unreviewed safety question as defined in Section 50.59, 10 CFR.
- d. Proposed changes in Technical Specifications or this Operating License.
- e. Violations of codes, regulations, orders, Technical Specifications, license requirements, or of internal procedures or instructions having nuclear safety significance.
- f. Significant operating abnormalities or deviations from normal and expected performance of unit equipment that affect nuclear safety.
- g. Events requiring 24 hour written notification to the Commission.
- h. All recognized indications of an unanticipated deficiency in some aspect of design or operation of structures, systems or components that could affect nuclear safety.
- i. Quality Assurance Department audits relating to station operations and actions taken in response to these audits.
- j. Reports of activities performed under the provisions of Specification 6.5.1.1 through 6.5.1.11.

### AUDITS

6.5.2.9 Audits of unit activities shall be performed under the cognizance of the NSRB. These audits shall encompass:

- a. The conformance of unit operation to provisions contained within the Technical Specifications and applicable license conditions at least once per 12 months.
- b. The performance, training and qualifications of the entire unit staff at least once per 12 months.

## ADMINISTRATIVE CONTROLS

---

### AUDITS (Continued)

- c. The results of actions taken to correct deficiencies occurring in unit equipment, structures, systems or method of operation that affect nuclear safety at least once per 6 months.
- d. The performance of activities required by the Operational Quality Assurance Program to meet the criteria of Appendix "B", 10 CFR 50, at at least once per 24 months.
- e. The Emergency Plan and implementing procedures at least once per 24 months.
- f. The Security Plan and implementing procedures at least once per 24 months.
- g. Any other area of unit operation considered appropriate by the NSRB or the Vice President, Nuclear Production.
- h. The Facility Fire Protection Program and implementing procedures at least once per 24 months.
- i. An independent fire protection and loss prevention program inspection and audit shall be performed annually utilizing either qualified offsite licensee personnel or an outside fire protection firm.
- j. An inspection and audit of the fire protection and loss prevention program shall be performed by an outside qualified fire consultant at intervals no greater than 3 years.
- k. The radiological environmental monitoring program and the results thereof at least once per 12 months.
- l. The OFFSITE DOSE CALCULATION MANUAL and implementing procedures at least once per 24 months.
- m. The PROCESS CONTROL PROGRAM and implementing procedures for solidification of radioactive wastes at least once per 24 months.
- n. The performance of activities required by the Quality Assurance Program to meet the criteria of Regulatory Guide 4.15, December 1977 at least once per 12 months.

### AUTHORITY

6.5.2.10 The NSRB shall report to and advise the Vice President, Nuclear Production, on those areas of responsibility specified in Sections 6.5.2.8 and 6.5.2.9.

## ADMINISTRATIVE CONTROLS

---

### RECORDS

6.5.2.11 Records of NSRB activities shall be prepared, approved and distributed as indicated below:

- a. Minutes of each NSRB meeting shall be prepared, approved and forwarded to the Vice President, Nuclear Production, and to the Executive Vice President, Power Operations, within 14 days following each meeting.
- b. Reports of reviews encompassed by Section 6.5.2.8 above, shall be prepared, approved and forwarded to the Vice President, Nuclear Production, and to the Executive Vice President, Power Operations within 14 days following completion of the review.
- c. Audit reports encompassed by Section 6.5.2.9 above, shall be forwarded to the Vice President, Steam Production, and to the Executive Vice President, Power Operations, and to the management positions responsible for the areas audited within 30 days after completion of the audit.

### 6.6 REPORTABLE OCCURRENCE ACTION

6.6.1 The following actions shall be taken for REPORTABLE OCCURRENCES:

- a. The Commission shall be notified and/or a report submitted pursuant to the requirements of Specification 6.9.
- b. Each REPORTABLE OCCURRENCE requiring 24 hour notification to the Commission shall be reviewed by the Station Manager; or by (1) the Operating Superintendent, (2) the Technical Services Superintendent, or (3) the Maintenance Superintendent, as previously designated by the Station Manager; and submitted to the NSRB and the Vice President, Nuclear Production.

### 6.7 SAFETY LIMIT VIOLATION

6.7.1 The following actions shall be taken in the event a Safety Limit is violated:

- a. The unit shall be placed in at least HOT STANDBY within one hour.
- b. The NRC Operations Center shall be notified by telephone as soon as possible and in all cases within one hour. The Vice President, Nuclear Production, and the NSRB shall be notified within 24 hours.

## ADMINISTRATIVE CONTROLS

---

### SAFETY LIMIT VIOLATION (Continued)

- c. A Safety Limit Violation Report shall be prepared. The report shall be reviewed by the Operating Superintendent and the Station Manager. This report shall describe (1) applicable circumstances preceding the violation, (2) effects of the violation upon facility components, systems or structures, and (3) corrective action taken to prevent recurrence.
- d. The Safety Limit Violation Report shall be submitted to the Commission, the NSRB and the Vice President, Nuclear Production, within 14 days of the violation.

### 6.8 PROCEDURES AND PROGRAMS

6.8.1 Written procedures shall be established, implemented and maintained covering the activities referenced below:

- a. The applicable procedures recommended in Appendix "A" of Regulatory Guide 1.33, Revision 2, February 1978.
- b. Refueling operations.
- c. Surveillance and test activities of safety related equipment.
- d. Security Plan implementation.
- e. Emergency Plan implementation.
- f. Fire Protection Program implementation.
- g. PROCESS CONTROL PROGRAM implementation.
- h. OFFSITE DOSE CALCULATION MANUAL implementation.
- i. Quality Assurance Program for effluent and environmental monitoring, using the guidance in Regulatory Guide 4.15, December 1977.

6.8.2 Each procedure of 6.8.1 above, and changes thereto, shall be reviewed and approved by the Station Manager; or by (1) the Operating Superintendent, (2) the Technical Services Superintendent, or (3) the Maintenance Superintendent, as previously designated by the Station Manager; prior to implementation and shall be reviewed periodically as set forth in administrative procedures.

6.8.3 Temporary changes to procedures of 6.8.1 above may be made provided:

- a. The intent of the original procedure is not altered.

SAFETY EVALUATION BY THE  
OFFICE OF NUCLEAR REACTOR REGULATION  
RELATED TO AMENDMENT NO. 16  
TO LICENSE NPF-9  
DUKE POWER COMPANY

INTRODUCTION

On July 26, 1982, the Duke Power Company announced a series of changes in the company's steam production department. According to the announcement the reorganization which establishes new departments along functional lines, will enable managers to concentrate on specific areas of operations that should bring improved production and reliability efficiency. To reflect these changes Duke Power Company proposed several changes, by letter dated July 30, 1982, to Section 6 of the Technical Specifications for McGuire Unit 1. The proposed changes to Section 6 would revise Figure 6.1-2 to show the newly formed Nuclear Production Department and revise Figure 6.1-1 to show an in-line Operating Engineer reporting to the Operating Superintendent.

EVALUATION

Establishment of the Nuclear Production Department

The current McGuire Technical Specifications show the nuclear station manager reporting to the Manager Nuclear Production who in turn reports to the Vice President, Steam Production. The proposed reorganization divides the functions of the Vice President, Steam Production into three positions: Vice President, Nuclear Production; Vice President, Fossil Production; and Vice President, Production Support. Reporting to the Vice President, Nuclear Production will be a General Manager, Nuclear Stations to whom the Nuclear Station Managers will report. Also reporting to the Vice President, Nuclear Production will be a Manager Nuclear Reliability Assurance, Manager Nuclear Safety Assurance, Manager Nuclear Operation, Manager Nuclear Maintenance, Manager Nuclear Technical Services, Manager Nuclear Engineering Services, Manager Nuclear Administrative Services and Manager Nuclear General Services.

Based on our evaluation, we consider that these proposed changes provide for better integration of those functions needed to support the operation of the nuclear station under a single high level corporate official and are acceptable. This is shown in the revised Technical Specifications Figure 6.1-2 and numerous text changes.

Establishment of an In-Line Operating Engineer

The current Technical Specifications show the Shift Supervisors reporting directly to the Operating Superintendent, who meets the qualification requirements for Operations Manager of Section 4.2.2 of ANSI/ANS 3.1-1978, "American National Standards for Selection and Training of Nuclear Power Plant Personnel," with an Operating

ENGINEER as a staff assistant to the Operating Superintendent. The licensee plans					
8209230399 820914					
PDR ADDOCK 05000369					
P PDR					



to upgrade the qualifications of the Shift Operating Engineer to that of the Operations Manager of Section 4.2.2 of ANSI/ANS 3.1-1978, and place the Shift Operating Engineer in a line position between the Shift Supervisors and the Operating Superintendent. This organization is reflected in revised Technical Specification Figure 6.1-1. The licensee proposes to alter the qualification requirements for the Operating Superintendent such that he must hold or have held a senior license on the unit.

Based on our evaluation, we find that the proposed organizational change is acceptable since the Shift Operating Engineer will meet the qualification requirements for the individual performing the function of Operations Manager of Section 4.2.2 of ANSI/ANS 3.1-1978 and meets the staff position of Revision 1 to Regulatory Guide 1.8.

#### ENVIRONMENTAL CONSIDERATION

We have determined that the amendment does not authorize a change in effluent types or total amounts nor an increase in power level and will not result in any significant environmental impact. Having made this determination, we have further concluded that the amendment involves an action which is insignificant from the standpoint of environmental impact and, pursuant to 10 CFR Section 51.5(d)(4), that an environmental impact statement or negative declaration and environmental impact appraisal need not be prepared in connection with the issuance of this amendment.

#### CONCLUSION

We have concluded, based on the consideration discussed above, that: (1) because the amendment does not involve a significant increase in the probability or consequences of accidents previously considered, does not create the possibility of an accident of a type different from any evaluated previously, and does not involve a significant decrease in a safety margin, the amendment does not involve a significant hazards consideration, (2) there is reasonable assurance that the health and safety of the public will not be endangered by operation in the proposed manner, and (3) such activities will be conducted in compliance with the Commission's regulations and the issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public.

Date: September 14, 1982

Principal Contributors: Fred Allenspach, Licensee Qualification Branch, DHFS  
Ralph A. Birkel, Licensing Branch No. 4, DL

OFFICE ▶	.....	.....	.....	.....	.....	.....	.....
SURNAME ▶	.....	.....	.....	.....	.....	.....	.....
DATE ▶	.....	.....	.....	.....	.....	.....	.....

UNITED STATES NUCLEAR REGULATORY COMMISSIONDOCKET NO. 50-369DUKE POWER COMPANYNOTICE OF ISSUANCE OF AMENDMENTFACILITY OPERATING LICENSE NO. NPF-9

The U.S. Nuclear Regulatory Commission (the Commission) has issued Amendment No. 16 to Facility Operating License No. NPF-9, issued to Duke Power Company (licensee) for the McGuire Nuclear Station, Unit 1 (the facility) located in Mecklenburg County, North Carolina. The amendment is effective as of its date of issuance.

This amendment revises the descriptions of the offsite organization and the station organization.

Issuance of this amendment complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's regulations. The Commission has made appropriate findings as required by the Act and the Commission's regulations in 10 CFR Chapter I, which are set forth in the license amendment. Prior public notice of this amendment was not required since the amendment does not involve a significant hazards consideration.

The Commission has determined that the issuance of this amendment will not result in any significant environmental impact and that pursuant to 10 CFR §51.5(d)(4) an environmental impact statement, or negative declaration and environmental impact appraisal need not be prepared in connection with issuance of this amendment.

8209230403 820914  
PDR ADOCK 05000369  
P PDR

OFFICE ▶	.....	.....	.....	.....	.....	.....	.....
SURNAME ▶	.....	.....	.....	.....	.....	.....	.....
DATE ▶	.....	.....	.....	.....	.....	.....	.....

OFFICIAL RECORD COPY

For further details with respect to this action, see (1) Duke Power Company letter dated July 30, 1982, (2) Amendment No. 16 to Facility Operating License No. NPF-9 and (3) the Commission's related Safety Evaluation.

These items are available for public inspection at the Commission's Public Document Room, 1717 H Street, N.W., Washington, D. C., and the Atkins Library, University of North Carolina, Charlotte (UNCC Station), North Carolina 28223. A copy of these items may be obtained upon request addressed to the U. S. Nuclear Regulatory Commission, Washington, D. C. 20555, Attention: Director, Division of Licensing.

Dated at Bethesda, Maryland, this 14<sup>th</sup> day of September 1982=

FOR THE NUCLEAR REGULATORY COMMISSION

51

Carl R. Stahle, Acting Chief  
Licensing Branch No. 4  
Division of Licensing, NRR

*No local objection to  
issue of FR notice.*

OFFICE	LA:DL:NB #4	DL:LB #4	OELD	DL:LB #4			
SURNAME	MDuncan/hmc	RBirke1	CUTCHIN	EAdensam			
DATE	9/9/82	9/9/82	9/10/82	9/17/82			

Docket No. 50-369

September 13, 1982

MEMORANDUM FOR: Thomas M. Novak, Assistant Director  
for Licensing  
Division of Licensing

THRU: Elinor G. Adensam, Chief  
Licensing Branch No. 4  
Division of Licensing

FROM: Ralph A. Birkel, Project Manager  
Licensing Branch No. 4  
Division of Licensing

SUBJECT: ISSUANCE OF AMENDMENT NO. 16 TO FACILITY OPERATING  
LICENSE NPF-9 McGUIRE NUCLEAR STATION, UNIT 1

There is no known public correspondence or irreversible impact associated with the issuance of the subject amendment.

5/  
Ralph A. Birkel, Project Manager  
Licensing Branch No. 4  
Division of Licensing

8209230407 820914  
PDR ADOCK 05000369  
P PDR

OFFICE	LA:DL:LB #4	DL:LB #4	DL:LB #4				
SURNAME	MDuncan/hmc	RBirkel	EAdensam				
DATE	9/9/82	9/9/82	9/17/82				

AMENDMENT NO. 16 TO  
FACILITY OPERATING LICENSE NPF-9 - McGUIRE NUCLEAR STATION, UNIT NO. 1

DISTRIBUTION w/enclosures:

✓ Docket No. 50-369  
LB #4 r/f  
R. Birkel  
M. Duncan  
I&E  
OELD  
E. Adensam  
R. Hartfield, MPA  
R. Diggs, ADM  
D. Eisenhower/R. Purple  
J. Souder  
T. Barnhart (4)

bcc w/enclosures:

NRC PDR  
Local PDR  
NSIC  
TERA  
A. Rosenthal, ASLAB  
ASLBP  
ACRS (16)  
W. Jones (10)