

Docket File



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

July 5, 1988

Docket Nos. 50-250
and 50-251

Mr. W. F. Conway
Senior Vice President-Nuclear
Nuclear Energy Department
Florida Power and Light Company
Post Office Box 14000
Juno Beach, Florida 33408-0420

Dear Mr. Conway:

SUBJECT: TURKEY POINT UNITS 3 AND 4 - ISSUANCE OF AMENDMENTS RE: PHYSICAL SECURITY PLAN (TAC NOS. 65234 AND 65235)

The Commission has issued the enclosed Amendment No. 131 to Facility Operating License No. DPR-31 and Amendment No. 125 to Facility Operating License No. DPR-41 for the Turkey Point Plant, Units Nos. 3 and 4, respectively. The amendments consist of changes to the Technical Specifications in response to your application transmitted by letter dated December 2, 1986, as supplemented November 12, 1987 and April 13, 1988.

The amendments delete paragraphs 3.F, 3.H and 3.J (for Unit 3), as well as paragraphs 3.E, 3.G and 3.I (for Unit 4) from the licenses, and add paragraph 3.L to both licenses to require compliance with the amended Physical Security Plan. This Plan was amended to conform to the requirements of 10 CFR 73.55. Consistent with the provisions of 10 CFR 73.55, search requirements must be implemented within 60 days and miscellaneous amendments within 180 days from the effective date of these amendments.

Our evaluation of the amendments to your Physical Security Plan for Turkey Point Units 3 and 4 is contained in the enclosed Safeguards Evaluation Report. Based on this evaluation, we find that you meet the requirements of the Miscellaneous Amendments and Search Requirements revision to 10 CFR 73.55 and the record-keeping requirements of 10 CFR 73.70.

We find that these amendments to your licenses are related solely to safeguards matters and do not involve any significant construction impacts. Accordingly, these amendments meet the eligibility criteria for categorical exclusion set forth in 10 CFR 51.22(c)(12). Pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared in connection with the issuance of these amendments.

BB07080352 880705
PDR ADOCK 05000250
P PNU

JFol
41

July 5, 1988

Based on the fact that these license amendments apply to the Physical Security Plan and incorporate into the licenses the latest requirements of your updated Physical Security Plan, we have concluded that there is reasonable assurance that the health and safety of the public will not be endangered by this action and that this action will be conducted in compliance with the Commission's regulations, and the issuance of these amendments will not be inimical to the common defense and security or to the health and safety of the public.

Your Physical Security Plan consists of Safeguards Information required to be protected from unauthorized disclosure in accordance with the provisions of 10 CFR 73.21.

The Notice of Issuance will be included in the Commission's biweekly Federal Register notice. By these amendments, we are closing TAC Nos. 65234 and 65235.

Sincerely,

/s/

Gordon E. Edison, Senior Project Manager
Project Directorate II-2
Division of Reactor Projects-I/II
Office of Nuclear Reactor Regulation

Enclosures:

- 1. Amendment No. 131 to DPR-31
- 2. Amendment No. 125 to DPR-41
- 3. Safeguards Evaluation Report

cc w/enclosures:
See next page

DISTRIBUTION

Docket File	TBarnhart (8)
NRC & Local PDRs	ARM/LFMB
PD22 Rdg	JPartlow
DMiller	EJordan
GEdison	SVarga
HBerkow	GLainas
OGC	Gray File
ACRS (10)	GPA/PA
GPA/PA	RSGB (2)

*See previous concurrence

*LA:PD22	*PM:PD22	*D:PD22
DMiller	GEdison	HBerkow
6/09/88	6/09/88	6/09/88

OGC
Winkler
6/21/88

July 5, 1988

Based on the fact that these license amendments apply to the Physical Security Plan and incorporate into the licenses the latest requirements of your updated Physical Security Plan, we have concluded that there is reasonable assurance that the health and safety of the public will not be endangered by this action and that this action will be conducted in compliance with the Commission's regulations, and the issuance of these amendments will not be inimical to the common defense and security or to the health and safety of the public.

Your Physical Security Plan consists of Safeguards Information required to be protected from unauthorized disclosure in accordance with the provisions of 10 CFR 73.21.

The Notice of Issuance will be included in the Commission's biweekly Federal Register notice. By these amendments, we are closing TAC Nos. 65234 and 65235.

Sincerely,



Gordon E. Edison, Senior Project Manager
Project Directorate II-2
Division of Reactor Projects-I/II
Office of Nuclear Reactor Regulation

Enclosures:

1. Amendment No. 131 to DPR-31
2. Amendment No. 125 to DPR-41
3. Safeguards Evaluation Report

cc w/enclosures:
See next page

Mr. W. F. Conway
Florida Power and Light Company

Turkey Point Plant

cc:

Harold F. Reis, Esquire
Newman and Holtzinger, P.C.
1615 L Street, N.W.
Washington, DC 20036

Administrator
Department of Environmental
Regulation
Power Plant Siting Section
State of Florida
2600 Blair Stone Road
Tallahassee, Florida 32301

Mr. Jack Shreve
Office of the Public Counsel
Room 4, Holland Building
Tallahassee, Florida 32304

Regional Administrator, Region II
U.S. Nuclear Regulatory Commission
Suite 2900
101 Marietta Street
Atlanta, Georgia 30323

John T. Butler, Esquire
Steel, Hector and Davis
4000 Southeast Financial
Center
Miami, Florida 33131-2398

Attorney General
Department of Legal Affairs
The Capitol
Tallahassee, Florida 32304

Mr. J. Odom, Vice President
Turkey Point Nuclear Plant
Florida Power and Light Company
P.O. Box 029100
Miami, Florida 33102

Plant Manager
Turkey Point Nuclear Plant
Florida Power and Light Company
P.O. Box 029100
Miami, Florida 33102

County Manager of Metropolitan
Dade County
Miami, Florida 33130

Resident Inspector
U.S. Nuclear Regulatory Commission
Turkey Point Nuclear Generating Station
Post Office Box 57-1185
Miami, Florida 33257-1185

Jacob Daniel Nash
Office of Radiation Control
Department of Health and
Rehabilitative Services
1317 Winewood Blvd.
Tallahassee, Florida 32399-0700

Intergovernmental Coordination
and Review
Office of Planning & Budget
Executive Office of the Governor
The Capitol Building
Tallahassee, Florida 32301



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

FLORIDA POWER AND LIGHT COMPANY

DOCKET NO. 50-250

TURKEY POINT PLANT UNIT NO. 3

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 131
License No. DPR-31

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The application for amendment by Florida Power and Light Company (the licensee) dated December 2, 1986, as supplemented November 12, 1987 and April 13, 1988, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act) and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.

8807080355 880705
PDR ADOCK 05000250
P PNU

2. Accordingly, paragraphs 3.F, 3.H and 3.J of Facility Operating License No. DPR-31 are hereby amended to read as follows:

3.F Physical Security

DELETED

3.H Safeguards Contingency Plan

DELETED

3.J Guard Training and Qualification Plan

DELETED

3. In addition, paragraph 3.L is added to Facility Operating License No. DPR-31 to read as follows:

3.L The licensee shall fully implement and maintain in effect all provisions of the Commission-approved physical security, guard training and qualification, and safeguards contingency plans including amendments made pursuant to provisions of the Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and to the authority of 10 CFR 50.90 and 10 CFR 50.54(p). The plans, which contain Safeguards Information protected under 10 CFR 73.21, are entitled: "Turkey Point Plant, Units 3 and 4 Security Plan," with revisions submitted through April 13, 1988; "Turkey Point Plant, Units 3 and 4, Training and Qualification Plan," with revisions submitted through December 18, 1986; and "Turkey Point Plant, Units 3 and 4 Safeguards Contingency Plan," with revisions submitted through July 15, 1985. Changes made in accordance with 10 CFR 73.55 shall be implemented in accordance with the schedule set forth therein.

4. This license amendment is effective as of the date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION



Herbert N. Berkow, Director
Project Directorate II-2
Division of Reactor Projects-I/II
Office of Nuclear Reactor Regulation

Date of Issuance: July 5, 1988



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

FLORIDA POWER AND LIGHT COMPANY

DOCKET NO. 50-251

TURKEY POINT PLANT UNIT NO. 4

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 125
License No. DPR-41

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The application for amendment by Florida Power and Light Company (the licensee) dated December 2, 1986, as supplemented November 12, 1987 and April 13, 1988, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act) and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.

2. Accordingly, paragraphs 3.E, 3.G and 3.I of Facility Operating License No. DPR-41 are hereby amended to read as follows:

3.E DELETED

3.G Safeguards Contingency Plan

DELETED

3.I Guard Training and Qualification Plan

DELETED

3. In addition, paragraph 3.L is added to Facility Operating License No. DPR-41 to read as follows:

3.L The licensee shall fully implement and maintain in effect all provisions of the Commission-approved physical security, guard training and qualification, and safeguards contingency plans including amendments made pursuant to provisions of the Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and to the authority of 10 CFR 50.90 and 10 CFR 50.54(p). The plans, which contain Safeguards Information protected under 10 CFR 73.21, are entitled: "Turkey Point Plant, Units 3 and 4 Security Plan," with revisions submitted through April 13, 1988; "Turkey Point Plant, Units 3 and 4, Training and Qualification Plan," with revisions submitted through December 18, 1986; and "Turkey Point Plant, Units 3 and 4 Safeguards Contingency Plan," with revisions submitted through July 15, 1985. Changes made in accordance with 10 CFR 73.55 shall be implemented in accordance with the schedule set forth therein.

4. This license amendment is effective as of the date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION



Herbert N. Berkow, Director
Project Directorate II-2
Division of Reactor Projects-I/II
Office of Nuclear Reactor Regulation

Date of Issuance: July 5, 1988



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

SAFEGUARDS EVALUATION REPORT

MISCELLANEOUS AMENDMENTS AND SEARCH REQUIREMENTS

FLORIDA POWER AND LIGHT COMPANY

TURKEY POINT PLANT, UNITS 3 AND 4

1.0 INTRODUCTION

The Florida Power and Light Company (FP&L, the licensee) has filed with the Nuclear Regulatory Commission revisions to their Physical Security Plan for the Turkey Point Plant, Units 3 and 4.

This Safeguards Evaluation Report (SGER) summarizes how the licensee proposes to meet the Miscellaneous Amendments and Search Requirements revisions of 10 CFR Part 73.55.

Based on a review of the Physical Security Plan, the staff has concluded that the proposed changes satisfy Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and accompanying 10 CFR 73.70 record reporting requirements. Accordingly, the protection provided will ensure that the public health and safety will not be endangered.

2.0 PERSONNEL SEARCH

The licensee has provided commitments in the Physical Security Plan to provide a search of all individuals entering the protected area except bona fide Federal, State and local law enforcement personnel on official duty, through the use of equipment designed for the detection of firearms, explosives, and incendiary devices. In addition, the licensee has provided commitments to conduct a physical pat-down search of an individual whenever the licensee has cause to suspect that the individual is attempting to introduce firearms, explosives, or incendiary devices into the protected areas; or whenever firearms or explosives detection equipment is out of service or not operating satisfactorily.

3.0 VITAL AREA ACCESS

FP&L has modified their Turkey Point Plant, Units 3 and 4, Physical Security Plan to limit unescorted access to vital areas during non-emergency conditions to individuals who require access in order to perform their duties. They have established current authorization access lists for each vital area which are updated and approved by the cognizant manager or supervisor at least once every

8807080357 880705
PDR ADOCK 05000250
P PNU

31 days. FP&L has assured that only individuals whose specific duties require access to vital areas during non-emergency conditions are included on their site access list. FP&L has provided further assurance by revoking access and retrieving badges and other entry devices prior to or simultaneously with notification of termination of an individual's unescorted facility access.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that FP&L meets the vital area access requirements of 10 CFR 73.55(d)(7)(i)(A), (B) and (C).

4.0 LOCKS AND KEYS

The licensee has committed to providing methods to reduce the probability of compromise of keys, locks, combinations, and related access control devices used to control access to their protected areas and vital areas. These methods include the rotation of keys, locks, combinations, and related access control devices every 12 months or the changing of these devices whenever there is evidence or suspicion that any key, lock, combination or related access control device may have been compromised or when an individual who has had access to any of these devices has had their access terminated due to a lack of trustworthiness, reliability or inadequate work performance. Only persons granted unescorted facility access are issued such entry devices.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that FP&L meets the requirements of 10 CFR 73.55(d)(9) to reduce the probability of compromise of keys, locks, combinations, and related access control devices.

5.0 EMERGENCY ACCESS

The licensee has provided commitments to provide for the rapid ingress and egress of individuals during emergency conditions or situations that could lead to emergency conditions by assuring prompt access to vital equipment. A biennial review of their physical security plans and contingency plans and procedures will be conducted to evaluate their potential impact on plant and personnel safety. Emergency access is granted by a licensed senior operator.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that FP&L meets the requirements of 10 CFR 73.55 (d)(7)(ii) to assure access to vital equipment during emergencies or to situations that may lead to an emergency.

6.0 PROTECTION OF SECONDARY POWER SUPPLIES

The licensee has provided commitments to protect the on-site secondary power supply system for alarm annunciator equipment and non-portable communications equipment by including such equipment within a vital area boundary.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that FP&L meets the requirements of 10 CFR 73.55(e) in protecting the secondary power supplies of alarm annunciator equipment and non-portable communications equipment.

7.0 VITAL AREA ENTRY/EXIT LOGGING

The licensee has committed to maintaining a log indicating name, badge number, time of entry, and time of exit of all individuals granted access to a vital area except those individuals entering or exiting the reactor control room.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that FP&L meets the requirements of 10 CFR 73.70(d) by maintaining entry/exit log of individuals accessing vital areas (except the reactor control room).

8.0 CONCLUSION

Based upon the above evaluation, we find that the licensee has met the requirements of the Miscellaneous Amendments and Search Requirements revision to 10 CFR Part 73.55 and the record reporting requirements of 10 CFR Part 73.70.

Dated: July 5, 1988

Principal Contributor:

Robert Skelton, NRR