

**LEGEND**

- ASME SECTION II CLASS 1 PIPING
- - - ASME SECTION II CLASS 2 PIPING
- ..... ASME SECTION II CLASS 3 PIPING
- NON-ISI NUCLEAR CLASS AND NSC CLASS
- PRESSURE BOUNDARY EXTENSION
- REFERENCE & CONTINUITY
- D-D - HVAC DUCT
- A ANCHOR
- CS CONSTANT SPRING HANGER
- VS VARIABLE SPRING HANGER
- HS HYDRAULIC SHRUBBER
- MS MECHANICAL SHRUBBER
- N NON-WELDED SUPPORT ATTACHMENT
- W WELDED INTEGRAL SUPPORT ATTACHMENT
- R RIGID SUPPORT
- T TAY STRUT
- SW SHOP WELD
- FW FIELD WELD
- LW LONGITUDINAL WELD
- WOL WELDOLET
- ISI ITEM NUMBER DESIGNATION USED IN THE FIRST 10 YEAR INSERVICE INSPECTION INTERVAL.

**NOTES:**

1. MULTIPLE TAY STRUTS, SPRING SUPPORTS OR SHRUBBERS IN A SINGLE PIPING SUPPORT ARE SHOWN BY A NUMBER BEFORE THE SUPPORT TYPE. (EXAMPLE: 2MS - TWO HYDRAULIC TYPE SHRUBBERS THAT ARE NOT WELDED INTEGRAL TO THE PIPE.)


**GENERAL NOTE**

DIMENSIONS SHOWN ON THIS DRAWING ARE TO BE USED FOR APPROXIMATE LOCATION ONLY. USE DESIGN DRAWINGS FOR DIMENSIONAL VERIFICATION.

**REFERENCE DRAWINGS:**

- 15102-030A REACTOR COOLANT SYSTEM
- 15102-033B DECAY HEAT TRAIN 1

D-082



1	1								
2	1	15102-233C-4 PER	SDM/PS						
3	1	15102-233C-3 PER	INITIALS	OR	FILE				
4	1	ISSUED FOR SECOND TO YEAR ISI	CB	LLC	MEP	ECC			
DAVIS-BESSE NUCLEAR POWER STATION UNIT NO. 1 INSERVICE INSPECTION ISOMETRIC DECAY HEAT REMOVAL SYSTEM CONT.-AUX. BLDG. NORMAL COOLDOWN ISIM2-233C (SHEET 2)									