



- LEGEND**
- ASME SECTION XI CLASS 1 PIPING
 - - - ASME SECTION XI CLASS 2 PIPING
 - ASME SECTION XI CLASS 3 PIPING
 - NON-ISI NUCLEAR CLASS AND HSC CLASS
 - PRESSURE BOUNDARY EXTENSION
 - - - REFERENCE B CONTINUITY
 - D-D HVAC DUCT
 - A ANCHOR
 - CS CONSTANT SPRING HANGER
 - VS VARIABLE SPRING HANGER
 - HS HYDRAULIC SNUBBER
 - MS MECHANICAL SNUBBER
 - N NON-WELDED SUPPORT ATTACHMENT
 - W WELDED INTEGRAL SUPPORT ATTACHMENT
 - R RIGID SUPPORT
 - SW SWAY STRUT
 - SWW SHOP WELD
 - FW FIELD WELD
 - LW LONGITUDINAL WELD
 - WOL WELDOLET
 - ISI ITEM NUMBER DESIGNATION USED IN THE FIRST 10 YEAR INSERVICE INSPECTION INTERVAL.

- NOTES:**
1. MULTIPLE SWAY STRUTS, SPRING SUPPORTS OR SNUBBERS IN A SINGLE PIPING SUPPORT ARE SHOWN BY A NUMBER BEFORE THE SUPPORT TYPE. (EXAMPLE: 2MS - TWO MECHANICAL TYPE SNUBBERS THAT ARE NOT WELDED INTEGRAL TO THE PIPE).
 2. WELDED TEES HAVE THEIR SEAM WELD LOCATION 30° OFF CENTERLINE OF THE RUN.

GENERAL NOTE
DIMENSIONS SHOWN ON THIS DRAWING ARE TO BE USED FOR APPROXIMATE LOCATION ONLY. USE DESIGN DRAWINGS FOR DIMENSIONAL VERIFICATION.

- REFERENCE DRAWINGS:**
- 15102-0338 DECAY HEAT TRAIN 1
 - 15102-033C DECAY HEAT TRAIN 2

D-090

1	INC. DCN 15102-233F-12 FOR	REV	5/5	—
2	REF A 93-0254			
3	INC DCN 15102-233F-10 FOR			"INITIALS ON FILE"
4	REF A 92-0232			
5	INC DCN 15102-233F-2 & 3 PER			"INITIALS ON FILE"
6	DCN 91-0011			
7	ISSUED FOR SECOND YEAR ISI	CB	RCV	WY
8	PROGRAM			
9	REVISIONS	BY	CHKD	DATE
10				

SCALE: N.T.S. DESIGNED: [Signature] CHECKED: [Signature]

DAVIS-BESSE NUCLEAR POWER STATION
UNIT NO. 1

INSERVICE INSPECTION ISOMETRIC
LOW PRESSURE INJECTION SYSTEM
AUXILIARY BUILDING

ISIM2-233F
(SHEET 2)