



- LEGEND**
- ASME SECTION XI CLASS 1 PIPING
  - - - ASME SECTION XI CLASS 2 PIPING
  - ..... ASME SECTION XI CLASS 3 PIPING
  - NON-151 NUCLEAR CLASS AND HSC CLASS
  - PRESSURE BOUNDARY EXTENSION
  - - - REFERENCE & CONTINUITY
  - D-D HVAC DUCT
  - A ANCHOR
  - CS CONSTANT SPRING HANGER
  - VS VARIABLE SPRING HANGER
  - MS MECHANICAL SNUBBER
  - HS HYDRAULIC SNUBBER
  - N NON-WELDED SUPPORT ATTACHMENT
  - W WELDED INTEGRAL SUPPORT ATTACHMENT
  - R RIGID SUPPORT
  - T SWAY STRUT
  - SW SHOP WELD
  - FW FIELD WELD
  - LW LONGITUDINAL WELD
  - WOL WELDLET
  - IS1 ITEM NUMBER DESIGNATION USED IN THE FIRST 10 YEAR INSERVICE INSPECTION INTERVAL.

- NOTES:**
1. MULTIPLE SWAY STRUTS, SPRING SUPPORTS OR SNUBBERS IN A SINGLE PIPING SUPPORT ARE SHOWN BY A NUMBER BEFORE THE SUPPORT TYPE. (EXAMPLE: PMS - TWO HYDRAULIC TYPE SNUBBERS THAT ARE NOT WELDED INTEGRAL TO THE PIPE.)
  2. THE SPENT FUEL POOL COOLING LINE 10\"/>

**GENERAL NOTE:**  
 DIMENSIONS SHOWN ON THIS DRAWING ARE TO BE USED FOR APPROXIMATE LOCATION ONLY. USE DESIGN DRAWINGS FOR DIMENSIONAL VERIFICATION.

- REFERENCE DRAWINGS:**
- IS102-0330 DECAY HEAT TRAIN 1
  - IS102-035 SPENT FUEL POOL COOLING SYSTEM

D-102

NO.	DATE	DESCRIPTION	BY	CHKD.
1	10/1/88	ISSUED FOR SECOND 10 YEAR IS1 PROGRAM	CB	LLC/MCP/ECC
DAVIS-BESSE NUCLEAR POWER STATION UNIT NO. 1 INSERVICE INSPECTION ISOMETRIC SPENT FUEL POOL COOLING SYSTEM AUXILIARY BUILDING-AREA 7 IS1M2-235A SHEET 2				