



- LEGEND**
- ASME SECTION XI CLASS 1 PIPING
 - ASME SECTION XI CLASS 2 PIPING
 - ASME SECTION XI CLASS 3 PIPING
 - NON-151 NUCLEAR CLASS AND HSC CLASS
 - PRESSURE BOUNDARY EXTENSION
 - REFERENCE & CONTINUITY
 - HVAC DUCT
 - ANCHOR
 - CONSTANT SPRING HANGER
 - VARIABLE SPRING HANGER
 - HYDRAULIC SNUBBER
 - MECHANICAL SNUBBER
 - NON-WELDED SUPPORT ATTACHMENT
 - WELDED INTEGRAL SUPPORT ATTACHMENT
 - RIGID SUPPORT
 - SWAY STRUT
 - SHOP WELD
 - FIELD WELD
 - LONGITUDINAL WELD
 - WELD JOINT
 - 151 ITEM NUMBER DESIGNATION USED IN THE FIRST 10 YEAR INSERVICE INSPECTION INTERVAL.

NOTES:

1. PIPING SYSTEMS ON THIS DRAWING ARE OUTSIDE OF THE 151 BOUNDARY. THEY ARE SHOWN FOR REFERENCE AND CONTINUITY PURPOSES ONLY. THE CONFIGURATION SHOWN MAY NOT REPRESENT THE ACTUAL AS-BUILT CONDITION.

GENERAL NOTE:

DIMENSIONS SHOWN ON THIS DRAWING ARE TO BE USED FOR APPROXIMATE LOCATION ONLY. USE DESIGN DRAWINGS FOR DIMENSIONAL VERIFICATION.

REFERENCE DRAWINGS:

P B ID W-0338 DECAY HEAT TRAIN 1
 P B ID W-033C DECAY HEAT TRAIN 2
 P B ID W-0335 SPENT FUEL POOL COOLING SYSTEM

DETAIL
(ZONE F-11)

D-103

NO.	REV.	DESCRIPTION	DATE
1		ISSUED FOR SECOND YEAR 151 PROGRAM	
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			

INC. DCN 151M2-235A-4 FOR DCN 31-001
 ISSUED FOR SECOND YEAR 151 PROGRAM
 "INITIALS ON FILE"

DAVIS-BESSE NUCLEAR POWER STATION
 UNIT NO. 1

INSERVICE INSPECTION ISOMETRIC
 SPENT FUEL POOL COOLING SYSTEM
 AUXILIARY BUILDING-AREA 7

151M2-235A
 SHEET 3