



LEGEND

- ASME SECTION XI CLASS 1 PIPING
- - - ASME SECTION XI CLASS 2 PIPING
- ASME SECTION XI CLASS 3 PIPING
- NON-151 NUCLEAR CLASS AND HSC CLASS
- - - PRESSURE BOUNDARY EXTENSION
- - - REFERENCE & CONTINUITY
- D - D HVAC DUCT
- A ANCHOR
- CS CONSTANT SPRING HANGER
- VS VARIABLE SPRING HANGER
- HS HYDRAULIC SNUBBER
- MS MECHANICAL SNUBBER
- N NON-WELDED SUPPORT ATTACHMENT
- W WELDED INTEGRAL SUPPORT ATTACHMENT
- R RIGID SUPPORT
- T STRUT
- SW SHOP WELD
- FW FIELD WELD
- LW LONGITUDINAL WELD
- WOL WELD OLET
- 151 ITEM NUMBER DESIGNATION USED IN THE FIRST 10 YEAR INSERVICE INSPECTION INTERVAL.

NOTES:

1. PIPING SYSTEMS ON THIS DRAWING ARE OUTSIDE OF THE 151 BOUNDARY. THEY ARE SHOWN FOR REFERENCE AND CONTINUITY PURPOSES ONLY. THE CONFIGURATION SHOWN MAY NOT REPRESENT THE ACTUAL AS-BUILT CONDITION.

GENERAL NOTE:

DIMENSIONS SHOWN ON THIS DRAWING ARE TO BE USED FOR APPROXIMATE LOCATION ONLY. USE DESIGN DRAWINGS FOR DIMENSIONAL VERIFICATION.

REFERENCE DRAWINGS:

- P B ID W-0338 DECAY HEAT TRAIN 1
- P B ID W-033C DECAY HEAT TRAIN 2
- P B ID W-0335 SPENT FUEL POOL COOLING SYSTEM

DETAIL (ZONE F-11)

D-103

NO.	REV.	DESCRIPTION	DATE	BY	CHECKED
1		ISSUED FOR SECOND YEAR 151 PROGRAM		JAD	
2		"INITIALS ON FILE"			
DAVIS-BESSE NUCLEAR POWER STATION UNIT NO. 1 INSERVICE INSPECTION ISOMETRIC SPENT FUEL POOL COOLING SYSTEM AUXILIARY BUILDING-AREA 7 ISIM2-235A SHEET 3					