



- LEGEND**
- ASME SECTION XI CLASS 1 PIPING
 - ASME SECTION XI CLASS 2 PIPING
 - ASME SECTION XI CLASS 3 PIPING
 - NON-ISI NUCLEAR CLASS AND MSC CLASS
 - PRESSURE BOUNDARY EXTENSION
 - REFERENCE & CONTINUITY
 - HYDRAULIC DUCT
 - ANCHOR
 - CONSTANT SPRING HANGER
 - VARIABLE SPRING HANGER
 - HYDRAULIC SNUBBER
 - MECHANICAL SNUBBER
 - NON-WELDED SUPPORT ATTACHMENT
 - WELDED INTEGRAL SUPPORT ATTACHMENT
 - RIGID SUPPORT
 - SWAY STRUT
 - SHOP WELD
 - FIELD WELD
 - LONGITUDINAL WELD
 - WELDLET
 - ISI ITEM NUMBER DESIGNATION USED IN THE FIRST 10 YEAR INSERVICE INSPECTION INTERVAL

- NOTES:**
1. MULTIPLE SWAY STRUTS, SPRING SUPPORTS OR SNUBBERS IN A SINGLE PIPING SUPPORT ARE SHOWN BY A NUMBER BEFORE THE SUPPORT TYPE. (EXAMPLE: 2MS - TWO HYDRAULIC TYPE SNUBBERS THAT ARE NOT WELDED INTEGRAL TO THE PIPE.)
 2. THE COMPONENT COOLING WATER LINE 6"-HBB-3, 3"-HBB-3, 6"-HBB-4, & 3"-HBB-4 WELDS AND SUPPORTS ARE EXEMPT FROM INSERVICE EXAMINATION REQUIREMENTS PER 100.1220. THE WELDS AND SUPPORTS SHOWN MAY NOT REPRESENT THE ACTUAL AS-BUILT CONDITION.

GENERAL NOTE:
DIMENSIONS SHOWN ON THIS DRAWING ARE TO BE USED FOR APPROXIMATE LOCATION ONLY. USE DESIGN DRAWINGS FOR DIMENS ONAL VERIFICATION.

REFERENCE DRAWINGS:
IS102-0400 REACTOR COOLENT PUMP & MOTOR

D-120

REV	DESCRIPTION	DATE	BY	CHKD
1	INC. BOM ISIM2-236F-11 FOR PFR	JUN 80	JAN	-
2	INC. BOM ISIM2-236F-3 FOR PFR	JUN 80	JAN	-
3	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
4	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
5	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
6	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
7	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
8	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
9	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
10	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
11	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
12	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
13	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
14	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
15	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
16	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
17	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
18	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
19	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
20	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
21	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
22	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
23	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
24	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
25	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
26	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
27	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
28	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
29	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
30	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
31	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
32	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
33	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
34	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
35	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
36	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
37	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
38	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
39	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
40	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
41	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
42	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
43	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
44	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
45	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
46	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
47	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
48	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
49	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
50	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
51	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
52	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
53	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
54	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
55	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
56	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
57	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
58	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
59	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
60	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
61	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
62	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
63	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
64	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
65	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
66	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
67	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
68	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
69	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
70	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
71	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
72	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
73	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
74	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
75	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
76	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
77	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
78	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
79	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
80	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
81	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
82	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
83	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
84	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
85	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
86	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
87	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
88	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
89	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
90	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
91	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
92	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
93	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
94	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
95	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
96	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
97	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
98	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
99	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-
100	INC. BOM ISIM2-236F-3 & 4 FOR	JUN 80	JAN	-

DAVIS-BESSE NUCLEAR POWER STATION UNIT NO. 1
INSERVICE INSPECTION ISOMETRIC COMPONENT COOLING WATER SYSTEM CONTAINMENT BUILDING (P36-3)
ISIM2-236F (SHEET 2)
3

DATE: 6-19-80
DRAWN BY: [Signature]
CHECKED BY: [Signature]
30X