



**LEGEND**

- ASME SECTION VIII CLASS 1 PIPING
- - - ASME SECTION XI CLASS 2 PIPING
- ..... ASME SECTION XI CLASS 3 PIPING
- NON-ISI NUCLEAR CLASS AND HSC CLASS
- PRESSURE BOUNDARY EXTENSION
- D - D - REFERENCE B CONTINUITY
- D - D - HYVAC DUCT
- A ANCHOR
- CS CONSTANT SPRING HANGER
- VS VARIABLE SPRING HANGER
- HS HYDRAULIC SNUBBER
- MS MECHANICAL SNUBBER
- N NON-WELDED SUPPORT ATTACHMENT
- W WELDED INTEGRAL SUPPORT ATTACHMENT
- R RIGID SUPPORT
- T SWAY STRUT
- SW SHOP WELD
- FW FIELD WELD
- LW LONGITUDINAL WELD
- WLD WELDOLET
- ISI ISI ITEM NUMBER DESIGNATION USED IN THE FIRST 10 YEAR INSERVICE INSPECTION INTERVAL.

**NOTES:**

1. MULTIPLE SWAY STRUTS, SPRING SUPPORTS OR SNUBBERS IN A SINGLE PIPING SUPPORT ARE SHOWN BY A NUMBER BEFORE THE SUPPORT TYPE. (EXAMPLE: 2MS = TWO HYDRAULIC TYPE SNUBBERS THAT ARE NOT WELDED INTEGRAL TO THE PIPES).
2. THE SUPPORTS ON THE COMPONENT COOLING LINE 6" HBC-26, AND 6" HBC-27 ARE WITHIN THE ISI EXAMINATION BOUNDARY. THE PIPING WELDS IN THESE LINES ARE SHOWN FOR REFERENCE PURPOSES ONLY. THESE WELDS MAY NOT BE REPRESENTED IN THE ACTUAL AS-BUILT CONDITION.

**GENERAL NOTE:**

DIMENSIONS SHOWN ON THIS DRAWING ARE TO BE USED FOR APPROXIMATE LOCATION ONLY. USE DESIGN DRAWINGS FOR DIMENSIONAL VERIFICATION.

**REFERENCE DRAWINGS:**

1S102-0583 COMPONENT COOLING WATER SYSTEM

D-125

INC DEN 151M2-236H-3 FOR DCR 81-0011	JON	15
ISSUED FOR SECOND TO YEAR ISI PROGRAM	CB	EPB LLC MCP ECC
NO. DATE	REVISIONS	BY
SCALE N.T.S.	DESIGNED	DRWN: CB
DAVIS-BESSE NUCLEAR POWER STATION UNIT NO. 1		
INSERVICE INSPECTION ISOMETRIC COMPONENT COOLING SYSTEM SUPPLY AND RETURN EMERG. DIESEL GEN.		
ISIM2-236H	1	Q
SHEET 3		