



- LEGEND**
- ASME SECTION XI CLASS 1 PIPING
 - - - ASME SECTION XI CLASS 2 PIPING
 - ASME SECTION XI CLASS 3 PIPING
 - NON-15I NUCLEAR CLASS AND HSC CLASS
 - PRESSURE BOUNDARY EXTENSION
 - REFERENCE B "INTEGRITY"
 - D - D - HYAC DUCT
 - A ANCHOR
 - CS CONSTANT SPRING HANGER
 - VS VARIABLE SPRING HANGER
 - HS HYDRAULIC SNUBBER
 - MS MECHANICAL SNUBBER
 - N NON-WELDED SUPPORT ATTACHMENT
 - W WELDED INTEGRAL SUPPORT ATTACHMENT
 - R RIGID SUPPORT
 - T SWAY STRUT
 - SW SHOP WELD
 - FW FIELD WELD
 - LW LONGITUDINAL WELD
 - WLD WELDLET
 - 15I ITEM NUMBER DESIGNATION USED IN THE FIRST 10 YEAR INSERVICE INSPECTION INTERVAL

- NOTES:**
1. MULTIPLE SWAY STRUTS, SPRING SUPPORTS OR SNUBBERS IN A SINGLE PIPING SUPPORT ARE SHOWN BY A NUMBER BEFORE THE SUPPORT TYPE. (EXAMPLE: 2HS = TWO HYDRAULIC TYPE SNUBBERS THAT ARE NOT WELDED INTEGRAL TO THE PIPING.)
 2. THE SUPPORTS ON THE COMPONENT COOLING LINE 6"-HBC-26, AND 6"-HBC-27 ARE WITHIN THE 15I EXAMINATION BOUNDARY. THE PIPING WELDS IN THESE LINES ARE SHOWN FOR REFERENCE PURPOSES ONLY. THESE WELDS MAY NOT BE REPRESENTED IN THE ACTUAL AS-BUILT COND. CON.

GENERAL NOTE:
 DIMENSIONS SHOWN ON THIS DRAWING ARE TO BE USED FOR APPROXIMATE LOCATION ONLY. USE DESIGN DRAWINGS FOR DIMENSIONAL VERIFICATION.

REFERENCE DRAWINGS:
 15102-0368 COMPONENT COOLING WATER SYSTEM

D-126

| | | |
|--|------|-------|
| DESIGNED BY | DATE | SCALE |
| CHECKED BY | DATE | SCALE |
| DAVIS-BESSE NUCLEAR POWER STATION UNIT NO. 1 | | |
| INSERVICE INSPECTION ISOMETRIC COMPONENT COOLING SYSTEM SUPPLY AND RETURN EMERG. DIESEL SYSTEM | | |
| ISIM2-236H SHEET 4 | | |