



LEGEND

- ASME SECTION XI CLASS 1 PIPING
- ASME SECTION XI CLASS 2 PIPING
- ASME SECTION XI CLASS 3 PIPING
- NON-ISI NUCLEAR CLASS AND HSC CLASS
- PRESSURE BOUNDARY EXTENSION
- REFERENCE & CONTINUITY
- D-D- HYDRAULIC DUCT
- A ANCHOR
- CS CONSTANT SPRING HANGER
- VS VARIABLE SPRING HANGER
- HS HYDRAULIC SNUBBER
- MS MECHANICAL SNUBBER
- N NON-WELDED SUPPORT ATTACHMENT
- W WELDED INTEGRAL SUPPORT ATTACHMENT
- R RIGID SUPPORT
- T SWAY STRUT
- SW SHOP WELD
- FW FIELD WELD
- LW LONGITUDINAL WELD
- WOL WELDOLET
- ISI ITEM NUMBER DESIGNATION USED IN THE FIRST 10 YEAR INSERVICE INSPECTION INTERVAL.

NOTES:

1. ALL PIPING ON THIS DRAWING IS 3" LISTED EXCEPT 3" HBC-56.
2. THIS DRAWING TO BE WORKED WITH DRAWING IS1M2-236C.
3. EMBEDDED PIPING HYDROSTATIC TESTED IN ACCORDANCE WITH ASME CODE SECTION XI PRIOR TO EMBEDMENT.
4. THE COMPONENT COOLING LINE 4" HBC-28 & 3" HBC-56 WELDS AND SUPPORTS ARE EXEMPT FROM INSERVICE EXAMINATION REQUIREMENTS PER IND 1220. THE WELDS AND SUPPORTS SHOWN MAY NOT REPRESENT THE ACTUAL AS-BUILT CONDITION.

GENERAL NOTE:

DIMENSIONS SHOWN ON THIS DRAWING ARE TO BE USED FOR APPROXIMATE LOCATION ONLY. USE DESIGN DRAWINGS FOR DIMENSIONAL VERIFICATION.

REFERENCE DRAWINGS:

IS1D2-036A COMPONENT COOLING WATER SYSTEM

D-127

NO.	DATE	REVISIONS	BY	CHK'D	APP'D
SCALE AS NOTED					
DAVIS-BESSE NUCLEAR POWER STATION UNIT NO. 1					
INSERVICE INSPECTION ISOMETRIC COMPONENT COOLING SYSTEM EMBEDDED PIPING-CONTROL ROOM FLOOR EL. 623'-0"					
ISIM2-236J					