



**LEGEND**

- ASME SECTION XI CLASS 1 PIPING
- - - ASME SECTION XI CLASS 2 PIPING
- · · ASME SECTION XI CLASS 3 PIPING
- NM-151 NUCLEAR CLASS AND HSC CLASS
- PRESSURE BOUNDARY EXTENSION
- REFERENCE & CONTINUITY
- 0 - 0 - HVAC DUCT
- A ANCHOR
- CS CONSTANT SPRING HANGER
- VS VARIABLE SPRING HANGER
- MS HYDRAULIC SNUBBER
- MS MECHANICAL SNUBBER
- M NON-WELDED SUPPORT ATTACHMENT
- W WELDED INTEGRAL SUPPORT ATTACHMENT
- R RIGID SUPPORT
- T SWAY STRUT
- SW SHOP WELD
- FW FIELD WELD
- LW LONGITUDINAL WELD
- WOL WELDLET
- IS1 ITEM NUMBER DESIGNATION USED IN THE FIRST 10 YEAR INSERVICE INSPECTION INTERVAL.

**NOTES:**

1. MULTIPLE SWAY STRUTS, SPRING SUPPORTS OR SNUBBERS IN A SINGLE PIPING SUPPORT ARE SHOWN BY A NUMBER BEFORE THE SUPPORT TYPE. (EXAMPLE: 2MS - TWO HYDRAULIC TYPE SNUBBERS THAT ARE NOT WELDED INTEGRAL TO THE PIPE).
2. THE SERVICE WATER LINE 8"-HBC-7 WELDS ARE EXEMPT FROM INSERVICE EXAMINATION REQUIREMENTS PER 10 CFR 50.1220. THE WELDS SHOWN MAY NOT REPRESENT THE ACTUAL AS-BUILT CONDITION. THE HBC-7 SUPPORTS ARE ALSO EXEMPT FROM INSERVICE EXAMINATION REQUIREMENTS PER 10 CFR 50.1220. HOWEVER, THE HBC-7 SUPPORTS HAVE BEEN INCLUDED IN THE TOTAL HANGER POPULATION AND ARE SUBJECT TO EXAMINATION.
3. THE SUPPORTS ON THE SERVICE WATER LINE 10"-HBC-35 B 8"-HBC-35 ARE WITHIN THE IS1 EXAMINATION BOUNDARY. THE PIPING WELDS IN THESE LINES ARE SHOWN FOR REFERENCE PURPOSES ONLY. THESE WELDS MAY NOT BE REPRESENTED IN THE ACTUAL AS-BUILT CONDITION.

**REFERENCE DRAWINGS:**

- 15102-041B PRIMARY SERVICE WATER SYSTEM
- 15102-041C SERVICE WATER SYSTEM FOR CONTAINMENT AIR COOLERS

**GENERAL NOTE:**

DIMENSIONS SHOWN ON THIS DRAWING ARE TO BE USED FOR APPROXIMATE LOCATION ONLY. USE DESIGN DRAWINGS FOR DIMENSIONAL VERIFICATION.

D-136

1	INC BOM 15102-241C-B FOR RFA 84-0108	JFS	10/11/94	10/11/94		
2	INC BOM 15102-241C-7 FOR MOD. 81-0009 SUPP. 3				"INITIALS ON FILE"	
3	INC BOM 15102-241C-3 PER DCP 81-0001 & 15102-241C-5 GEN. UPDATE PER MOD 80-0009				"INITIALS ON FILE"	
4	REVISED VALVE'S SW11105A B SW1109A & ZONE 10-11). REV. RFA 82-0216					
5	ISSUED FOR SECOND 10 YEAR IS1 PROGRAM	CB	GF	TW	HCP	ECC
6	DAVIS-BESSE NUCLEAR POWER STATION UNIT NO. 1					
7	INSERVICE INSPECTION ISOMETRIC SERVICE WATER SYSTEM AUXILIARY BUILDING-SUPPLY PIPING					
8	ISIM2-241C					
9	SHEET 2					3