



- LEGEND**
- ASME SECTION VIII CLASS 1 PIPING
 - ASME SECTION VIII CLASS 2 PIPING
 - ASME SECTION VIII CLASS 3 PIPING
 - NON-ISI NUCLEAR CLASS AND HSC CLASS
 - PRESSURE BOUNDARY EXTENSION
 - REFERENCE & CONTINUITY
 - D-D-HVAC DUCT
 - A ANCHOR
 - CS CONSTANT SPRING HANGER
 - VS VARIABLE SPRING HANGER
 - HS HYDRAULIC SNUBBER
 - MS MECHANICAL SNUBBER
 - N NON-WELDED SUPPORT ATTACHMENT
 - W WELDED INTEGRAL SUPPORT ATTACHMENT
 - R RIGID SUPPORT
 - T SWAY STRUT
 - SW SHOP WELD
 - FW FIELD WELD
 - LW LONGITUDINAL WELD
 - WLD WELDLET
 - ISI ITEM NUMBER DESIGNATION USED IN THE FIRST 10 YEAR INSERVICE INSPECTION INTERVAL

- NOTES:**
1. MULTIPLE SWAY STRUTS, SPRING SUPPORTS OR SNUBBERS IN A SINGLE PIPING SUPPORT ARE SHOWN BY A NUMBER BEFORE THE SUPPORT TYPE. (EXAMPLE: 2MS - TWO HYDRAULIC TYPE SNUBBERS THAT ARE NOT WELDED INTEGRAL TO THE PIPE).
 2. DELETED.
 3. THE SUPPORTS ON THE SERVICE WATER LINE 8\"/>

GENERAL NOTE
 DIMENSIONS SHOWN ON THIS DRAWING ARE TO BE USED FOR APPROXIMATE LOCATION ONLY. USE DESIGN DRAWINGS FOR DIMENSIONAL VERIFICATION.

- REFERENCE DRAWINGS:**
- IS102-041B PRIMARY SERVICE WATER SYSTEM
 - IS102-041C SERVICE WATER SYSTEM FOR CONTAINMENT AIR COOLERS

D-137

1	REV	DATE	DESCRIPTION	BY	CHECKED	APP'D
1	1	11/14/94	ISSUED FOR SECOND 10 YEAR ISI PROGRAM	CB	DFB	ECC
2	2	11/14/94	REVISED FOR SECOND 10 YEAR ISI PROGRAM	CB	DFB	ECC
3	3	11/14/94	REVISED FOR SECOND 10 YEAR ISI PROGRAM	CB	DFB	ECC

SCALE: N.T.S. DESIGNED: CB CHECKED: DF

**DAVIS-BESSE NUCLEAR POWER STATION
 UNIT NO. 1**

**INSERVICE INSPECTION ISOMETRIC
 SERVICE WATER SYSTEM
 AUXILIARY BUILDING - RETURN PIPING**

ISIM2-241D
 SHEET 1

6-27-94 [Signature] 30X