

August 9, 1985

Docket Nos. 50-259/260/296

Mr. Hugh G. Parris
Manager of Power
Tennessee Valley Authority
500A Chestnut Street, Tower II
Chattanooga, Tennessee 37401

Dear Mr. Parris:

The Commission has issued the enclosed Amendment Nos. 120, 115 and 91 to Facility Operating License Nos. DPR-33, DPR-52 and DPR-68 for the Browns Ferry Nuclear Plant, Units 1, 2 and 3. These amendments are in response to your application dated December 13, 1984 (TVA BFNP TS-205).

The amendments change the Technical Specifications to delete certain review requirements of the Plant Operations Review Committee.

A copy of the Safety Evaluation is also enclosed.

Sincerely,



Richard J. Clark, Project Manager
Operating Reactors Branch #2
Division of Licensing

Enclosures:

1. Amendment No. 120 to License No. DPR-33
2. Amendment No. 115 to License No. DPR-52
3. Amendment No. 91 to License No. DPR-68
4. Safety Evaluation

cc w/enclosures:
See next page

DISTRIBUTION

Docket File
NRC PDR
Local PDR
ORB#2 Reading
HThompson

JPartlow
SNorris
RClark
WLong
OELD
LJHarmon

FAIenspach
ELJordan
BGrimes
TBarnhart (12)
WJones
MVirgilio

ACRS (10)
OPA, CMiles
RDiggs
Gray File
Extra - 5

DL:ORB#2
SNorris:rc
06/17/85

DL:ORB#2
WLong
06/18/85

DL:ORB#2
RClark
06/19/85

DL:ORB#2
DVassallo
06/25/85

OELD
08/22/85
(see ser. par. 2)
p. 2

DL:AD-OR
GLainas
06/18/85

8508190286 850809
PDR ADOCK 05000259
P PDR

Mr. Hugh G. Parris
Tennessee Valley Authority

Browns Ferry Nuclear Plant
Units 1, 2, and 3

cc:

H. S. Sanger, Jr., Esquire
General Counsel
Tennessee Valley Authority
400 Commerce Avenue
E 11B 330
Knoxville, Tennessee 37902

James A. Coffey
Site Director, BFNP
Tennessee Valley Authority
Post Office Box 2000
Decatur, Alabama 35602

Mr. Ron Rogers
Tennessee Valley Authority
400 Chestnut Street, Tower II
Chattanooga, Tennessee 37401

Resident Inspector
U. S. Nuclear Regulatory Commission
Route 2, Box 311
Athens, Alabama 35611

Mr. Charles R. Christopher
Chairman, Limestone County Commission
Post Office Box 188
Athens, Alabama 35611

Mr. Donald L. Williams, Jr.
Tennessee Valley Authority
400 West Summit Hill Drive, W10B85
Knoxville, Tennessee 37902

Ira L. Meyers, M.D.
State Health Officer
State Department of Public Health
State Office Building
Montgomery, Alabama 36130

Robert L. Lewis, Manager, BFNP
Tennessee Valley Authority
Post Office Box 2000
Decatur, Alabama 35602

Mr. H. N. Culver
249A HBD
400 Commerce Avenue
Tennessee Valley Authority
Knoxville, Tennessee 37902

Regional Administrator, Region II
U. S. Nuclear Regulatory Commission
101 Marietta Street, Suite 3100
Atlanta, Georgia 30303

Mr. Steven Roessler
U. S. Nuclear Regulatory Commission
Reactor Training Center
Osborne Office Center, Suite 200
Chattanooga, Tennessee 37411



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

TENNESSEE VALLEY AUTHORITY

DOCKET NO. 50-259

BROWNS FERRY NUCLEAR PLANT, UNIT 1

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. T-20
License No. DPR-33

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The application for amendment by Tennessee Valley Authority (the licensee) dated December 13, 1984, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, the license is amended by changes to the Technical Specifications as indicated in the attachment to this license amendment and paragraph 2.C(2) of Facility Operating License No. DPR-33 is hereby amended to read as follows:

8508190293 850809
PDR ADOCK 05000259
PDR

(2) Technical Specifications

The Technical Specifications contained in Appendices A and B, as revised through Amendment No. 120, are hereby incorporated in the license. The licensee shall operate the facility in accordance with the Technical Specifications.

3. This license amendment is effective 90 days from the date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION

Paul H. Seach for

Domenic B. Vassallo, Chief
Operating Reactors Branch #2
Division of Licensing

Attachment:
Changes to the Technical
Specifications

Date of Issuance: August 9, 1985

ATTACHMENT TO LICENSE AMENDMENT NO. 120

FACILITY OPERATING LICENSE NO. DPR-33

DOCKET NO. 50-259

Revise Appendix A as follows:

1. Remove the following pages and replace with identically numbered pages.

336

337

2. The marginal lines on these pages denote the area being changed.

6.0 ADMINISTRATIVE CONTROLS

4. Duties and Responsibilities

The PORC serves in an advisory capacity to the plant superintendent and as an investigating and reporting body to the Nuclear Safety Review Board in matters related to safety in plant operations. The plant superintendent has the final responsibility in determining the matters that should be referred to the Nuclear Safety Review Board.

The responsibility of the committee will include:

- a. Review all standard and emergency operating and maintenance instructions and any proposed revisions thereto, with principal attention to provisions for safe operation.
- b. Review proposed changes to the Technical Specifications.
- c. Review proposed changes to equipment or systems having safety significance.
- d. Investigate reported or suspected incidents involving safety questions, violations of the Technical Specifications, and violations of plant instructions pertinent to nuclear safety.
- e. Review reportable events, unusual events, operating anomalies, and abnormal performance of plant equipment.
- f. Maintain a general surveillance of plant activities to identify possible safety hazards.
- g. Review plans for special fuel handling, plant maintenance, operations, and tests or experiments which may involve special safety considerations, and the results thereof, where applicable.
- h. (DELETED)
- i. Review implementing procedures of the Radiological Emergency Plan and the Industrial Security Program.

6.0 ADMINISTRATIVE CONTROLS

j. (DELETED)

5. Authority

The PORC shall be advisory to the plant superintendent.

6. Records

Minutes shall be kept for all PORC meetings with copies sent to Director, Nuclear Power; Assistant Director of Nuclear Power (Operations); Chairman, NSRB.

7. Procedures

Written administrative procedures for committee operation shall be prepared and maintained describing the method for submission and content of presentations to the committee, review and approval by members of committee actions, dissemination of minutes, agenda and scheduling of meetings.



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

TENNESSEE VALLEY AUTHORITY

DOCKET NO. 50-260

BROWNS FERRY NUCLEAR PLANT, UNIT 2

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. T15
License No. DPR-52

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The application for amendment by Tennessee Valley Authority (the licensee) dated December 13, 1984, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, the license is amended by changes to the Technical Specifications as indicated in the attachment to this license amendment and paragraph 2.C(2) of Facility Operating License No. DPR-52 is hereby amended to read as follows:

(2) Technical Specifications

The Technical Specifications contained in Appendices A and B, as revised through Amendment No. 115, are hereby incorporated in the license. The licensee shall operate the facility in accordance with the Technical Specifications.

3. This license amendment is effective 90 days from the date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION

Paul H. Leach for

Domenic B. Vassallo, Chief
Operating Reactors Branch #2
Division of Licensing

Attachment:
Changes to the Technical
Specifications

Date of Issuance: August 9, 1985

ATTACHMENT TO LICENSE AMENDMENT NO. 115

FACILITY OPERATING LICENSE NO. DPR-52

DOCKET NO. 50-260

Revise Appendix A as follows:

1. Remove the following pages and replace with identically numbered pages.

336

337

2. The marginal lines on these pages denote the area being changed.

6.0 ADMINISTRATIVE CONTROLS

4. Duties and Responsibilities

The PORC serves in an advisory capacity to the plant superintendent and as an investigating and reporting body to the Nuclear Safety Review Board in matters related to safety in plant operations. The plant superintendent has the final responsibility in determining the matters that should be referred to the Nuclear Safety Review Board.

The responsibility of the committee will include:

- a. Review all standard and emergency operating and maintenance instructions and any proposed revisions thereto, with principal attention to provisions for safe operation.
- b. Review proposed changes to the Technical Specifications.
- c. Review proposed changes to equipment or systems having safety significance.
- d. Investigate reported or suspected incidents involving safety questions, violations of the Technical Specifications, and violations of plant instructions pertinent to nuclear safety.
- e. Review reportable events, unusual events, operating anomalies, and abnormal performance of plant equipment.
- f. Maintain a general surveillance of plant activities to identify possible safety hazards.
- g. Review plans for special fuel handling, plant maintenance, operations, and tests or experiments which may involve special safety considerations, and the results thereof, where applicable.
- h. (DELETED)
- i. Review implementing procedures of the Radiological Emergency Plan and the Industrial Security Program.

6.0 ADMINISTRATIVE CONTROLS

j. (DELETED)

5. Authority

The PORC shall be advisory to the plant superintendent.

6. Records

Minutes shall be kept for all PORC meetings with copies sent to Director, Nuclear Power; Assistant Director of Nuclear Power (Operations); Chairman, NSRB.

7. Procedures

Written administrative procedures for committee operation shall be prepared and maintained describing the method for submission and content of presentations to the committee, review and approval by members of committee actions, dissemination of minutes, agenda and scheduling of meetings.



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

TENNESSEE VALLEY AUTHORITY

DOCKET NO. 50-296

BROWNS FERRY NUCLEAR PLANT, UNIT 3

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 91
License No. DPR-68

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The application for amendment by Tennessee Valley Authority (the licensee) dated December 13, 1984, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, the license is amended by changes to the Technical Specifications as indicated in the attachment to this license amendment and paragraph 2.C(2) of Facility Operating License No. DPR-68 is hereby amended to read as follows:

(2) Technical Specifications

The Technical Specifications contained in Appendices A and B, as revised through Amendment No. 91, are hereby incorporated in the license. The licensee shall operate the facility in accordance with the Technical Specifications.

3. This license amendment is effective 90 days from the date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION

Paul H. Seech for

Domenic B. Vassallo, Chief
Operating Reactors Branch #2
Division of Licensing

Attachment:
Changes to the Technical
Specifications

Date of Issuance: August 9, 1985

ATTACHMENT TO LICENSE AMENDMENT NO. 91

FACILITY OPERATING LICENSE NO. DPR-68

DOCKET NO. 50-296

Revise Appendix A as follows:

1. Remove the following pages and replace with identically numbered pages.

366

367

2. The marginal lines on these pages denote the area being changed.

6.0 ADMINISTRATIVE CONTROLS

4. Duties and Responsibilities

The PORC serves in an advisory capacity to the plant superintendent and as an investigating and reporting body to the Nuclear Safety Review Board in matters related to safety in plant operations. The plant superintendent has the final responsibility in determining the matters that should be referred to the Nuclear Safety Review Board.

The responsibility of the committee will include:

- a. Review all standard and emergency operating and maintenance instructions and any proposed revisions thereto, with principal attention to provisions for safe operation.
- b. Review proposed changes to the Technical Specifications.
- c. Review proposed changes to equipment or systems having safety significance.
- d. Investigate reported or suspected incidents involving safety questions, violations of the Technical Specifications, and violations of plant instructions pertinent to nuclear safety.
- e. Review reportable events, unusual events, operating anomalies, and abnormal performance of plant equipment.
- f. Maintain a general surveillance of plant activities to identify possible safety hazards.
- g. Review plans for special fuel handling, plant maintenance, operations, and tests or experiments which may involve special safety considerations, and the results thereof, where applicable.
- h. (DELETED)
- i. Review implementing procedures of the Radiological Emergency Plan and the Industrial Security Program.

6.0 ADMINISTRATIVE CONTROLS

j. (DELETED)

5. Authority

The PORC shall be advisory to the plant superintendent.

6. Records

Minutes shall be kept for all PORC meetings with copies sent to Director, Nuclear Power; Assistant Director of Nuclear Power (Operations); Chairman, NSRB.

7. Procedures

Written administrative procedures for committee operation shall be prepared and maintained describing the method for submission and content of presentations to the committee, review and approval by members of committee actions, dissemination of minutes, agenda and scheduling of meetings.



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

SAFETY EVALUATION BY THE OFFICE OF NUCLEAR REACTOR REGULATION

SUPPORTING AMENDMENT NO. 120 TO FACILITY OPERATING LICENSE NO. DPR-33

AMENDMENT NO. 115 TO FACILITY OPERATING LICENSE NO. DPR-52

AMENDMENT NO. 91 TO FACILITY OPERATING LICENSE NO. DPR-68

TENNESSEE VALLEY AUTHORITY

BROWNS FERRY NUCLEAR PLANT, UNITS 1, 2 AND 3

DOCKET NOS. 50-259, 50-260 AND 50-296

1.0 INTRODUCTION

By letter dated December 13, 1984 (TVA #TS-205) the Tennessee Valley Authority (the licensee or TVA) requested amendments to Facility Operating License Nos. DPR-33, DPR-52 and DPR-68 for the Browns Ferry Nuclear Plant, Units 1, 2 and 3. These amendments would delete or modify certain review responsibilities of the Plant Operations Review Committee (PORC).

2.0 DISCUSSION AND EVALUATION

TVA has proposed to delete requirements in Technical Specification 6.2.B.4 "PORC Duties and Responsibilities" for the PORC to (1) review proposed changes to equipment or systems which may constitute an unreviewed safety question pursuant to 10 CFR 50.59, (2) review implementing procedures of the Radiological Emergency Plan and the Industrial Security Program on an annual basis, (the implementing procedures would require only an initial one-time PORC review) and (3) review adequacy of the employer training program and recommend changes.

Proposed changes to equipment or systems which may constitute an unreviewed safety question pursuant to 10 CFR 50.59 are reviewed by the Nuclear Safety Review Board (NSRB) as required by Technical Specification 6.2.A.7.b. The NSRB fulfills the function of providing independent review of operating activities whereas the PORC fulfills the role of onsite review to assist the plant manager. Consistent with Standard Review Plan Section 13.4, (which references ANS 3.2), matters involving unreviewed safety questions are the purview of the independent review organization. Since review responsibility rests with the NSRB change (1) is acceptable.

As indicated in Technical Specification 6.3.B, Radiological Emergency Plan and Industrial Security Program implementing procedures are reviewed and approved by the PORC prior to implementation. Minor changes may be made by selected plant staff members with followup PORC review and approval. Elimination of annual re-review of previously reviewed procedures would have no adverse effect on plant operation or nuclear safety and is acceptable.

The FSAR (13.3.9.3) states that the "effectiveness of training programs is evaluated by the performance of employees in carrying out their assigned duties and by performance on TVA and NRC examinations." In accordance with Technical Specification 6.2.A.8.b the NSRB audits the training of the entire plant staff at least annually. These requirements eliminate the need for PORC review of employee training programs. Since training will continue to be audited at least annually by the NSRB, deletion of PORC review of training is acceptable

3.0 ENVIRONMENTAL CONSIDERATIONS

The amendments involve changes in administrative procedures or requirements. Accordingly, these amendments meet the eligibility criteria for categorical exclusion set forth in 10 CFR 51.22(c)(10). Pursuant to 10 CFR 51.22(b) no environmental impact statement or environmental assessment need be prepared in connection with the issuance of these amendments.

4.0 CONCLUSION

We have concluded, based on the considerations discussed above, that (1) there is reasonable assurance that the health and safety of the public will not be endangered by operation in the proposed manner, and (2) such activities will be conducted in compliance with the Commission's regulations, and the issuance of these amendments will not be inimical to the common defense and security or to the health and safety of the public.

Principal Contributors: F. Allenspach and W. Long

Dated: August 9, 1985