Form AEC-374	U. S. ATOMIC ENER	RGY COMMISSIO	N .		
(9-55)	BYPRODUCT MA	TERIAL LICENS	i en st		
Pursuant to the Atomic Energy A of Byproduct Material, and in reli is hereby issued authorizing the li listed below; and to use such bypr shall be deemed to contain the co to all applicable rules, regulations, conditions specified below.	Act of 1954 and Title 10, ance on statements and i censee to receive, acqui oduct material for the pu- onditions specified in Sect and orders of the Atomic	Code of Federal I representations he ire, own, possess, irpose (s) and at th tion 183 of the Ato c Energy Commiss	Regulations, Chapter 1, Part 30, Licensing retofore made by the licensee, a license transfer and import byproduct material is place (s) designated below. This license omic Energy Act of 1954, and is subject ion now or hereafter in effect and to any		
Licensee					
l. Name University of Idaho		3. License numb	er		
College of Forest	ry .	11-100-1			
2. Address Forest Management Noscow, Idaho	Research Bept.	4. Expiration dat	e March 31, 1958		
Attn: William K. Ferrel Frederic D. Johns	l and on	5. Reference No.			
6. Byproduct material (element and mass number)	7. Chemical and/or	physical form	8. Maximum amount of radioactivity which licensee may possess at any one time		
Calcium 45 Phosphorus 32	Any Any		50 millicuries 100 millicuries		
9 Authorized use					

Field and laboratory plant studies.

CONDITIONS

10. Unless otherwise specified, the authorized place of use is the licensee's address stated in Item 2 above; and the materials are to be used by, or under the supervision of, the individuals named above.

11. Except as hereinafter provided the licenses shall comply with provisions of the Atomic Energy Commission's proposed standards for protection against radiation as published in the Federal Register, July 16, 1955 (10-OFR-20), until such time as said proposed regulations or revisions thereof become effective regulations of the Commission. Notwithstanding, Section 20.24(f) of said standards, labeling shall not be required for laboratory containers such as beakers, flasks and test tubes, used transiently in laboratory procedures during presence of the user.

	For the U. S. Atomic Energy Commission
Narch 21, 1956	ORIGINAL SIGNED BY LESTER R. ROGERS
h.P. HC/ng. CRB	Director, Isotopes Extension Division of Civilian Application Oak Ridge, Tennessee
	β / ℓ

85750	OAK RIDGE						
0 5750	0744 1112 02	NATIONAL LA	BORATORY	ŕ.			
	OPERATED FOR	J. S. ATOMIC ENERGY ND CARBON CHEMICAT	COMMISSION	N			
	INION CARE	A DIVISION OF	PORATION			RADIOISO	OPE ORDER NC
		K RIDGE, TENNESSE	E 7	7-19-56	5	100	07-86
RAIL EXPRES:	RADIO	SISOTOPE ORDER NO.		APPROVAL	10,	SCHEDU	LED DATE
ISTOMER'S ORDER NO.	10	07-86	11-100)-1			19-70
HIP TO			BILL TO (IF	DIFFERENT	ROM SHIP TO	,	
UNIVERSITY OF IDAHO SPECIAL RESEARCH PROJE COLLEGE OF FORESTRY ROOM 112 MOSCOW, IDAHO	CT NO. 8 11	- B	SPECI/ COLLE(MRXX	AL RESI SE OF 1 MOSCO	EARCH I FORESTING IDAI	ROJECT RY 10	NO. 11-E
					<u> </u>		CONTAINER NO.
OUTE AND SHIPPING INSTRUCTIONS	AIL EXPRESS	S					MR
BILLING INSTRUCTIONS			<u> </u>				<u></u>
DESCRIPTION OF MATERIAL ORDERED		SPE	CIFIC ACTIVIT	Y REQUESTED			DATE SHIPPED
						-	7-19-56 BOX WEIGHT
	SCRIPTION	UNIT PRICE	EXTENSI	ONS	HANDLING CHARGE	CONTAINER CHARGE	TOTALVALUAT
ORDERED SHIPPED	P-1)	2.00	30.00	3	10.00		40.00
15 15 mc.					Yo	LUME	SPECIFIC ACTIV
CHEMICAL FORM	TAL	0.857	± 104	mc/ml		18.0 mi	9.09 mc
CaClo in HCL Solution	ANT	CUSTOMER	3010	Ress	SALE	CODE 1	1
Assaved at 8:00 A. M7-19-56				246.752	MATE	RIAL TYPE	2661 -61
		CUSTOMER	1176	7			3001-01
	<u>i</u>	L					
PPT at pH 7		L %		<u></u>			
PPT at pH 7	F	\ %					
PPT at pH 7 133 Heavy Metals 20	F	%			I		
PPT at pH 7 I 133 Heavy Metals _ 20 Total Solids	F	% % p.m. g/ml			I		
PPT at pH 7 I 133 Heavy Metals 20 Total Solids Non Volatile Materials	P	% p.m. .g/mi .g/mi					<u>.</u>
PPT at pH 7 I 133 Heavy Metals Total Solids Non Volatile Materials Alpha	P n n c/mi	% 					
PPT at pH 7 I 133 Heavy Metals Total Solids Non Volatile Materials Alpha Radiochemical Purity	P m r c/mi	% 					
PPT at pH 7 I 133 Heavy Metals Total Solids Non Volatile Materials Alpha Radiochemical Purity Actidity 1.32 K. Actid	P m r c/mi	% 					
PPT at pH 7 I 133 Heavy Metals Total Solids Non Volatile Materials Alpha Radiochemical Purity Actanty 1.32 N. Acta Ca 92.0 mc/ml	F m n c/mi	% p.m. .g/mi .g/mi n/mt %					

IN REPLY REFER TO: IEB:NB

Oak Ridge, Tennessee April 4, 1956

Mr. Frederic D. Johnson School of Forestry University of Idaho Moscow, Idaho

11-100-1

Subject: DISTRIBUTION OF FORM AEC-391

Dear Mr. Johnson:

Reference is made to your letter of March 27. The purchase orders which you enclosed have been forwarded to Oak Hidge National Laboratory.

The Form AEC-391 should be submitted in duplicate to the Commission facility from whom you desire to procure byproduct material. The address on both the Form AEC-391 and on the purchase order should be:

> Oak Ridge National Laboratory Radioisotope Sales Department P.O. Box P Oak Ridge, Tennessee Attn: Mr. John H. Gillette

In order to facilitate your purchase of byproduct material, we suggest that you send both Form AEC-391 and your purchase order directly to the Oak Hidge Mational Laboratory. We shall be pleased to forward these forms for you when you submit them with an application. However, it will facilitate your purchase if you send the forms directly to the Oak Ridge National Laboratory on all subsequent orders. We hope this satisfactorily answers your questions.

Very truly yours,

Nathan Bassin, Technical Reviewer Byproduct Licensing Branch Isotopes Extension

.,. ž

		TROPODES DE ANISTON
	Isotopes	Division of Civilian Application
	nB	
SURNAME 🕨	Bassin:bp	
DATE >	4-4-20	

Form AEC-318 (Rev. 9-53)

U. S. GOVERNMENT PRINTING OFFICE 16-62761-3

UNIVERSITY OF IDAHO SCHOOL OF FORESTRY MOSCOW, IDAHO

2692 PRI

March 27, 1956

Mr. Lester R. Rogers, Chief Byproducts Licensing Branch Isotopes Extension Division of Civilian Application U. S. Atomic Energy Commission Oak Ridge, Tennessee RE: IEB:NB (Lic ll-100-1)

Dear Mr. Rogers:

Thank you for your letter of March 21. We were pleased to know that we could submit forms AEC 313 and AEC 391 along with our purchase order and thus expedite the ordering of radioisotopes.

Regarding form 391 we have three questions:

one com

- 1. How many copies of form 391 do you require? -
- 2. In Item #1 -- what address do you require for ordering byproducts from Oak Ridge? - Remainder -
- 3. Whom shall we make the purchase order to?

We are enclosing three copies of form 391 and our purchase order. If it is misaddressed will you please forward it to the proper agency?

Thank you for your cooperation.

Sincerely,

lusar

Frederic D. Johnson Radioisotopes Technologist

FJ:ab Enc. aKMHR

IN REPLY REFER TO: IEB:NB (LIC 11-100-1)

> Oak Ridge, Tennessee March 21, 1956

Mr. Frederic D. Johnson School of Forestry University of Idaho Moscow, Idaho

Subject: LICENSE ND. 11-100-1

Dear Mr. Johnson:

Enclosed is License No. 11-100-1 issued against your recent request for Calcium 45 and Phosphorus 32.

Although it is not customary procedure, we would be willing to accept your purchase order and Form AEO-391 for subsequent transfer to Oak Ridge National Laboratory for the procurement of byproduct material. You may follow this procedure with any future applications which you may submit. We will fill in the license number on the forms prior to submission to Oak Ridge National Laboratory.

A new catalog was issued by Oak Ridge National Laboratory in January 1956. There have been some changes made in this catalog, and you may obtain a copy of this new catalog, without charge, by requesting it from Mr. John H. Gillette, Radicisotope Sales Department, Oak Ridge National Laboratory, P.O. Box P, Oak Ridge, Tennessee.

Please be assured of our desire to be of assistance in hyproduct licensing.

Very truly yours,

Encl

for: Lester R. Rogers Acting Chief, Byproduct Licensing Branch Isotopes Extension Division of Civilian Application

1. Form AEC-374 2. Application

Application forms w/instructions & regulations

OFFICE ►	Isotopes	Isotopes		
•	Bassinihn	CAP		
SURNAME 🕨	2 02 7/		 	
DATE 🕨	3-21-50	3-21-56	 	

Form AEC-318 (Rev. 9-53)

U. S. GOVERNMENT PRINTING OFFICE 16-62761-3

Form	AEC-313
------	---------

ATOMIC ENERGY COMMISSION

Page Two

							.	
INSTRUCTIONS: from subsequent is made in Item	Complete Items applications pro 5 to the applicat	12 throu vided the tion on w	gh 19 if this is a n ere is no change in which this informat	ew applicat the informa ion appears	ion. This i tion previou 3.	nformation 1 sly submitted	nay be om 1, and refe	itted rence
TRAINING	AND EXPERIEN	NCE WIT	H RADIOACTIVITY	OF INDIV	IDUAL USER	R NAMED IN	ITEM 3	
12. TYPE OF TRAINING			WHERE TRAINED	DURATI	ON OF TRAINING	ON THE (Circle and	JOB FORMA swer) (Circl	le answe
1. Principles and logical health	d practices of radio safety.	0.F	R.I.N.S.	I MONTH 6 YEARS (OAK RIDGE PL ON THE JOB	.us (Ye)	No (Yes)	N
2. Radioactivity ardization an	measurement stand id monitoring tech	d- 1-			1	(Yes)	No (Yes)	N
niques and ins 3. Mathematic basic to the u	cs and calculation	. is it	5 †		17 (trad	No (Yes)	 N
of radioactivit	ty	•						
A Dialogical offic	ets of redistion		, н у у у		H .	(Yes)	No (Yes)	<u> </u>
4. Biological effects 5. Actual use of types and qua	radioisotopes in th antities for which ap	ne p-	n		17			_
plication is be lent experience	eing made, or equivance	^{a-}				(Yeş	No Yes) 1
13. ISOTOPE HANDLING E	EXPERIENCE				DUDATION	E EXPEDIENCE	TYPEO	F USF
ISOTOPE	MAXIMUM AMO	UNT	WHERE EXPERIENCE	WAS GAINED				
CA-45	50 MILLICURT	IES	D.R.I.N.S. AND OWN		6	YEARS	LAB. AND	F1 El
P32	ا اندل بار.		14 12 T2	н ,,,				~ .
provide equivale	ent information on	"Trainin	g and Experience w	ith Radioaci	IVILY OF HEAD		Vac	N.
provide equivale mentary sheet is	ent information on s attached (Circle as PHYSICAL FAC ON INSTRUMENTS (Use	CILITIES, separate sheet	g and Experience w , EQUIPMENT, AN: t if necessary)	D RADIATIO	ON INSTRUM	1ENTATION	Yes	<u>ک</u>
provide equivale mentary sheet is 15. RADIATION DETECTION TYPE OF INSTI (Include make and mod	PHYSICAL FAC ON INSTRUMENTS (Use RUMENTS is number of each)	CILITIES, separate sheet NUMBER AVAILABLE	g and Experience w EQUIPMENT, AN t if necessary) RADIATION DETECTED	ENSITIVITY RANGE (mt/hr)	WINDOW THICKNESS	IENTATION USE (Monitorit	Yes ng, surveying, 17	Casuri ueasuri
provide equivale mentary sheet is 15. RADIATION DETECTION (Include make and mod SCALER-RCL, Mental	PHYSICAL FAC	CILITIES, separate sheet NUMBER AVAILABLE	g and Experience w EQUIPMENT, AN if necessary) RADIATION DETECTED ALPH,, BETA	ENSITIVITY RANGE (mr/hr)	WINDOW THICKNESS (mologn ²) 1.55mg/cm ²	USE (Monitoria	Yes	wasuri
provide equivale mentary sheet is 15. RADIATION DETECTION TYPE OF INSTI (Include make and mod SCALER-RCL, Mental SCALER-NIC, MODEL	ent information on s attached (Circle as PHYSICAL FAC ON INSTRUMENTS (Use RUMENTS lef number of each) GEIGER TUBE L 172	"Trainin nswer) CILITIES, separate sheet NUMBER AYAILABLE I	g and Experience W EQUIPMENT, AN: t if necessary) RADIATION DETECTED ALPH., BETA GAMMA T	D RADIATIO	WINDOW THICKNESS (mg/cm ²) 1.5Mg/cm ²	IENTATION USE (Monitorii T MEASURIN T MEASURIN MONITORING	Yes	wasuri NG -
provide equivale mentary sheet is 15. RADIATION DETECTION TYPE OF INSTI (Include make and mod SCALER-RCL, MERKIE SCALER-RCL, MODEL RATE MEJERIIC, MODEL SCALER-TRACERLAB	PHYSICAL FAC ON INSTRUMENTS (Use RUMENTS led number of each) GEIGER TUBE L 172 E1 1615 MODEL 64	I Trainin nswer) CILITIES, separate sheet NUMBER AVAILABLE I I I I	g and Experience W EQUIPMENT, AN Eif necessary) RADIATION DETECTED ALPH, BETA GAMMA H T I	ENSITIVITY RANGE (mr/hr)]] -20000 CPM -20000, CPM	WINDOW THICKNESS (mg/cm ²) 1.55mg/cm ²	IENTATION USE (Monitorit T MEASURIN MOHITORING) MEASURING	Yes ng, surveying, 77 IG \ 1 J I	wasuri NG -
provide equivale mentary sheet is 15. RADIATION DETECTION (Include make and mod SCALER-RCL, MODEL SCALER-NIC, MODEL RATE METERIIC, MOD SCALER-TRACERLAB PORT.COUNTER-NIC	PHYSICAL FAC PHYSICAL FAC ON INSTRUMENTS (Use RUMENTS el number of each) GELGER TUBE L 172 EL 16LS MODEL 2611 MODEL 2611 MODEL 2611	I Trainin nswer) CILITIES, separate sheet NUMBER AYAILABLE I I I I I	g and Experience W EQUIPMENT, AN: t if necessary) RADIATION DETECTED ALPH,, BETA GAMMA T T J M T D NITORING DEVICES INCLU	ENSITIVITY RANGE (mr/hr) +20000 CPM - -50000 CPM -20000, CPM -2000, CPM -20mR/HR DING BIO-ASSAY	WINDOW THICKNESS (m/(qm ²)) 1.5MG/CM ² 1.5 2L0 1.5 PROCEDURES	USE (Monitoria T MEASURIN MONITORING SURVEYING	Yes ng, surveying, n IG \ 1 J I	NG -
provide equivale mentary sheet is 15. RADIATION DETECTION TYPE OF INSTI (Include make and mod SCALER-RCL, MOBEL SCALER-NIC, MODEL RATE METERIAC, MODEL SCALER-TRACERLAB PORT.COUNTER-NIC 16. FILM BADGES, DOSIM FILM BADGES, USE	ent information on s attached (Circle as PHYSICAL FAC ON INSTRUMENTS (Use RUMENTS let number of each) GEIGER TUBE L 172 EL 16LS MODEL 261 MODEL 261 METERS, AND OTHER PEF D DURTING: ALL WORK	CILITIES, separate sheet NUMBER AYAILABLE I I I I I I I I I I I I I I I I I I I	g and Experience W EQUIPMENT, AN: if necessary) RADIATION DETECTED ALPH-9. BETA GAMMA m T J m 1 m 0 NITORING DEVICES INCLU	ENSITIVITY RANGE (mr/hr) -20000 CPM -20000 CPM -20000, CPM -20000, CPM -20000, CPM DING BIO-ASSAY	WINDOW THICKNESS (mg/cm ²) 1.5MG/CM ² 1.5MG/CM ² 1.5 MG/CM ² 1.5 PROCEDURES	IENTATION USE (Monitorii T MEASURIN MOHITORING; J MEASURING SURVEYING	Yes ng, surveying, 7 16 () J)	veasuri NG -
provide equivale mentary sheet is 15. RADIATION DETECTION TYPE OF INSTI (Include make and mod SCALER-RCL, MARKE SCALER-RCL, MARKE SCALER-RCL, MODEL RATE MEJERIIC, MODEL SCALER-TRACERLAB PORT.COUNTER-NIC 16. FILM BADGES, DOSIM FILM BADGES, USE DOSIMETER-VICTO	PHYSICAL FAC ON INSTRUMENTS (Use RUMENTS is a number of each) GEIGER TUBE L 172 E 1665 MODEL 2611 METERS, AND OTHER PER D DURM NG; ALL WORK REEN- RANGE 0-0.2	CILITIES, separate sheet NUMBER AVAILABLE I I I SSONNEL MO	g and Experience W EQUIPMENT, AN E if necessary) RADIATION DETECTED ALPH, BETA GAMMA H H H H H H H H H H H H H	ENSITIVITY RANGE (mr/hr) -20000 CPM -20000 CPM -20000 CPM -20000 CPM -20000 CPM DING BIO-ASSAY	WINDOW THICKNESS (mg/cm ²) 1.55mg/cm ² 1.55 PROCEDURES	IENTATION USE (Monitorit T MEASURIN MONITORING SURVEYING	Ýes ng, surveying, 77 IG \ 1 J I J I	NG -
provide equivale mentary sheet is 15. RADIATION DETECTION TYPE OF INSTI (Include make and mod SCALER-RCL, MARKE SCALER-RCL, MARKE SCALER-NIC, MODEL SCALER-TRACERLAB PORT.COUNTER-NIC 16. FILM BADGES, DOSIM FILM BADGEST USE DOSIMETER-VICTO	PHYSICAL FAC PHYSICAL FAC ON INSTRUMENTS (Use RUMENTS el number of each) GE MODEL 1 + GE JGER TUBE L 172 EL 16LS MODEL 2611 METERS, AND OTHER PER D DURING; ALL WORK REEN- RANGE 0-0.2	CILITIES, separate sheet NUMBER AVAILABLE I I I SSONNEL MO	g and Experience W EQUIPMENT, AN: t if necessary) RADIATION DETECTED ALPH,, BETA GAMMA H T JJH NITORING DEVICES INCLU AMMA RAYSJ I T	ENSITIVITY RANGE (mr/hr) -20000 CPM -20000 CPM -20000 CPM -20000 CPM DING BIO-ASSAY	window THICKNESS T (mg/gm ²) 1.55MG/CM ² T 1.55MG/CM ² T 1.55 PROCEDURES	USE (Monitoria T MEASURIN MONITORING SURVEYING	Yes	NG -
provide equivale mentary sheet is 15. RADIATION DETECTION TYPE OF INST (Include make and mod SCALER-RCL, MOBEL SCALER-NIC, MODEL SCALER-TRACERLAB PORT.COUNTER-NIC 16. FILM BADGES, USE DOSIMETER-VICTO	ent information on s attached (Circle at PHYSICAL FAC ON INSTRUMENTS (Use RUMENTS is number of each) GEIGER TUBE L 172 Ei 161-5' MODEL 64 MODEL 2611 METERS, AND OTHER PEF D DURH NG; ALL WORK REEN- RANGE 0-0.2	I Trainin nswer) CILITIES, separate sheet NUMBER AYAILABLE I I I SSONNEL MO	g and Experience W EQUIPMENT, AN: tif necessary) RADIATION DETECTED ALPH-, BETA GAMMA m T JJ m NITORING DEVICES INCLU AMMA RAYS I T	ENSITIVITY RANGE (mr/hr) -20000 CPM -20000 CPM -20000 CPM -20000 CPM DING BIO-ASSAY	WINDOW THICKNESS (mg/cm ²) (strain (mg/cm ²) (strain (mg/cm ²)) (strain (mg/cm ²))	IENTATION USE (Monitorii T MEASURIN MOINTORING: J MEASURING SURVEYING J J Y Method of collibert	Yes ng, surveying, 7 IG () J) J) J) J) J) J) J) J	NG -
provide equivale mentary sheet is 15. RADIATION DETECTION TYPE OF INSTI- (Include make and mod SCALER-RCL, MARKE SCALER-RCL, MODEL SCALER-RCL, MODEL SCALER-	PHYSICAL FAC PHYSICAL FAC ON INSTRUMENTS (Use RUMENTS el number of each) GE MODEL 1 + GE IGER TUBE L 172 EL 16LO MODEL 2611 METERS, AND OTHER PER D DURH NG: ALL WORK REEN- RANGE 0-0.2 T CY, AND STANDARDS US ITS - CALIBRATED C UMENTS - CALIBRAT CACERLAB	CILITIES, separate sheet NUMBER AYAILABLE i i i RSONNEL MO CILITIES, ayaiLABLE i i i i i i i i i i i i i i i i i i i	g and Experience W EQUIPMENT, AN: RADIATION S ALPH,, BETA J ALPH,, BETA J GAMMA T I J T I NITORING DEVICES INCLU AMMA RAYSJ I T RATING INSTRUMENTS LIS H C-I 4 Y WITH RADIUM SOURC	E SHIELDING, ANE	WINDOW THICKNESS T (mg/cm ²) 1.5MG/CM ² T 1.5MG/CM ² T 1.5 PROCEDURES	IENTATION USE (Monitorit T MEASURIN MONITORING: M MEASURING SURVEYING J J Y method of calibrati	Yes ng, surveying, n IG \ 1 	NG -
provide equivale mentary sheet is 15. RADIATION DETECTION TYPE OF INSTI- (Include make and mod SCALER-RCL, MOBEL SCALER-RCL, MOBEL SCALER-TRACERLAB PORT.COUNTER-NIC SCALER-TRACERLAB PORT.COUNTER-NIC IS. FILM BADGES, DOSIM FILM BADGES, DOSIM FILM BADGES, USE DOSIMETER-VICTO II. 17. METHOD, FREQUENC supplier) ASSAY INSTRUMEN MONITORING INSTR FILM BADGES- TR 18. (a) DESCRIBE BRIEF LEAD BRICKS AVAI CONCENTRATED SOL	PHYSICAL FAC PHYSICAL FAC ON INSTRUMENTS (Use RUMENTS el number of each) B MODEL 1 + GEIGER TUBE L 172 EL 16L6 MODEL 2611 METERS, AND OTHER PER D DURING; ALL WORK REEN- RANGE 0-0.2 T CY, AND STANDARDS US ITS - CALIBRATED C UMENTS - CALIBRATED C LUMENTS - CALIBRATED C LABLE FOR HIGH SC LABLE FOR HIGH SC	CILITIES, separate sheet NUMBER AYAILABLE I I I SSONNEL MO P ED IN CALIB DAILY WITI TED WEEKL EQUIPMENT DURCES; T D GLASS S	g and Experience W EQUIPMENT, AN: tif necessary) RADIATION DETECTED ALPH-, BETA GAMMA T J H T J H T T T T RATING INSTRUMENTS LIS H C-I4 Y WITH RADIUM SOURCE T, STORAGE CONTAINERS, RACERLAB REMOTE PIF HIELDING FOR BETA S	E SHIELDING, ANE E SHIELDING, ANE C (mr/hr) -20000 CPM - -20000 CPM - - -2000 CPM - - -2000 CPM - - - - - - - - - - - - -	WINDOW THICKNESS (mg/cm ²) 1.5MG/CM ² 1.5 PROCEDURES	IENTATION USE (Monitorii T MEASURING MOLIITORING: MEASURING SURVEYING J J Y method of calibrati ACILITIES (Working SURVEYING SED E SURVEYING	Yes ng, surveying, 7 IG () J) J) J) T C J I WI I fon and processive 7 areas, fume ho OR STOR AGE	NG
provide equivale mentary sheet is 15. RADIATION DETECTION TYPE OF INSTI- (Include make and mod SCALER-RCL, MARKE SCALER-NIC, MODEL SCALER-NIC, MODEL RATE METERIAC, MODEL SCALER-TRACERLAB PORT.COUNTER-NIC 16. FILM BADGES, DOSIM FJLM BADGES, DOSIM FJLM BADGES, USE DOSIMETER-VICTO 11. 17. METHOD, FREQUENCE supplier) ASSAY INSTRUMEN MONITORING INSTR FILM BADGES- TR 18. (a) DESCRIBE BRIEFI LEAD BRICKS AVAI CONCENTRATED SOL	PHYSICAL FAC PHYSICAL FAC ON INSTRUMENTS (Use RUMENTS el number of each) B MODEL 1 + GEIGER TUBE L 172 EL 16L5 MODEL 2611 METERS, AND OTHER PEF D DURH NG: ALL WORK REEN- RANGE 0-0.2 T CY, AND STANDARDS US ITS - CALIBRATED C UMENTS - CALIBRATED C CY, AND STANDARDS US	CILITIES, separate sheet NUMBER AVAILABLE I I SSONNEL MO R FOR GJ I ED IN CALIB DAILY WI TH TED WEEKL EQUIPMENT OURCES; T D GLASS S	g and Experience W EQUIPMENT, AN: t if necessary) RADIATION DETECTED ALPH., BETA GAMMA T I ALPH., BETA GAMMA T I I NITORING DEVICES INCLU AJMA RAYSJ I T RATING INSTRUMENTS LIS H C-I4 Y WITH RADIUM SOURC T, STORAGE CONTAINERS, RACERLAB REMOTE PIF HIELDING FOR BETA S	E SHIELDING, AND E SHIELDING, AND C SHIELDING, AND C SHIELDING, SHOW SOURCES; TWO SOURCES; SOURCES; TWO SOURCES; SOURCES; S	WINDOW THICKNESS (mg/gm ²) 1.5MG/CM ² 1.5MG/CM ² 1.5 PROCEDURES J J film badges specifi	IENTATION USE (Monitorit T MEASURING MEASURING SURVEYING J J Y method of calibrati	Yes ng, surveying, n IG \ 1 IND SURVEYJ J 1 I J 1 I	NG - ng, or Of (N
provide equivale mentary sheet is 15. RADIATION DETECTION TYPE OF INSTI- (Include make and mod SCALER-RCL, MARKE SCALER-NIC, MODEL SCALER-TRACERLAB PORT.COUNTER-NIC 16. FILM BADGES, DOSIM FJLM BADGEST USE DOSIMETER-VICTO 17. METHOD, FREQUENC supplier) ASSAY INSTRUMEN MONITORING INSTR FILM BADGES- TR 18. (a) DESCRIBE BRIEF LEAD BRICKS AVAI CONCENTRATED SOL (b) SKETCHES OF SUC	ent information on s attached (<i>Circle a</i> : PHYSICAL FA(ON INSTRUMENTS (<i>Use</i> RUMENTS <i>el number of each</i>) B MODEL 1 + GEIGER TUBE L 172 EL 16LS MODEL 2611 METERS, AND OTHER PEF D DURH NG; ALL WORK REEN- RANGE 0-0.2 T CY, AND STANDARDS US ITS - CALIBRATED C UMENTS - CALIBRATE ACERLAB FLY REMOTE HANDLING ILABLE FOR HIGH SC JRCES; PLASTIC ANI CH FACILITIES ARE ATTA	CILITIES, separate sheet NUMBER AYAILABLE i i i RSONNEL MO CILITIES, ayaiLABLE i i i i random Sonnel MO CILITIES, ayaiLABLE i i i random Sonnel MO CILITIES, ayaiLABLE i i random Sonnel MO CILITIES, ayaiLABLE i i random Sonnel MO CILITIES, ayaiLABLE i i random Sonnel MO CILITIES, ayaiLABLE i i random Sonnel MO CILITIES, ayaiLABLE i random Sonnel MO CILITIES, ayaiLABLE i random Sonnel MO CILITIES, separate sheet i random Sonnel MO CILITIES, i random Sonnel MO CILITIES, separate sheet i random Sonnel MO CILITIES, separate sheet Sonnel MO CILITIES, separate sheet Sonnel MO Sonnel MO CILITIES, separate sheet Sonnel MO Sonnel MO Son	g and Experience W EQUIPMENT, AN: RADIATION S DETECTED A ALPH., BETA J GAMMA T I GAMMA T I GAMMA T I H CONTORING DEVICES INCLU AMMA RAYSJ I T RATING INSTRUMENTS LISH H C-14 Y WITH RADIUM SOURC STORAGE CONTAINERS, RACERLAB REMOTE PIF HIELDING FOR BETA S CAND METHODS OF DISE	E SHIELDING, ANE E SHIELDING, ANE C SHIELDING, ANE C SHIELDING, ANE C SHIELDING, ANE C SHIELDING, ANE SHIELDING, ANE SHIELDING, ANE SHIELDING, ANE SHIELDING, ANE SHIELDING, ANE SHIELDING, ANE SHIELDING, SHIELDING,	WINDOW THICKNESS (malam ²) 1.5MG/CM ² 1.5MG/CM ² 1.5 PROCEDURES	IENTATION USE (Monitoria T MEASURTING MINI TORING SURVEYING J T Y Method of calibrati	Yes ng, surveying, n IG \ 1 IND SURVEYJ J 1 J 1 J 1 J 1 J 1 J 1 J 1 J	NG
provide equivale mentary sheet is 15. RADIATION DETECTION TYPE OF INSTI- (Include make and mod SCALER-RCL, MARKE SCALER-NIC, MODEL SCALER-NIC, MODEL RATE METERIAC, MODEL SCALER-TRACERLAB PORT.COUNTER-NIC 16. FILM BADGES, DOSIM FJLM BADGES, USE DOSIMETER-VICTO 17. METHOD, FREQUENC supplier) ASSAY INSTRUMEN MONITORING INSTR FILM BADGES- TR 18. (a) DESCRIBE BRIEFI LEAD BRICKS AVAI CONCENTRATED SOL (b) SKETCHES OF SUC 19. DESCRIBE BRIEFILY ALL POSSIBLE SOL	ent information on s attached (<i>Circle a</i> : PHYSICAL FAC ON INSTRUMENTS (<i>Use</i> RUMENTS <i>el number of each</i>) B MODEL 1 + GEIGER TUBE L 172 EL 16LS MODEL 2611 METERS, AND OTHER PEF D DURING; ALL WORK REEN- RANGE, 0-0.2 T CY, AND STANDARDS US ITS - CALIBRATED C IUMENTS - CALIBRATE CALIBRATED C IUMENTS - CALIBRATED C I	CILITIES, separate sheet NUMBER AYAILABLE i i i RSONNEL MO SEQUIPMENT DURCES; T D GLASS S CHED (Circle E CONTAM ASTE MATE	g and Experience W EQUIPMENT, AN: RADIATION DETECTED ALPH,, BETA GAMMA T T J NITORING DEVICES INCLU AMMA RAYSJ I T RATING INSTRUMENTS LIS H C-I4 Y WITH RADIUM SOURC C, STORAGE CONTAINERS, RACERLAB REMOTE PIF HIELDING FOR BETA S CONSUMPT) ES AND METHODS OF DISPONINATION MONITORED RIALS STORED IN LOC	D RADIATIC ENSITIVITY RANGE (mr/hr) -20000 CPM - -50000 CPM -20000, CPM -2000, CPM -200	MUNDOW THICKNESS (mg/gm ²) 1.5MG/CM ² H 1.5MG/CM ² H 1.2 PROCEDURES J J J J J J J J J J J J J J J J J J J	IENTATION USE (Monitoria T MEASURTING MEASURTING SURVEYING J T Y Wethod of calibrati	Yes ng, surveying, n IG \ 1 IG \ 1	NG - NG -
provide equivale mentary sheet is 15. RADIATION DETECTION (Include make and mod SCALER-RCL, MARKE SCALER-RCL, MARKE SCALER-TRACERLAB PORT.COUNTER-NIC, MODEL RATE METERHIC, MODEL SCALER-TRACERLAB PORT.COUNTER-NIC 16. FILM BADGES, DOSIM FJLM BADGES, DOSIM FJLM BADGES, DOSIM 17. METHOD, FREQUENC supplier) ASSAY INSTRUMEN MONITORING INSTR FILM BADGES- TR 18. (a) DESCRIBE BRIEFI LEAD BRICKS AVAI CONCENTRATED SOL (b) SKETCHES OF SUC 19. DESCRIBE BRIEFLY ALL POSSIBLE SOL MONITORED AT LEA LEAST TEN HALF I	ent information on s attached (<i>Circle a</i> : PHYSICAL FAC ON INSTRUMENTS (<i>Use</i> RUMENTS <i>el number of each</i>) B MODEL 1 + GE1GER TUBE L 172 EL 16LS MODEL 2611 METERS, AND OTHER PEF D DURH NG; ALL WORK REEN- RANGE 0-0.2 T CY, AND STANDARDS US ITS - CALIBRATED C IUMENTS - CALIBRATED C IUMENTS - CALIBRATED C ILABLE FOR HIGH SC JRCES; PLASTIC ANI CH FACILITIES ARE ATTA RADIATION SURVEYING URCES OF HIGH LEV AST DAILYY ALL W LIVES.	CILITIES, separate sheet NUMBER AYAILABLE I I I SSONNEL MO I ED IN CALIB DAILY WITH TED WEEKLI E EQUIPMENT DURC ES; T D GLASS S CHED (Circle PROCEDURI EL CONTAM ASTE MATE	g and Experience W EQUIPMENT, AN: RADIATION DETECTED ALPH, BETA GAMMA T T J H H I I I RATING INSTRUMENTS LIS H C-I4 Y WITH RADIUM SOURC STORAGE CONTAINERS, RACERLAB REMOTE PIF HIELDING FOR BETA S CANSURY ES AND METHODS OF DISPO NINATION MONITORED IN ATION MONITORED RIALS STORED IN LOG	TED ABOVE (For E SHIELDING, ANE SOURCES; TWO SOURCES; TWO SOURCES; TWO SE DING OF RADIG	WINDOW THICKNESS (malam ²) 1.5MG/CM ² 1.5MG/CM ² 1.5 PROCEDURES J 1.5 PROCEDURES J T J T T T T T T T T T T T T T T T T	IENTATION USE (Monitori T MEASURING MOLIITORING: MEASURING SURVEYING THEASURING USE UNITORING THEASURING USE USE USE UNITORING USE USE USE USE USE USE USE USE USE USE	Yes ng, surveying, 77 IG \ 1 IG \ 1 J I J I J I J I J I J I J I J I	NG

U. S. GOVERI	NMENT PRINTING O	FFICE	1657264-5

		MIC ENERGY CO	MMISSION	m	Form approved	
Form AEC-313 (9-55)	APPLICATIO	N FOR BYPRODUCT	MATERIAL LICEN		Budget Bureau No.	38-R027.3.
INSTRUCTIONS only Items 1 mation previo Tennessee, A application, t of an AEC B	s: Complete Items 1 t through 11 provided to ously submitted. Mai Attention: Isotopes J he applicant will receiv yproduct Material Lic	brough 19 if this is that with respect to l two copies to: U.S Extension, Division ve an AEC Byprodu ense are contained i	a new application the other items th S. Atomic Energy C of Civilian App ct Material License n Title 10, Code of	. If re for ere has been commission plication. e. General f Federal R	pl is requested) in no change in t , P. O. Box E/Os Upon approval requirements for legulations, Part	omplete ke infor- ta Ridge- of this issuance 30.
1. (a) NAME AND SHI	PPING ADDRESS OF APPLICANT	T !	(b) ADDRESS(ES) AT WHIC (1f different from shipping)	CH BYPRODUCT ng address)	MATERIAL WILL BE USE)
COLLEGE OF FC	DRESTRY, UNIVERSITY OF MOSCOW, I	IDAHO DAHO	-			
2. DEPARTMENT TO	USE BYPRODUCT MATERIAL					
	FOREST MANAGEMENT RESEA	ARCH ho will use or directly supervise	use of byproduct material)			
3. INDIVIDUAL, USER	EBBELL ASSISTANT PROFE	SSOR AND FREDERIC	D. JOHNSON, RADIOIS	OTOPES TECH	NOLOGIST	
4. RADIOLOGICAL SA	FETY OFFICER (Name of person (qualified in radiological safety, if	other than individual user)			
SAME AS ITEL	M 3	(If this is an application for the	newal of a license for byprodu	ict material obtain	ed under a prior license or	authorization for
5. PREVIOUS LICENS radioisotope procure	E OR AUTHORIZATION NUMBER	((1) and to an approxime for the				
2	NONE					
	BYPRODU	CT MATERIAL OR I	RADIATION SERV	ICE DESIRE	SD	VITY IN MILLI-
6. BYPRODUCT MAT	ERIAL (Element and mass number)	number)		CURIES THA	T YOU WILL POSSESS AT MILLICURIES	ANY ONE TIME
CA-45		B-32-P-1		100	MILLICURIES	-
P-32	SERVICE IS DESIRED STATE	PERTINENT DETAILS SUCH	AS: CHEMICAL COMPOSITI	ON AND WEIGH	T IN GRAMS OF TARC	ET MATERIAL,
RADIOACTIVITY,	IRRADIATION TIME IN DAYS, A	ND NEUTRON FLUX				
NONE						
			NT OF USE			
	PROCE FOR WHICH RYPRODUC	T MATERIAL WILL BE USED	(If material is for "human 1	use" complete Suj	pplement A in lieu of this	item. If material
10. (a) DESCRIBE PO is to be used in CA=45GR UN	or manufactured as a "sealed source EENHOUSE STUDY OF CALC IVERSITY PROPERTY WHIC	e" complete Supplement B in au IUM METABOLISM OF SM H ARE UNDER CONTROLLI	idition to this item.) ALL PINE TREES AND I ED ACCESS - J	IN FIELD STU	JDIES USING TREES	ON . J : J
P=32	UDY OF THE RELATIVE EF	FICIENCY OF PHOSPHOR AR NATURE ON TREES U	US UPTAKE IN DISEAS NDER CONTROLLED ACC	ED AND HEAL ESS	THY MYCORBHJZAL P	INE ROOTS
(b) DESCRIBE PRO MATERIALS I USE AND STO IS ACCOMPLI IF ACTIVITY	DEEDURES WHICH WILL BE OBSE IN THE LABORATORY ARE H DRAGE INVOLVES CAREFUL ISHED BY STORAGE FOR AT Y IS VERY LOW. CONCENT	RVED TO MINIMIZE HAZARD ANDLED IN STAINLESS POSTING AND MONITORI I LEAST IO HALF LIVES RATED SOURCES ARE ST	FROM HANDLING, STORAG STEEL TRAYS WITH RU NG OF ALL POSSIBLE AND MONITORING FOL ORED IN A SAFE WHEN	E, AND DISPOSA BBER GLOVES HAZARD AREA Lowed by DI Not In Use	LOF THE BYPRODUCT N 14 INITIAL DILUT S. DISPOSAL OF M SPOSAL INTO CITY	IATERIAL IONS• FIELD ATERIIALS• SEWERS
					;	<u> </u>
		CERT	TIFICATE T S	· · · ·	1). - "T T	1 T I
11. The applican is prepared i tion contain	nt and any official executi n conformity with Title 1 ed herein, including any s	ng this certificate on b 0, Code of Federal Reg supplements attached h	chalf of the applicant ulations, Part 30, and ereto, is true and cor	named in Ite do solemnly rect to the b	em 1, certify that the swear (or affirm) the est of our knowled	is application at all informa- ge and belief.
State of County of	Edeho	J:	I Applicant named in	te of Fa	e e	207816yofAdd
Subscribed day of	and sworn to before me	this f the fi	Public Title of Cartifying	d plu	queed S	esener
, uuj 01 -	uhlar I.	E. SLADE, Notary J tah County, Moscow,	Idaho Me	de la	2 1956	
Notary Public		y Commission Expires	9-20 Date T	<u>1 1 1</u>	Decay	
18 U. S. C., representatio	Section 1001; Act of June n to any department or ag	25, 1948; 62 Stat. 749 gency of the United Sta	; makes it a criminal tes as to any matter v	offense to ma within its juri	ake a wi sdiction. 5eW	
						16-57264-5

N

(Continued on reverse side)

-57264-5 . .

n.B

2319 DPr

UNIVERSITY OF IDAHO SCHOOL OF FORESTRY MOSCOW, IDAHO

March 9, 1956

Mr. Lester R. Rogers, Chief Allocations Branch Isotopes Extension Division of Civilian Application U.S.A.E.C. Oak Ridge, Tennessee

Dear Mr. Rogers:

We received your letter of February 21, advising of the new application procedure for radioisotopes.

We would like to know if it would be possible to submit the application form (AEC-313, revised) the order form (AEC-391) and our purchase order at the same time. This would save several weeks in the procurement of isotopes.

Do all of the former catalog numbers, prices, etc., remain unchanged?

Sincerely,

2. John

Frederic D. Johnson

FJ:ab