

January 29, 2002

LICENSEE: AmerGen Energy Company, LLC

FACILITY: Clinton Power Station

SUBJECT: SUMMARY OF MAY 9, 2001, MEETING ON PROPOSED CLINTON POWER STATION EXTENDED POWER UPRATE

On May 9, 2001, Nuclear Regulatory Commission (NRC) management and staff met in Rockville, Maryland, with representatives of AmerGen Energy Company, LLC. The purpose of the meeting was to discuss a proposed 20 percent power uprate of the Clinton Power Station (CPS). A list of the meeting participants is included as an enclosure, and a copy of the meeting handout is in ADAMS at accession number ML011290447.

The licensee stated that they intend to submit a 20 percent power uprate for CPS in June 2001. The licensee plans to implement the uprate over two operating cycles, because of the need to complete transition to the GE 14 fuel type and because of the number of modifications that will need to be done. Following the refueling outage in the spring of 2002, the licensee expects to be able to increase power by 7 percent. The remaining 13 percent of power increase would be achieved after the following refueling outage. The licensee stated that the uprate would not increase reactor dome operating pressure. Also, the licensee expects to stay within their National Pollutant Discharge Elimination System permit. The licensee requested a March 2002, completion date for NRC staff review. The staff stated that it would commence review of the power uprate application when submitted, and that the requested schedule was aggressive and may be difficult to achieve.

/RA/

Jon B. Hopkins, Senior Project Manager, Section 2
Project Directorate III
Division of Licensing Projects Management
Office of Nuclear Reactor Regulation

Docket No. 50-461

Enclosure: List of Meeting Participants

cc w/encl: See next page

January 29, 2002

LICENSEE: AmerGen Energy Company, LLC

FACILITY: Clinton Power Station

SUBJECT: SUMMARY OF MAY 9, 2001, MEETING ON PROPOSED CLINTON POWER STATION EXTENDED POWER UPRATE

On May 9, 2001, Nuclear Regulatory Commission (NRC) management and staff met in Rockville, Maryland, with representatives of AmerGen Energy Company, LLC. The purpose of the meeting was to discuss a proposed 20 percent power uprate of the Clinton Power Station (CPS). A list of the meeting participants is included as an enclosure, and a copy of the meeting handout is in ADAMS at accession number ML011290447.

The licensee stated that they intend to submit a 20 percent power uprate for CPS in June 2001. The licensee plans to implement the uprate over two operating cycles, because of the need to complete transition to the GE 14 fuel type and because of the number of modifications that will need to be done. Following the refueling outage in the spring of 2002, the licensee expects to be able to increase power by 7 percent. The remaining 13 percent of power increase would be achieved after the following refueling outage. The licensee stated that the uprate would not increase reactor dome operating pressure. Also, the licensee expects to stay within their National Pollutant Discharge Elimination System permit. The licensee requested a March 2002, completion date for NRC staff review. The staff stated that it would commence review of the power uprate application when submitted, and that the requested schedule was aggressive and may be difficult to achieve.

/RA/

Jon B. Hopkins, Senior Project Manager, Section 2
Project Directorate III
Division of Licensing Projects Management
Office of Nuclear Reactor Regulation

Docket No. 50-461

Enclosure: List of Meeting Participants

cc w/encl: See next page

DISTRIBUTION:

PUBLIC	PD3-2 r/f	JHopkins
AMendiola	THarris	OGC
ACRS	JZwolinski/TMarsh	TBergman
GGrant, RIII	SBajwa	NTrehan
GThomas	EKendrick	RArchitzel
PBoehnert	ZAbdullahi	DHarrison
JWu	RLobel	MChawla
GHubbard		

ADAMS Accession Number: ML020250024

OFFICE	PM:LPD3-2	LA:LPD3-2	SC:LPD3-2
NAME	JHopkins	THarris	AMendiola
DATE	1/25/02	1/25/02	1/25/02

OFFICIAL RECORD COPY

MEETING ATTENDEES
PROPOSED CLINTON POWER UPRATE

MAY 9, 2001

NRC

J. Hopkins
A. Mendiola
S. Bajwa
N. Trehan
G. Thomas
E. Kendrick
R. Architzel
P. Boehnert
Z. Abdullahi
D. Harrison
J. Wu
R. Lobel
M. Chawla
G. Hubbard

AmerGen Energy Company, LLC

T. Byam
R. Kerestes

Exelon Generation Company, LLC

R. Krich
D. Spencer

ENCLOSURE

Clinton Power Station, Unit 1
AmerGen Energy Company, LLC

cc:

John Skolds
Chief Operating Officer
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, Illinois 60555

William Bohlke
Senior Vice President Nuclear Services
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, Illinois 60555

John Cotton
Senior Vice President - Operations
Support
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, Illinois 60555

Christopher Crane
Senior Vice President - Mid-West
Regional Operating Group
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, Illinois 60555

Jeffrey Benjamin
Vice President - Licensing and
Regulatory Affairs
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, Illinois 60555

Robert J. Hovey
Operations Vice President
Mid-West Regional Operating Group
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, Illinois 60555

K. A. Ainger
Director-Licensing
Mid-West Regional Operating Group
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, Illinois 60555

Robert Helfrich
Senior Counsel, Nuclear
Mid-West Regional Operating Group
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, Illinois 60555

Document Control Desk-Licensing
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, Illinois 60555

Illinois Department of Nuclear Safety
Office of Nuclear Facility Safety
1035 Outer Park Drive
Springfield, IL 62704

J. M. Heffley
Vice President
Clinton Power Station
RR 3, Box 228
Clinton, IL 61727-9351

M. J. Pacilio
Plant Manager
Clinton Power Station
RR 3, Box 228
Clinton, IL 61727-9351

W. S. Iliff
Regulatory Assurance Manager (Acting)
Clinton Power Station
RR 3, Box 228
Clinton, IL 61727-9351

cc:

Resident Inspector
U.S. Nuclear Regulatory Commission
RR#3, Box 229A
Clinton, IL 61727

Clinton Power Station, Unit 1
AmerGen Energy Company, LLC

R. T. Hill
Licensing Services Manager
General Electric Company
175 Curtner Avenue, M/C 481
San Jose, CA 95125

Regional Administrator, Region III
U.S. Nuclear Regulatory Commission
801 Warrenville Road
Lisle, IL 60532-4351

Chairman of DeWitt County
c/o County Clerk's Office
DeWitt County Courthouse
Clinton, IL 61727

J. W. Blattner
Project Manager
Sargent & Lundy Engineers
55 East Monroe Street
Chicago, IL 60603

Mr. Oliver D. Kingsley, President
and Chief Nuclear Officer
Exelon Nuclear
Exelon Generation Company, LLC
4300 Winfield Road
Warrenville, Illinois 60555