



- IS102- REFERENCE TO THE PIPING ISOMETRIC DRAWING FOR DETAILS ON THE PIPING CONFIGURATION, AND THE LOCATION AND IDENTIFICATION OF WELDS AND SUPPORTS.
- RESERVED FOR SPECIAL ISI REQUIREMENTS. (MAY BE) ACCOMPANIED BY SPECIFIC NOTES.
- REFERENCE TO THE ISI ITEM NUMBER DESIGNATION USED IN THE FIRST 10 YEAR INSERVICE INSPECTION INTERVAL.
- ASME SECTION XI CLASS CHANGE
- ISI PROGRAM BOUNDARY

- NOTES:**
- DELETED
 - FOR ISI BOUNDARY DIAGRAM INDEX SHEET AND GENERAL NOTES, SEE IS102-001.
 - FOR PIPING SYMBOLS AND P & ID INDEX, SEE DRAWING M-001.
 - UNLESS OTHERWISE NOTED, ALL VENT CONNECTIONS ARE 1/2" AND DRAIN CONNECTIONS ARE 1". LINE IDENTIFICATION IS THE SAME AS THE HEADER.
 - DHI1 AND DHI2 PROVIDE COMPLETE ISOLATION IN THE NORMAL FLOW DIRECTION ONLY. REFER TO WDWG M-525-28 FOR SPECIFIC BONNET VENTING DETAILS.
 - VALVE DH4633 IS SHOWN ON P&ID M-042C.

D.23

INC. DCH IS102-033B-10 PER DCR 98-008-4 DCH'S IS102-033B-11-12 B-13 PER MOD 97-0074 SUPP. 0 B	"INITIALS ON FILE"
INC. DCH IS102-033B-9 PER DCR 97-1120	"INITIALS ON FILE"
INC. DCH IS102-033B-8 PER MOD 93-0016 SUP. 01	"INITIALS ON FILE"
INC. DCH IS102-033B-6 FOR MOD 94-1109	"INITIALS ON FILE"
INC. DCH'S IS102-033B-4 FOR DCR 93-0059 B IS102-033B-5 FOR MOD 93-0462	"INITIALS ON FILE"
INC. DCH IS102-033B-3 FOR MOD 89-0140 SUPP. 0	"INITIALS ON FILE"
INC. DCH IS102-033B-16 PER DCR 01-1685	SBW
INC. DCH IS102-033B-15 PER DCR 00-1768	"INITIALS ON FILE"
ISSUED FOR SECOND 10 YEAR ISI PROGRAM	D.W. TRN P.W. MGP ECC

DAVIS-BESSE NUCLEAR POWER STATION
UNIT NO. 1
THE YELLOW JACKET COMPANY

INSERVICE INSPECTION DIAGRAM
DECAY HEAT TRAIN 1

IS102-033B 9