

BYRON INITIAL LICENSE EXAM

OCTOBER 29 and
NOVEMBER 5-9, 2001

NRC Comments and Resolution on
Licensee Submitted Test Outlines

(See the October, 2001 Braidwood
post-exam retention package for NRC
comments on the submitted written
exam)

Comments on the BYRON Operating Exam Outlines

JPM/Scenario Event Number	Comment(s)
<p style="text-align: center;">B.2.b (startup a h2 recombiner)</p>	<p><u>NRC:</u> Byron and Braidwood developed their initial license exams jointly. Per guidance in NUREG-1021 and discussion with NRR, if the written <u>or</u> operating exam is <u>not</u> given on the same day, the exams must have no duplication. Byron and Braidwood planned on administering the written exam on the same day but not the operating exam. Therefore, there should be no duplication between the Byron and Braidwood operating exams. This resulted in the need to replace this JPM.</p> <p><u>LICENSEE RESPONSE:</u> The licensee acknowledged and replaced the proposed JPM.</p>
<p style="text-align: center;">B.2.c (fire detection/alarm)</p>	<p><u>NRC:</u> Byron and Braidwood developed their initial license exams jointly. Per guidance in NUREG-1021 and discussion with NRR, if the written <u>or</u> operating exam is <u>not</u> given on the same day, the exams must have no duplication. Byron and Braidwood planned on administering the written exam on the same day but not the operating exam. Therefore, there should be no duplication between the Byron and Braidwood operating exams. This resulted in the need to replace this JPM.</p> <p><u>LICENSEE RESPONSE:</u> The licensee acknowledged and replaced the proposed JPM.</p>

Comments on the BYRON Operating Exam Outlines

JPM/Scenario Event Number	Comment(s)
<p style="text-align: center;">A.3 (ro) (high rad in aux building)</p>	<p><u>NRC:</u> The stated K/A 2.3.11 is "Ability to Control Radiation Releases." The proposed JPM is to "Respond to Hi Radiation in Aux Building." The task does not match the K/A.</p> <p><u>LICENSEE RESPONSE:</u> The licensee agreed and changed the referenced K/A to 2.3.10, "Guard Against Personnel Exposure."</p>
<p style="text-align: center;">A.4 (ro) (activate erds)</p>	<p><u>NRC:</u> Byron and Braidwood developed their initial license exams jointly. Per guidance in NUREG-1021 and discussion with NRR, if the written <u>or</u> operating exam is <u>not</u> given on the same day, the exams must have no duplication. Byron and Braidwood planned on administering the written exam on the same day but not the operating exam. Therefore, there should be no duplication between the Byron and Braidwood operating exams. This resulted in the need to replace this JPM.</p> <p><u>LICENSEE RESPONSE:</u> The licensee acknowledged and replaced the proposed JPM with two open-reference questions.</p>
<p style="text-align: center;">A.1.a (sro) (review pdms surveillance)</p>	<p><u>NRC:</u> The title of the JPM should be "Weekly Surveillance" vs. "Shiftly Surveillance" based on review of the applicable procedure.</p> <p><u>LICENSEE RESPONSE:</u> The licensee agreed and fixed the title.</p>

Comments on the BYRON Operating Exam Outlines

JPM/Scenario Event Number	Comment(s)
<p>A.1.b (sro) (determine sdm)</p>	<p><u>NRC:</u> Byron and Braidwood developed their initial license exams jointly. Per guidance in NUREG-1021 and discussion with NRR, if the written <u>or</u> operating exam is <u>not</u> given on the same day, the exams must have no duplication. Byron and Braidwood planned on administering the written exam on the same day but not the operating exam. Therefore, there should be no duplication between the Byron and Braidwood operating exams. This resulted in the need to replace this JPM.</p> <p><u>LICENSEE RESPONSE:</u> The licensee acknowledged and replaced the proposed JPM.</p>
<p>A.3 (sro) (review gaseous release)</p>	<p><u>NRC:</u> Byron and Braidwood developed their initial license exams jointly. Per guidance in NUREG-1021 and discussion with NRR, if the written <u>or</u> operating exam is <u>not</u> given on the same day, the exams must have no duplication. Byron and Braidwood planned on administering the written exam on the same day but not the operating exam. Therefore, there should be no duplication between the Byron and Braidwood operating exams. This resulted in the need to replace this JPM.</p> <p><u>LICENSEE RESPONSE:</u> The licensee acknowledged and replaced the proposed JPM.</p>

Comments on the BYRON Operating Exam Outlines

JPM/Scenario Event Number	Comment(s)
A.4 (sro) (emergency plan eval)	<p><u>NRC:</u> Byron and Braidwood developed their initial license exams jointly. Per guidance in NUREG-1021 and discussion with NRR, if the written <u>or</u> operating exam is <u>not</u> given on the same day, the exams must have no duplication. Byron and Braidwood planned on administering the written exam on the same day but not the operating exam. Therefore, there should be no duplication between the Byron and Braidwood operating exams. This resulted in the need to replace this JPM.</p> <p><u>LICENSEE RESPONSE:</u> The licensee acknowledged and replaced the proposed JPM.</p>