



Entergy Operations, Inc.
River Bend Station
5485 U.S. Highway 61
P. O. Box 220
St. Francisville, LA 70775
Tel 225 336 6225
Fax 225 635 5068

Rick J. King
Director
Nuclear Safety Assurance

February 5, 2002

U. S. Nuclear Regulatory Commission
Document Control Desk
Washington, DC 20555

Subject: River Bend Station - Unit 1
Docket No. 50-458
License No. NPF-47
River Bend Station Fitness-For-Duty Program
Six-Month Performance Data Report

File No.: G9.5, G1.51

RBG-45902
RBF1-02-0016

Gentlemen:

Pursuant to 10CFR26.71 (d), "Recordkeeping requirements," enclosed is River Bend Station's Fitness-for-Duty (FFD) Six-Month Program Performance Data Report for the report period July 1, 2001, through December 31, 2001. This report contains statistical data and trend analysis compiled by the Fitness-for-Duty Department. We have reviewed this data and determined that no programmatic weaknesses exist.

Should you have any questions regarding the attached, please contact Ms. Dee Childress at (225) 381-3655 or Mr. Bill Fountain of my staff at (225) 381-4625.

Sincerely,

A handwritten signature in black ink, appearing to read "Rick J. King".

RJK/WJF
enclosure

A021

River Bend Station Fitness-For-Duty Program
Six-Month Performance Data Report
RBG-45902
RBF1-02-0016
Page 2 of 2

cc: U. S. Nuclear Regulatory Commission
Region IV
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011

NRC Resident Inspector (w/o)
P. O. Box 1050
St. Francisville, LA 70775

Mr. David J. Wrona, NRR Project Manager
U.S. Nuclear Regulatory Commission
M/S OWFN / 7D-1
Washington, DC 20555

FITNESS FOR DUTY PROGRAM PERFORMANCE DATA PERSONNEL SUBJECT TO 10CFR26

Entergy Operations, Inc.		December 31, 2001																			
Company		6 Months Ending																			
River Bend Station, 5485 Hwy 61, St. Francisville, LA 70775																					
Location																					
Dee Childress, Supervisor Access Auth. / FFD / Medical		(225) 381-3655																			
Contact Name		Phone (Include Area Code)																			
<div style="display: flex; justify-content: space-between;"> <div> <p>Cutoffs: Screen / Confirmation</p> <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">Marijuana</td> <td style="width: 25%;">50 / 15</td> <td style="width: 25%;">Amphetamines</td> <td style="width: 25%;">1000 / 500</td> <td style="width: 10%; text-align: center;">N / A</td> <td style="width: 10%; text-align: center;">/</td> </tr> <tr> <td>Cocaine</td> <td>300 / 150</td> <td>Phencyclidine</td> <td>25 / 25</td> <td style="text-align: center;">N / A</td> <td style="text-align: center;">/</td> </tr> <tr> <td>Opiates</td> <td>300 / 300</td> <td>Alcohol (%BAC)</td> <td>0.04%</td> <td style="text-align: center;">N / A</td> <td style="text-align: center;">/</td> </tr> </table> </div> <div> <p><input type="checkbox"/> Appendix A to 10CFR26</p> </div> </div>				Marijuana	50 / 15	Amphetamines	1000 / 500	N / A	/	Cocaine	300 / 150	Phencyclidine	25 / 25	N / A	/	Opiates	300 / 300	Alcohol (%BAC)	0.04%	N / A	/
Marijuana	50 / 15	Amphetamines	1000 / 500	N / A	/																
Cocaine	300 / 150	Phencyclidine	25 / 25	N / A	/																
Opiates	300 / 300	Alcohol (%BAC)	0.04%	N / A	/																

Testing Results	Licensee Employees		Long-Term Contractor Personnel		Short-Term Contractor Personnel	
Average Number with Unescorted Access	776		N / A		311	
Categories	# Tested	# Positive	# Tested	# Positive	# Tested	# Positive
Pre-Access	42	0	N / A	N / A	772	8
For-Cause (Post accident)	0	0	N / A	N / A	0	0
For-Cause (Behavior)	0	0	N / A	N / A	4	2
Random	189	1	N / A	N / A	48	0
Follow-Up	2	0	N / A	N / A	0	0
Other	0	0	N / A	N / A	0	0
Total	233	1	N / A	N / A	824	10

BREAKDOWN OF CONFIRMED POSITIVE TESTS FOR SPECIFIC SUBSTANCES

July 1, 2001, to December 31, 2001

	Marijuana	Cocaine	Opiates	Amphetamines	Phencyclidine	Alcohol	Refusal to Test	1	2	3	4	5	
Licensee Employees	0	0	0	0	0	0	0	N / A	N / A	N / A	N / A	N / A	
Long-Term Contractor	N / A	N / A	N / A	N / A	N / A	N / A	N / A	N / A	N / A	N / A	N / A	N / A	
Short-Term Contractor	5	0	0	0	0	6	0	N / A	N / A	N / A	N / A	N / A	
Total	5	0	0	0	0	6	0	N / A	N / A	N / A	N / A	N / A	11

One contract employee was confirmed positive for marijuana and alcohol.

**Fitness for Duty Program
Six Month Performance Report
River Bend Station
Fitness-for-Duty Six Month Performance Data Report
July 1, 2001, to December 31, 2001**

PROGRAM SUMMARY:

The RBS annual random testing rate is 50 percent. During this reporting period, approximately 21.8 percent of the population have been randomly tested. The rate of positive tests from random testing is 4.5 percent. The total random percentage for the year is 51.6 percent.

POSITIVE RESULTS:

Four contract employees tested positive for marijuana during pre-access screening and one contract employee on a for-cause. Four contract employees tested positive for alcohol during pre-access screening. Two contract employees tested positive for alcohol during for-cause testing (one of these employees also tested positive for marijuana).

MANAGEMENT ACTIONS:

Access was denied for all ten contract employees who tested positive for marijuana and alcohol. Management was notified and their individual files were annotated to reflect the positive results and the actions taken.

Two employees participated in the follow-up program during this reporting period and two follow-up tests were administered to these employees.

EVENTS REPORTED TO THE NRC:

During this reporting period, there were no violations of the fitness for duty program that were reportable.

PROGRAM EVALUATION:

No programmatic problems were identified during this reporting period.