

March 5, 2002

Mr. William P. Goranson
Manager, Radiation Safety, Regulatory
Compliance and Licensing
Rio Algom Mining Corp.
6305 Waterford Boulevard, Suite 325
Oklahoma City, Oklahoma 73118

Dear Mr. Goranson:

SUBJECT: AMENDMENT 2 TO SOURCE MATERIAL LICENSE SUA-1548, APPROVAL OF WELLFIELD FLAIR FACTORS, WELLFIELD RESTORATION PLAN, AND ADMINISTRATIVE CHANGE FOR CHANGE, TEST, AND EXPERIMENT LICENSE CONDITION

The U.S. Nuclear Regulatory Commission (NRC) staff has completed its review of Rio Algom Mining Corp.'s (RAMC's) revision to chapter six of the application providing justification for the wellfield flare factor. By submittals dated October 22, 2001, and February 28, 2002, information was provided showing that RAMC conducted numerical simulations to arrive at a flare factor and identified that the flare factor is dependant on the size of the individual wellfield. RAMC's analysis developed a linear graphical relationship between the size of a wellfield and the associated horizontal flare factor. The analysis concluded that the vertical flare factor is negligible, given the assumption the vertical hydraulic conductivity in the exploited aquifer is 100 times less than the horizontal hydraulic conductivity. The linear relationship for the horizontal flare factor was not calibrated for flare factors below 1.5. RAMC committed to only using horizontal flare factors greater than 1.5 in its surety estimates.

RAMC's forecast analysis and prescribed horizontal flare factors listed in Table 7.1 of the amended license application are acceptable, unless additional information from the restoration of the first wellfield show RAMC's analysis to be incorrect. At that time the question of adequate pore volumes and flare factors for groundwater restoration should be revisited and refined. Therefore, the 2001 surety amount of \$8.676 million which is covered adequately by a Letter of Credit is acceptable for the Smith Ranch facility.

The NRC staff has also completed its review of RAMC's amendment request for wellfield #1 restoration plan by submittals dated October 18, 2001, and February 28, 2002. License condition 10.8 will be changed as per the technical evaluation report (enclosure 1) to allow well field restoration. License condition 12.3 was changed to allow the licensee to add wellfield restorations to Appendix "L" of the application through the Safety and Environmental Review Committee (SERP) process, but will require submittal of wellfield completion reports of each wellfield for NRC review and approval.

Additionally, the staff made an administrative change to License Condition 9.4 to reflect the changes made to the new approved Change, Test, and Experiment License Condition. This amendment change was agreed to by Mr. Goranson during a telephone conversation on February 25, 2002.

Therefore, pursuant to Title 10 of the Code of Federal Regulations, Part 40, Source Material License SUA-1548 is hereby amended by revising License Condition Nos. 9.4, 9.5, 10.8, and 12.3. All other conditions of this license shall remain the same. The enclosed license is being reissued to incorporate the above modifications. An environmental review was not performed since these actions are categorically excluded under 10 CFR 51.22(c)(11).

These changes to SUA-1548 were discussed between you and Mr. John Lusher, the NRC Project Manager for the Smith Ranch facility, on February 25, 2002. If you have any questions concerning this letter or the enclosure, please contact Mr. Lusher at (301) 415-7694 or by e-mail to JHL@nrc.gov.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/NRC/ADAMS/index.html> (the Public Electronic Reading Room).

Sincerely,

/RA/c/GSJ

Melvyn N. Leach, Chief
Fuel Cycle Licensing Branch
Division of Fuel Cycle Safety
and Safeguards
Office of Nuclear Material Safety
and Safeguards

Docket No. 40-8964
SUA-1548, Amendment No. 2

Enclosures: Technical Evaluation Report for wellfield restoration (Enclosure 1)
Safety Evaluation Report (Enclosure 2)
Materials License SUA-1548, Amendment No. 2 (Enclosure 3)

cc: S. Ingle, WDEQ
B. Ferdinand, RAMC

Additionally, the staff made an administrative change to License Condition 9.4 to reflect the changes made to the new approved Change, Test, and Experiment License Condition. This amendment change was agreed to by Mr. Goranson during a telephone conversation on February 25, 2002.

Therefore, pursuant to Title 10 of the Code of Federal Regulations, Part 40, Source Material License SUA-1548 is hereby amended by revising License Condition Nos. 9.4, 9.5, 10.8, and 12.3. All other conditions of this license shall remain the same. The enclosed license is being reissued to incorporate the above modifications. An environmental review was not performed since these actions are categorically excluded under 10 CFR 51.22(c)(11).

These changes to SUA-1548 were discussed between you and Mr. John Lusher, the NRC Project Manager for the Smith Ranch facility, on February 25, 2002. If you have any questions concerning this letter or the enclosure, please contact Mr. Lusher at (301) 415-7694 or by e-mail to JHL@nrc.gov.

In accordance with 10 CFR 2.790 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS). ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/NRC/ADAMS/index.html> (the Public Electronic Reading Room).

Sincerely,

/RA/c/GSJ

Melvyn Leach, Chief
 Fuel Cycle Licensing Branch
 Division of Fuel Cycle Safety
 and Safeguards
 Office of Nuclear Material Safety
 and Safeguards

Docket No. 40-8964
 SUA-1548, Amendment No. 2

Enclosure: Technical Evaluation Report for wellfield restoration (Enclosure 1)
 Safety Evaluation Report (Enclosure 2)
 Materials License SUA-1548, Amendment No. 2 (Enclosure 3)

cc: S. Ingle, WDEQ
 B. Ferdinand, RAMC

Cases Closed: L52362, L52391 and L52392

DISTRIBUTION (w/ Encl.): UR r/f CCain RIV MLayton PMackin, CNWRA

G\FCLB\License Working Draft Directory Uranium\RIO-Smith Ranch\letter amend#2b.wpd
 DOCUMENT NAME: Accession No.ML020650374

*See previous concurrence

OFC	FCLB		FCLB	C	FCLB		FCLB	
NAME	JHLusher*		JMuszkiewicz*		GSJanosko*		MNLeach*	
DATE	3/5/02		3/5/02		3/5/02		3/5/02	

OFFICIAL RECORD COPY

TECHNICAL EVALUATION REPORT

DATE: March 1, 2002

DOCKET NO.: 40-8964

LICENSE NO.: SUA-1548

FACILITY: Smith Ranch *In Situ* Leach, Wyoming

PROJECT MANAGER: John Lusher

TECHNICAL REVIEWER: Michael Layton, P.G., Hydrogeologist

SUMMARY AND CONCLUSIONS:

DESCRIPTION OF AMENDMENT REQUESTS: By letter dated October 18, 2001 (RAS, 2001), the licensee requested approval of the groundwater restoration plan for Wellfield No.1. This plan provides detailed information for the restoration of Wellfield No.1 and supplements the general restoration plan approved in the License Renewal Application, dated November 15, 1999. Rio Algom also submitted a page change by letter (RAS, 2002), in response to a clarification request from NRC staff.

EVALUATION: The NRC completed its review of the plans and schedules for groundwater quality restoration proposed for Wellfield No. 1 at the Smith Ranch *in situ* leach facility. This review included an evaluation of the methods used to develop the restoration plan and schedules for Wellfield No. 1, using the applicable review procedures in standard review plan Section 6.1.2 and the applicable acceptance criteria outlined in standard review plan Section 6.1.3. The Restoration Plan includes specific information of the various phases of restoration and treatment activities, restoration target concentrations, the opportunity to use a chemical reductant to achieve the target concentrations, a monitoring program during restoration, a proposed time line for completing restoration, and a monitoring program for a post-restoration stability monitoring period. Staff finds the Wellfield No. 1 Restoration Plan acceptable.

RECOMMENDED REVISIONS TO THE LICENSE: The following revisions to the Rio Algom Smith Ranch license are recommended:

- 10.8 Prior to mining, baseline water quality data for the constituents identified in Table 5.1 of the application dated September 27, 2000, as amended, shall be established for each mining unit prior to mining at the following points: (a) all mining zone perimeter monitor wells; (b) two upper and two lower aquifer monitor wells per mining unit; and (c) ten production/injection wells per mining unit. For mining units exceeding ten acres in size, baseline water quality data shall be collected from one additional production/injection well for each two acres beyond the ten-acre limit. Baseline production/injection wells shall be evenly distributed across the mining unit.

TECHNICAL EVALUATION REPORT

- a) Groundwater restoration goals shall be established on a parameter-by-parameter basis, and the primary goal of restoration shall be to return the groundwater quality, on a wellfield average, to baseline conditions. The licensee shall conduct ground-water restoration activities in accordance with the groundwater restoration plan submitted by letter dated October 18, 2001, and supplemented by letter dated February 28, 2002.

[Applicable Amendments: 2]

SAFETY EVALUATION REPORT

ENVIRONMENTAL REVIEW:

The staff has determined that the following conditions have been met:

- I. There is no significant change in the types or significant increase in the amounts of any effluents that may be released offsite,
- II. There is no significant increase in individual or cumulative occupational radiation exposure,
- III. There is no significant construction impact, and
- IV. There is no significant increase in the potential for or occurrences from radiological accidents.

Accordingly, pursuant to 10 CFR 51.22(c)(11) , neither an environmental assessment nor an environmental impact statement is warranted for this action.

REFERENCES:

Code of Federal Regulations (CFR), Title 10, Chapter I - Nuclear Regulatory Commission, Parts 40 and 51, revised as of January 1, 2002.

Rio Algom Smith Ranch (RAS). 2001. Wellfield #1 Restoration Plan. Transmitted by letter dated October 18, 2001 from William Paul Goranson, Rio Algom to Melvyn Leach, NRC Fuel Cycle Licensing Branch, Accession Number ML020320035.

Rio Algom Smith Ranch (RAS). 2002. Clarification to Wellfield #1 Restoration Plan. Transmitted by letter dated February 28, 2002, from William Paul Goranson, Rio Algom to Melvyn Leach, NRC Fuel Cycle Licensing Branch.

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and the applicable parts of Title 10, Code of Federal Regulations, Chapter I, Parts 19, 20, 30, 31, 32, 33, 34, 35, 36, 39, 40, 51, 70, and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	
1. Rio Algom Mining Corp.	3. License Number SUA-1548 Amendment No. 2
2. 6305 Waterford Boulevard, Suite 325 Oklahoma city, Oklahoma 73118	4. Expiration Date September 30, 2010
	5. Docket No. 40-8964 Reference No.

- | | | |
|--|----------------------------------|---|
| 6. Byproduct Source, and/or Special Nuclear Material | 7. Chemical and/or Physical Form | 8. Maximum amount that Licensee May Possess at Any One Time Under This License |
| Natural Uranium
Byproduct material as | a. Any
b. Unspecified | a. Unlimited
b. Quantity generated under operations authorized by this license |

9. ADMINISTRATIVE CONDITIONS

- 9.1 The authorized place of use shall be the licensee's Rio Algom Smith Ranch In-situ Leach (ISL) Facility in Converse County, Wyoming.
- 9.2 All written notices and reports to NRC required under this license shall be addressed to the Chief, Fuel Cycle Licensing Branch, C/O Document Control Desk, Division of Fuel Cycle Safety and Safeguards, Office of Nuclear Materials Safety and Safeguards, U. S. Nuclear Regulatory Commission, 11545 Rockville Pike, Two White Flint North, Rockville, MD 20852-2738.

Required telephone notification shall be made to the NRC Operations Center at (301) 816-5100, unless otherwise specified in license conditions.

- 9.3 The licensee shall conduct operations in accordance with the commitments, representations, and statements contained in the license application dated November 15, 1999, as amended by submittals or amendments dated September 27, 2000, and October 12, 2000, September 27, 2001, October 18, 2001, October 22, 2001, and February 28, 2002, which are hereby incorporated by reference, except where superseded by license conditions below.

Whenever the word "will" or "shall" is used in the above referenced documents, it shall denote a requirement.

- 9.4 (New) Change, Test and Experiment License Condition
- a) The licensee may, without obtaining a license amendment pursuant to §40.44, and subject to conditions specified in (b) of this condition:
- i make changes in the facility as described in the license application (as updated),

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
SUA-1548Docket or Reference Number
40-8964

Amendment No. 2

- ii make changes in the procedures as described in the license application (as updated), and
 - iii conduct test or experiments not described in the license application (as updated).
- b) The licensee shall obtain a license amendment pursuant to §40.44 prior to implementing a proposed change, test or experiment if the change, test, or experiment would:
- i Result in any increase in the frequency of occurrence of an accident previously evaluated in the license application (as updated);
 - ii Result in any increase in the likelihood of occurrence of a malfunction of a structure, system, or component (SSC) important to safety previously evaluated in the license application (as updated);
 - iii Result in any increase in the consequences of an accident previously evaluated in the license application (as updated);
 - iv Result in any increase in the consequences of a malfunction of an SSC previously evaluated in the license application (as updated);
 - v Create a possibility for an accident of a different type than any previously evaluated in the license application (as updated);
 - vi Create a possibility for a malfunction of an SSC with a different result than previously evaluated in the license application (as updated);
 - vii Result in a departure from the method of evaluation described in the license application (as updated) used in establishing the final safety evaluation report (FSER) or the environmental assessment (EA) or technical evaluation reports (TERs) or other analysis and evaluations for license amendments.
 - viii For purposes of this paragraph as applied to this license, SSC means any SSC which has been referenced in a staff SER, TER, EA, or environmental impact statement (EIS) and supplements and amendments thereof.
- c) Additionally the licensee must obtain a license amendment unless the change, test, or experiment is consistent with the NRC conclusions, or the basis of, or analysis leading to, the conclusions of actions, designs, or design configurations analyzed and selected in the site or facility Safety Evaluation Report, TER, and EIS or EA. This would include all supplements and amendments, and TERs, EAs, EISs issued with amendments to this license.
- d) The licensee's determinations concerning (b) and (c) of this condition, shall be made by a Safety and Environmental Review Panel (SERP). The SERP shall consist of a minimum of three individuals. One member of the SERP shall have expertise in management (e.g., Plant Manager)

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
SUA-1548

Docket or Reference Number
40-8964

Amendment No. 2

and shall be responsible for financial approval for changes; one member shall have expertise in operations and/or construction and shall have responsibility for implementing any operational changes; and, one member shall be the radiation safety officer (RSO) or equivalent, with the responsibility of assuring changes conform to radiation safety and environmental requirements. Additional members may be included in the SERP as appropriate, to address technical aspects such as groundwater, hydrology, surface-water hydrology, specific earth sciences, and other technical disciplines. Temporary members or permanent members, other than the three above-specified individuals, may be consultants.

- e) The licensee shall maintain records of any changes made pursuant to this condition until license termination. These records shall include written safety and environmental evaluations made by the SERP that provide the basis for determining changes are in compliance with (b) of this condition. The licensee shall furnish, in an annual report to the NRC, a description of such changes, test, or experiments, including a summary of the safety and environmental evaluation of each. In addition, the licensee shall annually submit to the NRC changed pages, which shall include both a change indicator for the area changed, e.g. a bold line vertically drawn in the margin adjacent to the portion actually changed, and a page change identification (date of change or change number or both), to the operations plan and reclamation plan of the approved license application (as updated) to reflect changes made under this condition.

[Applicable Amendment: 2]

- 9.5 The licensee shall maintain an NRC-approved financial surety arrangement, consistent with 10 CFR 40, Appendix A, Criterion 9, adequate to cover the estimated reclamation and closure costs, if accomplished by a third party, for all existing operations and any planned expansions or operational changes for the upcoming year. Reclamation includes all cited activities and groundwater restoration, as well as off-site disposal of all 11e.(2) byproduct material.

Within three months of NRC approval of a revised closure (decommissioning) plan and its cost estimate, the licensee shall submit for NRC review and approval, a proposed revision to the financial surety arrangement if estimated costs exceed the amount covered in the existing financial surety. The revised surety instrument shall then be in effect within 30 days of written NRC approval of the surety documents.

Proposed annual updates to the surety amount, required by 10 CFR 40, Appendix A, Criterion 9, shall be provided to NRC ninety days prior to the anniversary date (e.g., renewal date of the surety instrument/vehicle) of June 30 of each year. If NRC has not approved a proposed revision 30 days prior to the expiration date of the existing surety arrangement, the licensee shall extend the existing arrangement, prior to expiration, for one year. Along with each proposed revision or annual update of the surety, the licensee shall submit supporting documentation showing a breakdown of the costs and the basis for the cost estimates with adjustments for inflation, maintenance of a minimum 15 percent contingency, changes in engineering plans, activities performed, and any other conditions affecting estimated costs for site closure.

At least 90 days prior to beginning construction associated with any planned expansion or operational change which was not included in the annual surety update, the licensee shall provide for NRC

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
SUA-1548

Docket or Reference Number
40-8964

Amendment No. 2

approval an updated surety to cover the expansion or change.

The licensee shall also provide NRC with copies of surety-related correspondence submitted to the State of Wyoming, a copy of the State's surety review, and the final approved surety arrangement. The licensee also must ensure that the surety, where authorized to be held by the State, identifies the NRC-related portion of the surety and covers the above-ground decommissioning and decontamination, the cost of offsite disposal of 11e(2) byproduct material, soil and water sample analyses, and groundwater restoration associated with the site. The basis for the cost estimate is the NRC-approved site closure plan or the NRC-approved revisions to the plan. Reclamation or decommissioning plan, cost estimates, and annual updates should follow the outline in Appendix E to NUREG-1569 (NRC, 1997), entitled "Recommended Outline for Site-Specific *In Situ* Leach Facility Reclamation and Stabilization Cost Estimates."

Rio Algom Mining Corp. currently approved surety instrument, a Letter of credit from the Canadian Imperial Bank of Commerce, New York Agency, 425 Lexington Avenue, NY 10017, in favor of the State of Wyoming, shall be continuously maintained in the sum total amount of no less than \$8,676,084 for the purpose of complying with 10 CFR 40, Appendix A, Criterion 9, until a replacement is authorized by both the State of Wyoming and the NRC.

[Applicable Amendment: 1,2]

- 9.6 The licensee shall dispose of 11e.(2) byproduct material from the Rio Algom Smith Ranch ISL facility at a site licensed by NRC or an NRC Agreement State to receive 11e.(2) byproduct material. The licensee's approved waste disposal agreement must be maintained on-site. In the event the agreement expires or is terminated, the licensee shall notify NRC in writing, in accordance with License Condition 9.2, within 7 days after the date of expiration or termination. A new agreement shall be submitted for NRC approval within 90 days after expiration or termination unless further delay is justified, or the licensee will be prohibited from further lixiviant injection.
- 9.7 The licensee shall follow the guidance set forth in U.S. Nuclear Regulatory Commission, Regulatory Guides 8.22, "Bioassay at Uranium Recovery Facilities," 8.30, "Health Physics Surveys in Uranium Recovery Facilities," and 8.31, "Information Relevant to Ensuring that Occupational Radiation Exposure at Uranium Recovery Facilities will be As Low As is Reasonably Achievable (ALARA)," or NRC-approved equivalent.
- 9.8 The licensee is hereby exempted from the requirements of 10 CFR §20.1902(e) for areas within the facility, provided that all entrances to the facility are conspicuously posted in accordance with §20.1902(e) and with the words, "ANY AREA WITHIN THIS FACILITY MAY CONTAIN RADIOACTIVE MATERIAL."
- 9.9 Before engaging in any developmental activity not previously assessed by the NRC, the licensee shall administer a cultural resource inventory. All disturbances associated with the proposed development will be completed in compliance with the National Historic Preservation Act (as amended) and its implementing regulations (36 CFR 800), and the Archaeological Resources Protection Act (as amended) and its implementing regulations (43 CFR 7).

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
SUA-1548

Docket or Reference Number
40-8964

Amendment No. 2

In order to ensure that no unapproved disturbance of cultural resources occurs, any work resulting in the discovery of previously unknown cultural artifacts shall cease. The artifacts shall be inventoried and evaluated in accordance with 36 CFR Part 800, and no disturbance of the area shall occur until the licensee has received authorization from the NRC to proceed.

9.10 The licensee shall provide buffer zones and construct its facilities in accordance with the recommendations made in its historical consultant's report submitted May 7, 1991, in order to prevent adverse effects upon historic and prehistoric resources found in the State permit area. Land disturbance plans and well-field facility design shall be coordinated with NRC and the Bureau of Land Management in Mills, Wyoming.

9.11 Final (detailed) decommissioning plan(s) for land (soil) or facilities will be submitted to the NRC for review and approval at least 12 months before the planned commencement of decommissioning of a wellfield or the processing facility.

10. OPERATIONAL LIMITS, CONTROLS, AND RESTRICTIONS

10.1 Commercial processing plant operations shall not exceed an average monthly flow rate of 12000 gallons per minute, and an annual yellowcake production shall not exceed 3.5 million pounds as U_3O_8 .

10.2 The licensee shall maintain effluent control systems as specified in Section 4.1 of the license application dated September 27, 2000, as amended, with the following additions:

- a) If during yellowcake drying operations any emission control equipment for the yellowcake drying or packaging areas is not performing within the operational specifications, the licensee shall not; (1) unload the dryer as part of the routine operations until the emission control equipment has been returned to service within operational specifications; or (2) reload the dryer with yellowcake until the emission control system has been returned to service within its operational specifications.
- b) The licensee shall, during all periods of yellowcake drying operations, assure that the specified operating pressure differential is maintained in the drying chamber. This shall be accomplished by either: (1) performing and documenting checks of air pressure differential approximately every 4 hours during operation; or (2) installing instrumentation that will signal an audible alarm if air pressure falls below the specified operating levels. If an audible alarm is used, its operation shall be checked and documented daily during dryer operations. Air pressure differential gauges for other emission control equipment shall be read and the readings documented at least once per shift during dryer operations.

10.3 The licensee shall perform well integrity tests on each injection and production well before the wells are utilized and on wells that have been serviced using a downhole drill bit or underreaming. The integrity test shall pressurize the well to 125 percent of the design operating wellhead casing pressure and shall maintain 95 percent of this pressure for 10 minutes to pass the test. If any well casing failing the

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number
SUA-1548

Docket or Reference Number
40-8964

Amendment No. 2

integrity test cannot be repaired, the well shall be plugged and abandoned. During wellfield operations, injection pressures shall not exceed the integrity test pressure at the injection well heads.

- 10.4 The licensee may utilize carbon dioxide and sodium carbonate/bicarbonate as the lixiviant with an oxygen or hydrogen peroxide oxidant. Any variation from this combination shall require a license amendment.
- 10.5 The licensee is prohibited from constructing new Satellite Facilities or waste water evaporation ponds prior to NRC review and approval of designs and specifications. Pond design shall allow for sufficient reserve capacity in the evaporation pond system to enable the transfer of the contents of any one pond to the other ponds. All retention ponds shall be designed to meet requirements of NRC Regulatory Guide 3.11, Staff Position Paper No. WM-8101, and WDEQ.10.6
- 10.6 The licensee shall maintain an area within the restricted area boundary for storage of contaminated materials prior to their disposal. All contaminated wastes and evaporation pond residues shall be disposed at a licensed radioactive waste disposal site.
- 10.7 All liquid effluents stemming from commercial mine units, process buildings and process waste streams, with the exception of sanitary wastes, shall be returned to the process circuit, discharged to the solution evaporation ponds, or deep well injected.
- 10.8 Prior to mining, baseline water quality data for the constituents identified in Table 5.1 of the application dated September 27, 2000, as amended, shall be established for each mining unit prior to mining at the following points: (a) all mining zone perimeter monitor wells; (b) two upper and two lower aquifer monitor wells per mining unit; and (c) ten production/injection wells per mining unit. For mining units exceeding ten acres in size, baseline water quality data shall be collected from one additional production/injection well for each two acres beyond the ten-acre limit. Baseline production/injection wells shall be evenly distributed across the mining unit.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

SUA-1548

Docket or Reference Number

40-8964

Amendment No. 2

- a) Groundwater restoration goals shall be established on a parameter-by-parameter basis, and the primary goal of restoration shall be to return the groundwater quality, on a mine unit average, to baseline conditions. The licensee shall conduct groundwater restoration activities in accordance with the groundwater restoration plan submitted by letters dated October 18, 2001, and February 28, 2002.

[Applicable Amendment: 2]

- 10.9 The licensee is prohibited from conducting well-field installation in the southwestern part of the State of Wyoming permit area, T35N R74W, excluding Section 2 until aquifer characteristics have been tested, reviewed, and approved by NRC.
- 10.10 The licensee is prohibited from commencing aquifer restoration using chemical-reducing agents prior to review and approval of an occupational safety plan addressing the deployment of chemical reducing agents in the processing plant or well fields.
- 11. MONITORING, RECORDING, AND BOOKKEEPING REQUIREMENTS**
- 11.1 The effluent and environmental monitoring report shall include injection rates, recovery rates, injection manifold pressures, and injection trunk-line pressures for each satellite facility. This data will be provided as monthly averages for the reporting period.
- 11.2 Any time uranium in a worker's urine specimen exceeds 15 micrograms per liter (ug/l), the annual ALARA audit will indicate what corrective actions were considered or performed.
- 11.3 Any time an uranium action level of 35 ug/l for two consecutive urine specimens or 130 ug/l for any one specimen is reached or exceeded, the licensee shall provide documentation within 30 days to the NRC indicating what corrective actions have been performed.
- 11.4 The licensee shall perform and document daily visual inspections of the evaporation pond embankments, fences and liners, as well as measurements of pond freeboard and checks of the leak detection system. Any time 6 inches or more of fluid is in the leak detection system standpipes, it shall be analyzed for specific conductance and chloride. If, with a second sample, those parameters confirm a pond leak, then appropriate actions will be taken. The pond level shall be lowered by transferring its contents into an alternate cell or to the plant for disposal through deep well injection, and repairs undertaken.
- 11.5 Each monitor well shall be sampled and tested for chloride, conductivity, and alkalinity on a twice per month basis. If two UCLs are exceeded in a well or if a single UCL value is exceeded by five standard deviations or more above baseline monitoring data, the licensee shall take a confirmation water sample within 24 hours and analyze it for the excursion indicators. If the second sample does not indicate exceedance, a third sample shall be taken within 48 hours.

If neither the second or third indicate exceedance, the first sample shall be considered in error. If the

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

SUA-1548

Docket or Reference Number

40-8964

Amendment No. 2

second or third sample indicates an exceedance, the well in question shall be placed on excursion status. During excursion status, sampling and testing frequency shall be increased to weekly for the affected monitor wells until the excursion is controlled.

- 11.6 The licensee shall establish an effluent and environmental monitoring program in accordance with Table 5.3 of the application dated September 27, 2000, as amended.
- 11.7 During commercial production, the RSO, RST, or a trained designee shall perform and document a daily walk-through inspection of all operating areas. The inspection's purpose is to ensure that all radiation protection and monitoring requirements are being followed.

12. REPORTING REQUIREMENTS

12.1 Spills, Pond Leaks, Leaks, Excursions, and Incident/Events Reporting

Until license termination, the licensee shall maintain documentation on spills of source or 11e.(2) by product materials (including mining solutions) and process chemicals. Documented information shall include, but not be limited to: date, spill volume, total activity of each radionuclide released, radiological survey results, soil sample results (if taken), corrective actions, results of post remediation surveys (if taken), and a map showing the spill location and the impacted area.

The licensee shall have procedures which will evaluate the consequences of the spill or incident/event against 10 CFR 20, Subpart "M," and 10 CFR 40.60 reporting criteria. If the criteria are met, then report to the NRC Operations Center as required.

If the licensee is required to report any spills, pond leaks, excursions of source, 11e.(2) by product material, and process chemicals that may have an impact on the environment, or any other incidents/events to State or Federal Agencies, a report shall be made to the NRC Region IV Uranium Recovery Branch Chief and NRC Headquarters Project Manager (PM) by telephone or electronic mail (e-mail) within 48 hours. This notification shall be followed, within thirty (30) days of the notification, by submittal of a written report to NRC Region IV and NRC Headquarters as per License Condition 9.2, detailing the conditions leading to the spill or incident/event, corrective actions taken, and results achieved.

- 12.2 An annual report will be submitted to the NRC that includes the ALARA audit report, land use survey, monitoring data, corrective action program report, one of the semiannual effluent and environmental monitoring reports, and the SERP information required under LC 9.4(d).
- 12.3 Prior to commencing ground-water restoration in each well field, the licensee shall through the SERP process add wellfields to the wellfield restoration plan in Appendix "L" of the application. The restoration plan shall have a goal of returning all affected ground-water constituents to baseline levels on a mining-unit average basis. The licensee shall be required to demonstrate baseline conditions are not achievable in order to apply any alternate standard of performance. Upon restoration completion of each wellfield the licensee will submit a wellfield completion report for NRC review and approval.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**License Number
SUA-1548Docket or Reference Number
40-8964

Amendment No. 2

[Applicable Amentment: 2]

FOR THE NUCLEAR REGULATORY COMMISSION

/RA/c/GSJ

Dated: March 5, 2002

Melvyn Leach, Chief
Fuel Cycle Licensing Branch
Division of Fuel Cycle Safety
and Safeguards
Office of Nuclear Material Safety
and Safeguards

