

Distribution

Docket File

NRC PDR

Local PDR

LWR-1 File

D. Vassallo

F. J. Williams

J. Stolz

J. Angelo

E. Hylton

ACRS (16)

ELD

IE (3)

bcc: J. R. Buchanan, NSIC

Thomas B. Abernathy, TIC

J. P. Knight

DEC 28 1976

Docket No. 50-302

Florida Power Corporation
ATTN: Mr. J. T. Rodgers
Assistant Vice President and
Nuclear Project Manager
P.O. Box 14042
St. Petersburg, Florida 33733

Gentlemen:

APPROVAL OF VITON-A SEAL MATERIAL IN THE REACTOR COOLANT PUMP
HYDRAULIC SNUBBERS (CRYSTAL RIVER NUCLEAR GENERATING PLANT,
UNIT 3)

This letter is in regard to your request for approval of the Viton-A seal material that is used in the reactor coolant pump hydraulic snubbers at Crystal River Unit 3. We have evaluated the use of this material in the operating environment of the snubber installation and we consider that this material is compatible with the operating environment. Accordingly, you are authorized to conduct surveillance of the reactor coolant pump hydraulic snubbers in accordance with Section 4.7.9.1 (a) of the Technical Specifications, Appendix A to Facility Operating License No. DPR-72.

Sincerely,

Original Signed by

John F. Stolz

John F. Stolz, Chief
Light Water Reactors Branch No. 1
Division of Project Management

cc: Mr. S. A. Brandimore
Vice President and General
Counsel
P.O. Box 14042
St. Petersburg, Florida 33733

Misc app 4
GD

OFFICE	LWR-1	DSS	LWR-1		
SURNAME	JAngelo:klj	PKnight	JStolz		
DATE	12/22/76	12/22/76	12/28/76		