

UNITED STATES NUCLEAR REGULATORY COMMISSION WASHINGTON, D. C. 20555

MAR 27 1967

Docket Nos.: 50-315 and 50-316

MEMORANDUM FOR: Sholly Coordinator

FROM: B. J. Youngblood, Director PWR Project Directorate #4 Division of PWR Licensing-A, NRR

SUBJECT: REQUEST FOR PUBLICATION IN BI-WEEKLY FR NOTICE - NOTICE OF ISSUANCE OF AMENDMENT TO FACILITY OPERATING LICENSE

Indiana and Michigan Electric Company, Docket Nos. 50-315 and 50-316, Donald C.

Cook Nuclear Plant, Unit Nos. 1 and 2, Berrien County, Michigan

Date of application for amendments: December 22, 1986

Brief description of amendments: The amendments delete from the Design

Features Section 5.3.1 of the Technical Specifications (TS) the maximum

fuel rod weight limit 2236 grams uranium for Unit 1 and 1983 grams uranium

for Unit 2. The amendments also correct several typographical errors.

Date of issuance: March 27, 1987

Effective date: March 27, 1987

Amendment Nos.: 102 and 88

Facility Operating License Nos. DPR-58 and DPR-74. Amendments revised the Technical Specifications.

Date of initial notice in Federal Register: January 14, 1987 (52 FR 1556) The Commission's related evaluation of the amendments is contained in a Safety Evaluation dated March 27, 1987

No significant hazards consideration comments received: No

8704020331 870327 PDR ADUCK 05000315 P PDR Sholly Coordinator

.

Local Public Document Room location: Maude Preston Palenske Memorial Library,

- 2 -

500 Market Street, St. Joseph, Michigan 49085

Per

BO J. Noungblood, Director PWR Project Directorate #4 Division of PWR Licensing-A, NRR

Sholly Coordinator

- 2 - MAR 2 7 1987

Local Public Document Room location: Maude Preston Palenske Memorial Library, 500 Market Street, St. Joseph, Michigan 49085

15

B. J. Youngblood, Director PWR Project Directorate #4 Division of PWR Licensing-A, NRR

DISTRIBUTION: Docket File Local PDR PRC PDR PWR#4 Reading BJYoungblood Reading DWigginton MDuncan OGC-Bethesda

PWR#4/DPWR-A DWigginton/rad 03/5/87

PWR#4/DPWR-A MDuncan 03/5/87

PWR bod BJ