

July 22, 1988

Docket Nos. 50-237
and 50-249

Mr. Henry E. Bliss
Nuclear Licensing Manager
Commonwealth Edison Company
Post Office Box 767
Chicago, Illinois 60690

Dear Mr. Bliss:

DISTRIBUTION

Docket Files	BGrimes
NRC & Local PDRs	TBarnhart (16)
PDIII-2 Rdg. File	WJones
DMuller	EButcher
GHolahan	NTrehan
LLuther	JStewart
	ACRS (10)
BSiegel	GPA/PA
OGC-Rockville	ARM/LFMB
DHagan	EJordan
PDIII-2 Plant File	CBuracker

SUBJECT: LICENSE AMENDMENTS TO INCORPORATE PHYSICAL SECURITY PLAN
(TAC NOS. 65389 AND 65390)

RE: Dresden Nuclear Power Station, Units 2 and 3

The Commission has issued the enclosed Amendment Nos. 99 and 95 to Provisional Operating License No. DPR-19 for Dresden Unit No. 2 and Facility Operating License No. DPR 25 for Dresden Unit 3, respectively, in response to your submittals dated November 26, 1986, and January 14, 1988.

Amendment No.99 modifies paragraph 3.I of Provisional Operating License DPR-19 for Dresden Unit No. 2 and Amendment No. 95 modifies paragraph 3.H of Facility Operating License DPR-25 for Dresden Unit No. 3 to require compliance with the amended Physical Security Plan. This Plan was amended to conform to the requirements of 10 CFR 73.55. Consistent with the provisions of 10 CFR 73.55, search requirements must be implemented within 60 days and miscellaneous amendments within 180 days from the effective date of these amendments.

Our evaluation of the amendments to your Physical Security Plan for Dresden Nuclear Power Station Units Nos. 2 and 3 is contained in the enclosed Safeguards Evaluation Report. Based on this evaluation, we find that you meet the requirements of the Miscellaneous Amendments and Search Requirements revision to 10 CFR 73.55 and the record-keeping requirements of 10 CFR 73.70.

We find that these amendments to your licenses are related solely to safeguards matters and do not involve any significant construction impacts. Accordingly, these amendments meets the eligibility criteria for categorical exclusion set forth in 10 CFR 51.22(c)(12). Pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared in connection with the issuance of these amendments.

Based on the fact that these license amendments apply to the Physical Security Plan and incorporate into the licenses the latest requirements of your updated Physical Security Plan, we have concluded that there is reasonable assurance that the health and safety of the public will not be endangered by

8808050270 880722
PDR ADDCK 05000237
P PNU

DF01
11

July 22, 1988

Docket Nos. 50-237
and 50-249

Mr. Henry E. Bliss
Nuclear Licensing Manager
Commonwealth Edison Company
Post Office Box 767
Chicago, Illinois 60690

Dear Mr. Bliss:

DISTRIBUTION

Docket Files	BGrimes
NRC & Local PDRs	TBarnhart (16)
PDIII-2 Rdg. File	WJones
DMuller	EButcher
GHolahan	NTrehan
LLuther	JStewart
	ACRS (10)
BSiegel	GPA/PA
OGC-Rockville	ARM/LFMB
DHagan	EJordan
PDIII-2 Plant File	CBuracker

SUBJECT: LICENSE AMENDMENTS TO INCORPORATE PHYSICAL SECURITY PLAN
(TAC NOS. 65389 AND 65390)

RE: Dresden Nuclear Power Station, Units 2 and 3

The Commission has issued the enclosed Amendment Nos. 99 and 95 to Provisional Operating License No. DPR-19 for Dresden Unit No. 2 and Facility Operating License No. DPR 25 for Dresden Unit 3, respectively, in response to your submittals dated November 26, 1986, and January 14, 1988.

Amendment No.99 modifies paragraph 3.I of Provisional Operating License DPR-19 for Dresden Unit No. 2 and Amendment No. 95 modifies paragraph 3.H of Facility Operating License DPR-25 for Dresden Unit No. 3 to require compliance with the amended Physical Security Plan. This Plan was amended to conform to the requirements of 10 CFR 73.55. Consistent with the provisions of 10 CFR 73.55, search requirements must be implemented within 60 days and miscellaneous amendments within 180 days from the effective date of these amendments.

Our evaluation of the amendments to your Physical Security Plan for Dresden Nuclear Power Station Units Nos. 2 and 3 is contained in the enclosed Safeguards Evaluation Report. Based on this evaluation, we find that you meet the requirements of the Miscellaneous Amendments and Search Requirements revision to 10 CFR 73.55 and the record-keeping requirements of 10 CFR 73.70.

We find that these amendments to your licenses are related solely to safeguards matters and do not involve any significant construction impacts. Accordingly, these amendments meets the eligibility criteria for categorical exclusion set forth in 10 CFR 51.22(c)(12). Pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared in connection with the issuance of these amendments.

Based on the fact that these license amendments apply to the Physical Security Plan and incorporate into the licenses the latest requirements of your updated Physical Security Plan, we have concluded that there is reasonable assurance that the health and safety of the public will not be endangered by

Mr. Henry E. Bliss

2

this action and that this action will be conducted in compliance with the Commission's regulations, and the issuance of these amendments will not be inimical to the common defense and security or to the health and safety of the public.

Your Physical Security Plan consists of Safeguards Information required to be protected from unauthorized disclosure in accordance with the provisions of 10 CFR 73.21.

A Notice of Issuance will be included in the Commission's biweekly Federal Register Notice.

Sincerely,

Byron Siegel, Senior Project Manager
Project Directorate III-2
Division of Reactor Projects - III,
IV, V and Special Projects

Enclosures:

1. Amendment No.99 to License No. NPF-37
2. Amendment No.95 to License No. NPF-66
3. Safeguards Evaluation Report

cc: w/enclosures
See next page

PDIII-2:PB
BSiegel
7/19/88

PDIII-2:LA
LLuther
7/14/88

OGC-Rockville
7/18/88

PDIII-2:PD
DMutter
7/22/88



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

July 22, 1988

Docket Nos. 50-237
and 50-249

Mr. Henry E. Bliss
Nuclear Licensing Manager
Commonwealth Edison Company
Post Office Box 767
Chicago, Illinois 60690

Dear Mr. Bliss:

SUBJECT: LICENSE AMENDMENTS TO INCORPORATE PHYSICAL SECURITY PLAN
(TAC NOS. 65389 AND 65390)

RE: Dresden Nuclear Power Station, Units 2 and 3

The Commission has issued the enclosed Amendment Nos. 99 and 95 to Provisional Operating License No. DPR-19 for Dresden Unit No. 2 and Facility Operating License No. DPR 25 for Dresden Unit 3, respectively, in response to your submittals dated November 26, 1986, and January 14, 1988.

Amendment No.99 modifies paragraph 3.I of Provisional Operating License DPR-19 for Dresden Unit No. 2 and Amendment No.95 modifies paragraph 3.H of Facility Operating License DPR-25 for Dresden Unit No. 3 to require compliance with the amended Physical Security Plan. This Plan was amended to conform to the requirements of 10 CFR 73.55. Consistent with the provisions of 10 CFR 73.55, search requirements must be implemented within 60 days and miscellaneous amendments within 180 days from the effective date of these amendments.

Our evaluation of the amendments to your Physical Security Plan for Dresden Nuclear Power Station Units Nos. 2 and 3 is contained in the enclosed Safeguards Evaluation Report. Based on this evaluation, we find that you meet the requirements of the Miscellaneous Amendments and Search Requirements revision to 10 CFR 73.55 and the record-keeping requirements of 10 CFR 73.70.

We find that these amendments to your licenses are related solely to safeguards matters and do not involve any significant construction impacts. Accordingly, these amendments meets the eligibility criteria for categorical exclusion set forth in 10 CFR 51.22(c)(12). Pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared in connection with the issuance of these amendments.

Based on the fact that these license amendments apply to the Physical Security Plan and incorporate into the licenses the latest requirements of your updated Physical Security Plan, we have concluded that there is reasonable assurance that the health and safety of the public will not be endangered by

Mr. Henry E. Bliss


2

this action and that this action will be conducted in compliance with the Commission's regulations, and the issuance of these amendments will not be inimical to the common defense and security or to the health and safety of the public.

Your Physical Security Plan consists of Safeguards Information required to be protected from unauthorized disclosure in accordance with the provisions of 10 CFR 73.21.

A Notice of Issuance will be included in the Commission's biweekly Federal Register Notice.

Sincerely,



Byron Siegel, Senior Project Manager
Project Directorate III-2
Division of Reactor Projects - III,
IV, V and Special Projects

Enclosures:

1. Amendment No.99 to
License No. DPR-19
2. Amendment No.95 to
License No. DPR-25
3. Safeguards Evaluation Report

cc: w/enclosures
See next page

Mr. Henry E. Bliss
Commonwealth Edison Company

Dresden Nuclear Power Station
Units 2 and 3

cc:

Michael I. Miller, Esq.
Sidley and Austin
One First National Plaza
Chicago, Illinois 60603

Mr. J. Eenigenburg
Plant Superintendent
Dresden Nuclear Power Station
Rural Route #1
Morris, Illinois 60450

U. S. Nuclear Regulatory Commission
Resident Inspectors Office
Dresden Station
Rural Route #1
Morris, Illinois 60450

Chairman
Board of Supervisors of
Grundy County
Grundy County Courthouse
Morris, Illinois 60450

Regional Administrator
Nuclear Regulatory Commission, Region III
799 Roosevelt Road, Bldg. #4
Glen Ellyn, Illinois 60137

Mr. Michael E. Parker, Chief
Division of Engineering
Illinois Department of Nuclear Safety
1035 Outer Park Drive, 5th Floor
Springfield, Illinois 62704



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

COMMONWEALTH EDISON COMPANY

DOCKET NO. 50-237

DRESDEN NUCLEAR POWER STATION, UNIT 2

AMENDMENT TO PROVISIONAL OPERATING LICENSE

Amendment No. 99
License No. DPR-19

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The submittals by Commonwealth Edison Company (the licensee) dated November 26, 1986 and January 14, 1988 comply with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act) and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, paragraph 3.I of Provisional Operating License No. DPR-19 is hereby amended to read as follows:

BB08050271 BB0722
PDR ADDCK 05000237
P PNU

- I. The licensee shall fully implement and maintain in effect all provisions of the Commission approved physical security, guard training and qualification, and safeguards contingency plans including amendments made pursuant to provisions of the Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and to the authority of 10 CFR 50.90 and 10 CFR 50.54(p). The plans, which contain Safeguards Information protected under 10 CFR 73.21, are entitled: "Dresden Nuclear Power Station Security Plan," with revisions submitted through January 14, 1988; "Dresden Nuclear Power Station Security Personnel Training and Qualification Plan," with revisions submitted through August 28, 1986; and "Dresden Nuclear Power Station Safeguards Contingency Plan," with revisions submitted through February 16, 1984. Changes made in accordance with 10 CFR 73.55 shall be implemented in accordance with the schedule set forth therein.
3. This license amendment is effective as of the date of its issuance.

FOR THE NUCLEAR REGULATORY COMMISSION



Daniel R. Muller, Director
Project Directorate III-2
Division of Reactor Projects - III,
IV, V and Special Projects

Date of Issuance: July 22, 1988



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

COMMONWEALTH EDISON COMPANY

DOCKET NO. 50-249

DRESDEN NUCLEAR POWER STATION, UNIT 3

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 95
License No. DPR-25

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The submittals by Commonwealth Edison Company (the licensee) dated November 26, 1986 and January 14, 1988 comply with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act) and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the application, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, paragraph 3.H of Facility Operating License No. DPR-25 is hereby amended to read as follows:

- H. The licensee shall fully implement and maintain in effect all provisions of the Commission approved physical security, guard training and qualification, and safeguards contingency plans including amendments made pursuant to provisions of the Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and to the authority of 10 CFR 50.90 and 10 CFR 50.54(p). The plans, which contain Safeguards Information protected under 10 CFR 73.21, are entitled: "Dresden Nuclear Power Station Security Plan," with revisions submitted through January 14, 1988; "Dresden Nuclear Power Station Security Personnel Training and Qualification Plan," with revisions submitted through August 28, 1986; and "Dresden Nuclear Power Station Safeguards Contingency Plan," with revisions submitted through February 16, 1984. Changes made in accordance with 10 CFR 73.55 shall be implemented in accordance with the schedule set forth therein.

3. This license amendment is effective as of the date of its issuance.

FOR THE NUCLEAR REGULATORY COMMISSION



Daniel R. Muller, Director
Project Directorate III-2
Division of Reactor Projects - III,
IV, V and Special Projects

Date of Issuance: July 22, 1988



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

SAFEGUARDS EVALUATION REPORT

MISCELLANEOUS AMENDMENTS AND SEARCH REQUIREMENTS

COMMONWEALTH EDISON COMPANY

DRESDEN NUCLEAR POWER STATION, UNITS 2 AND 3

1.0 INTRODUCTION

The Commonwealth Edison Company (CECo, the licensee) has filed with the Nuclear Regulatory Commission revisions to their Physical Security Plan for the Dresden Nuclear Power Station, Units 2 and 3.

This Safeguards Evaluation Report (SGER) summarizes how the licensee proposes to meet the Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55.

Based on a review of the Physical Security Plan, the staff has concluded that the proposed changes satisfy Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and accompanying 10 CFR 73.70 record reporting requirements. Accordingly, the protection provided will ensure that the public health and safety will not be endangered.

2.0 PERSONNEL SEARCH

The licensee has provided commitments in the Physical Security Plan to provide a search of all individuals entering the protected area except bona fide Federal, State and local law enforcement personnel on official duty, through the use of equipment designed for the detection of firearms, explosives, and incendiary devices. In addition, the licensee has provided commitments to conduct a physical pat-down search of an individual whenever the licensee has cause to suspect that the individual is attempting to introduce firearms, explosives, or incendiary devices into the protected areas; or whenever firearms or explosives detection equipment is out of service or not operating satisfactorily.

3.0 VITAL AREA ACCESS

CECo has modified their Dresden Nuclear Power Station, Units 2 and 3 Physical Security Plan to limit unescorted access to vital areas during non-emergency conditions to individuals who require access in order to perform their duties. They have established current authorization access lists for each vital area which are updated and approved by the cognizant manager or supervisor at least once every 31 days. CECo has assured that only individuals whose specific duties require access to vital areas during non-emergency conditions are included on their site access list. CECo has

8808050275 880722
PDR ADCK 05000237
P PNU

provided further assurance by revoking access and retrieving badges and other entry devices prior, to or simultaneously with notification of termination of an individual's unescorted facility access.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that CECO meets the vital area access requirements of 10 CFR 73.55(d)(7)(i)(A)(B), and (C).

4.0 LOCKS AND KEYS

The licensee has committed to providing methods to reduce the probability of compromise of keys, locks, combinations, and related access control devices used to control access to their protected areas and vital areas. These methods include the rotation of keys, locks, combinations, and related access control devices every 12 months or the changing of these devices whenever there is evidence or suspicion that any key, lock, combination or related access control device may have been compromised or when an individual who has had access to any of these devices has inadequate work performance. Only persons granted unescorted facility access are issued such entry devices.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that CECO meets the requirements of 10 CFR 73.55(d)(9) to reduce the probability of compromise of keys, locks, combinations, and related access control devices.

5.0 EMERGENCY ACCESS

The licensee has provided commitments to provide for the rapid ingress and egress of individuals during emergency conditions or situations that could lead to emergency conditions by assuring prompt access to vital equipment. An annual review of their physical security plans and contingency plans and procedures will be conducted to evaluate their potential impact on plant and personnel safety. Emergency access is granted by a licensed senior operator.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that CECO meets the requirements of 10 CFR 73.55(d)(7)(ii) to assure access to vital equipment during emergencies or to situations that may lead to an emergency.

6.0 PROTECTION OF SECONDARY POWER SUPPLIES

The licensee has provided commitments to protect the on-site secondary power supply system for alarm annunciator equipment and non-portable communications equipment by including such equipment within a vital area boundary.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that CECO meets the requirements of 10 CFR 73.55(e) in protecting the secondary power supplies of alarm annunciator equipment and non-portable communications equipment.

7.0 VITAL AREA ENTRY/EXIT LOGGING

The licensee has committed to maintaining a log indicating name, badge number, time of entry, and time of exit of all individuals granted access to vital area except those individuals entering or exiting the reactor control room.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that CECO meets the requirements of 10 CFR 73.70(d) by maintaining entry/exit log of individuals accessing vital areas (except the reactor control room).

8.0 CONCLUSION

Based upon the above evaluation, we find that the licensee has met the requirements of the Miscellaneous Amendments and Search Requirements revisions to 10 CFR Part 73.55 and the record reporting requirements of 10 CFR Part 73.70.

Principal Contributor: Robert F. Skelton

Dated: July 22, 1988

Mr. Henry E. Bliss

2

this action and that this action will be conducted in compliance with the Commission's regulations, and the issuance of these amendments will not be inimical to the common defense and security or to the health and safety of the public.

Your Physical Security Plan consists of Safeguards Information required to be protected from unauthorized disclosure in accordance with the provisions of 10 CFR 73.21.

A Notice of Issuance will be included in the Commission's biweekly Federal Register Notice.

Sincerely,

Byron Siegel, Senior Project Manager
Project Directorate III-2
Division of Reactor Projects - III,
IV, V and Special Projects

Enclosures:

1. Amendment No.99 to
License No. NPF-37
2. Amendment No.95 to
License No. NPF-66
3. Safeguards Evaluation Report

cc: w/enclosures
See next page

PDIII-2:PB
BSiegel
7/15/88

PDIII-2:LA
LLuther
7/14/88

OGC Rockville
7/16/88

PDIII:PD
DMiller
7/24/88