

Docket

Docket Nos. 50-277 and 50-278 - See 277 for Encl. FEB 23 1979

Mr. Edward G. Bauer, Jr., Esquire
Vice President and General Counsel
Philadelphia Electric Company
2301 Market Street
Philadelphia, Pennsylvania 19101

Dear Mr. Bauer:

The Commission has issued the enclosed amendment Nos. 51 and 52 (to Facility Operating Licenses Nos. DPR-44 and DPR-56 for the Peach Bottom Atomic Power Station Units Nos. 2 and 3 in response to your submittal of May 25, 1977, as revised November 21, 1977, March 22, 1978, May 24, 1978, and January 31, 1979.

The amendments incorporate the Peach Bottom Atomic Power Station Units Nos. 2 and 3 Physical Security Plan into Licenses Nos. DPR-44 and DPR-56 effective February 23, 1979.

We have completed our review and evaluation of your physical security plan and have concluded that the physical security plan for your facility, when fully implemented, will provide the protection needed to meet the general performance requirements of 10 CFR 73.55(a) and the objectives of the specific requirements of 10 CFR 73.55, paragraphs (b) through (h), without impairing your ability to safely operate your facility. We therefore further conclude that the plan is acceptable.

The enclosed Security Plan Evaluation Report (SPER) represents our evaluation and acceptance of your physical security plan. The SPER is being withheld from public disclosure pursuant to 10 CFR 2.790(d).

When all aspects of your approved plan have been implemented, on or before February 23, 1979, we request that you notify both the Office of Inspection and Enforcement and the Office of Nuclear Reactor Regulation, at which time a compliance inspection will be scheduled by the Office of Inspection and Enforcement. CCP

Changes which would not decrease the effectiveness of your approved security plan may be made without approval by the Commission pursuant to the authority of 10 CFR 50.54(p). A report containing a description of each change shall be furnished to the Director, Office of Nuclear Reactor Regulation, U. S. Nuclear Regulatory Commission, Washington, D. C. 20555, with a copy to the appropriate NRC Regional Office within two months after the change is made.

OFFICE >	Records of changes made without Commission approval shall be maintained for a period of two years from the date of the change.				
SURNAME >					
DATE >					7903220409

These amendments apply to the physical security plan and therefore do not authorize a change in effluent types or total amounts nor an increase in power level, and will not result in any significant environmental impact. Having made this determination, we have further concluded that these amendments involve an action which is insignificant from the standpoint of environmental impact and pursuant to 10 CFR §51.5(d)(4) that an environmental impact statement, or negative declaration and environmental impact appraisal need not be prepared in connection with the issuance of these amendments.

Since these amendments apply to the physical security plan, they do not involve significant new safety information of a type not considered by a previous Commission safety review of the facility. They do not involve a significant increase in the probability or consequences of an accident, do not involve a significant decrease in a safety margin, and therefore do not involve a significant hazards consideration. We have also concluded that there is reasonable assurance that the health and safety of the public will not be endangered by this action and that the issuance of these amendments will not be inimical to the common defense and security or to the health and safety of the public.

A copy of the Notice of Issuance is also enclosed.

Sincerely,

Original signed by

Thomas A. Ippolito, Chief
Operating Reactors Branch #3
Division of Operating Reactors

Enclosures:

- 1. Amendment Nos. 51 and 51 to DPR-44 and DPR-56
- 3. Security Plan Evaluation Report (PROP.)
- 4. Notice

cc w/enclosures 1 and 3 only:
See next page

DISTRIBUTION:

- Docket BJones (8)
- NRC PDR BScharf (15)
- Local PDR STSG
- ORB#3 Rdg ACRS (16)
- NRR Rdg CMiles
- HDenton DRoss
- VStello RDiggs
- DEisenhut TERA
- BGrimes JRBuchanan
- RVollmer File
- SSheppard Xtra Copies
- PKruetzer
- DVerrelli
- OELD
- OI&E (3)

OFFICE >	ORB#3	ORB#3	ORB#3			
SURNAME >	PKreutzer	DVerrelli:acr	TIppolito			
DATE >	2/ /79	2/ /79	2/ /79			

Mr. Edward G. Bauer, Jr.

- 3 -

cc:

Eugene J. Bradley
Philadelphia Electric Company
Assistant General Counsel
2301 Market Street
Philadelphia, Pennsylvania 19101

Director, Technical Assessment
Division
Office of Radiation Programs
(AW-459)
US EPA
Crystal Mall #2
Arlington, Virginia 20460

Troy B. Conner, Jr.
1747 Pennsylvania Avenue, N. W.
Washington, D. C. 20006

Region III Office
ATTN: EIS COORDINATOR
Curtis Building (Sixth Floor)
6th and Walnut Streets
Philadelphia, Pennsylvania 19106

Raymond L. Hovis, Esquire
35 South Duke Street
York, Pennsylvania 17401

M. J. Cooney, Superintendent
Generation Division - Nuclear
Philadelphia Electric Company
2301 Market Street
Philadelphia, Pennsylvania 19101

Warren K. Rich, Esquire
Assistant Attorney General
Department of Natural Resources
Annapolis, Maryland 21401

Philadelphia Electric Company
ATTN: Mr. W. T. Ullrich
Peach Bottom Atomic
Power Station
Delta, Pennsylvania 17314

Government Publications Section
State Library of Pennsylvania
Education Building
Commonwealth and Walnut Streets
Harrisburg, Pennsylvania 17126

Mr. R. A. Heiss, Coordinator
Pennsylvania State Clearinghouse
Governor's Office of State Planning
and Development
P. O. Box 1323
Harrisburg, Pennsylvania 17120

Albert R. Steel, Chairman
Board of Supervisors
Peach Bottom Township
R. D. #1
Delta, Pennsylvania 17314

Edward G. Greenman
Nuclear Regulatory Commission
Office of Inspection and Enforcement
631 Park Avenue
King of Prussia, Pennsylvania 19406



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

PHILADELPHIA ELECTRIC COMPANY
PUBLIC SERVICE ELECTRIC AND GAS COMPANY
DELMARVA POWER AND LIGHT COMPANY
ATLANTIC CITY ELECTRIC COMPANY

DOCKET NO. 50-277

PEACH BOTTOM ATOMIC POWER STATION UNIT NO. 2

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 51
License No. DPR-44

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The filing by Philadelphia Electric Company, et al. (the licensee) dated May 25, 1977, as revised November 21, 1977, March 22, 1978, May 24, 1978, and January 31, 1979, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the licensee's filing, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, Facility Operating License No. DPR-44 is hereby amended by adding Section 2.C.(4) to read as follows:
 - 2.C.(4) The licensee shall maintain in effect and fully implement all provisions of the Commission-approved physical security plan, including amendments and changes made pursuant to

7903220413

the authority of 10 CFR 50.54(p). The approved security plan consists of documents withheld from public disclosure pursuant to 10 CFR 2.790(d), referred to as Peach Bottom Atomic Power Station Units Nos. 2 and 3 Physical Security Plan dated May 25, 1977, as revised November 21, 1977, March 22, 1978, May 24, 1978 and January 31, 1979.

3. This license amendment becomes effective on February 23, 1979.

FOR THE NUCLEAR REGULATORY COMMISSION


Thomas A. Ippolito, Chief
Operating Reactors Branch #3
Division of Operating Reactors

Date of Issuance: February 23, 1979



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

PHILADELPHIA ELECTRIC COMPANY
PUBLIC SERVICE ELECTRIC AND GAS COMPANY
DELMARVA POWER AND LIGHT COMPANY
ATLANTIC CITY ELECTRIC COMPANY

DOCKET NO. 50-278

PEACH BOTTOM ATOMIC POWER STATION UNIT NO. 3

AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 51
License No. DPR-56

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The filing by Philadelphia Electric Company, et al. (the licensee) dated May 25, 1977, as revised November 21, 1977, March 22, 1978, May 24, 1978, and January 31, 1979, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the licensee's filing, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.
2. Accordingly, Facility Operating License No. DPR-56 is hereby amended by adding Section 2.C.(3) to read as follows:
 - 2.C.(3) The licensee shall maintain in effect and fully implement all provisions of the Commission-approved physical security plan, including amendments and changes made pursuant to

the authority of 10 CFR 50.54(p). The approved security plan consists of documents withheld from public disclosure pursuant to 10 CFR 2.790(d), referred to as Peach Bottom Atomic Power Station Units Nos. 2 and 3 Physical Security Plan dated May 25, 1977, as revised November 21, 1977, March 22, 1978, May 24, 1978 and January 31, 1979.

3. This license amendment becomes effective on February 23, 1979.

FOR THE NUCLEAR REGULATORY COMMISSION


Thomas A. Ippolito, Chief
Operating Reactors Branch #3
Division of Operating Reactors

Date of Issuance: February 23, 1979

UNITED STATES NUCLEAR REGULATORY COMMISSIONDOCKETS NOS. 50-277 AND 50-278PHILADELPHIA ELECTRIC COMPANY, ET AL.NOTICE OF ISSUANCE OF AMENDMENTS TO FACILITY
OPERATING LICENSES

The U. S. Nuclear Regulatory Commission (the Commission) has issued Amendment Nos. 51 and 51 to Facility Operating License Nos. DPR-44 and DPR-56, issued to Philadelphia Electric Company, Public Service Electric and Gas Company, Delmarva Power and Light Company, and Atlantic City Electric Company (the licensees), which revised the licenses for operation of the Peach Bottom Atomic Power Station, Units Nos. 2 and 3 (the facility), located in York County, Pennsylvania. The amendments became effective on February 23, 1979.

The amendments add license conditions to include the Commission-approved physical security plan as part of the licenses.

The licensee's filings comply with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations. The Commission has made appropriate findings as required by the Act and the Commission's rules and regulations in 10 CFR Chapter I, which are set forth in the license amendments. Prior public notice of these amendments was not required since the amendments do not involve a significant hazards consideration.

The Commission has determined that the issuance of these amendments will not result in any significant environmental impact and that pursuant to 10 CFR Section 51.5(d)(4) an environmental impact statement or negative

7903220419

- 2 -


declaration and environmental impact appraisal need not be prepared in connection with issuance of these amendments.

The licensee's filing dated May 25, 1977 as revised November 21, 1977, March 22, 1978, May 24, 1978, and January 31, 1979 and the Commission's Security Plan Evaluation Report are being withheld from public disclosure pursuant to 10 CFR 2.790(d). The withheld information is subject to disclosure in accordance with the provisions of 10 CFR Section 9.12.

For further details with respect to this action, see (1) Amendment Nos. 51 and 51 to License Nos. DPR-44 and DPR-56, and (2) the Commission's related letter to the licensee dated February 23, 1979. These items are available for public inspection at the Commission's Public Document Room, 1717 H Street, N. W., Washington, D. C. and at the Government Publications Section, State Library of Pennsylvania, Education Building, Commonwealth and Walnut Streets, Harrisburg, Pennsylvania. A copy of items (1) and (2) may be obtained upon request addressed to the U. S. Nuclear Regulatory Commission, Washington, D. C. 20555, Attention: Director, Division of Operating Reactors.

Dated at Bethesda, Maryland, this 23rd day of February 1979.

FOR THE NUCLEAR REGULATORY COMMISSION


Thomas A. Ippolito, Chief
Operating Reactors Branch #3
Division of Operating Reactors