

APPROVED BY OMB: NO. 3150-0013 EXPIRES: 07/31/2002
 Estimated burden per response to comply with this mandatory collection request: 15 minutes. This notification is required so that NRC may schedule inspection of the activities to ensure that they are conducted in accordance with requirements for protection of the public health and safety. Send comments regarding burden estimate to the Records Management Branch (T-6 E6), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by internet e-mail to bjs1@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOB-10202, (3150-0013), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

REPORT OF PROPOSED ACTIVITIES IN NON-AGREEMENT STATES, AREAS OF EXCLUSIVE FEDERAL JURISDICTION, OR OFFSHORE WATERS

(Please read the instructions before completing this form)

1. NAME OF LICENSEE (Person or firm proposing to conduct the activities described below)
TECHNOS, INC.

3. ADDRESS OF LICENSEE (Mailing address or other location where licensee may be located)
**3333 NW 21 STREET
 MIAMI FL 33142**

2. TYPE OF REPORT
 INITIAL REVISION CLARIFICATION

4. LICENSEE CONTACT AND TITLE
LYNN YUHR, VICE PRESIDENT

5. TELEPHONE NUMBER (Include Area Code) 6. FACSIMILE NUMBER (Include Area Code)
305-634-4507 305-635-4109

7. ACTIVITIES TO BE CONDUCTED UNDER THE GENERAL LICENSE GIVEN IN 10 CFR 150.20

- WELL LOGGING LEAK TESTING AND/OR CALIBRATIONS THERAPY/IRRADIATOR SERVICE
 PORTABLE GAUGES OTHER (Specify) ⇒ _____
 RADIOGRAPHY ⇒ REGISTERED AS USER OF PACKAGING (CERTIFICATES OF COMPLIANCE NUMBERS)

8. CLIENT NAME, ADDRESS, CITY/COUNTY, STATE, ZIP CODE
**Pharmacia & Upjohn Company
 7000 Portage Road
 Kalamazoo MI 49001**

9. ACTUAL PHYSICAL ADDRESS OF WORK LOCATION (Street and Number or other location. Give as complete an address or directions as possible.)
**Upjohn/Pharmacia
 North Haven, Connecticut Facility
 41 Stiles Lane
 North Haven, CT 06473**

10. CLIENT TELEPHONE NUMBER (Include Area Code) 11. WORK LOCATION TELEPHONE NUMBER (Include Area Code)
616 833-9178 (305) 804-4510 CELL

12. DATES SCHEDULED		13. NUMBER OF WORK DAYS	14. ADD	15. DELETE	16. LOCATION REFERENCE NUMBER
FROM	TO				NUMBER TO BE ASSIGNED BY NRC
June 12, 2002	June 16, 2002	5			

LIST ADDITIONAL WORK SITES ON SEPARATE SHEET(S) TO INCLUDE ALL INFORMATION CONTAINED IN ITEMS 9-16 ABOVE.

17. LIST RADIOACTIVE MATERIAL, WHICH WILL BE POSSESSED, USED, INSTALLED, SERVICED, OR TESTED (Include description of type and quantity of radioactive material, sealed sources, or devices to be used.)
Well logging using Mount Sopris MGX with GG375 gamma-gamma probe (5 mCi Cesium 137)

18. AGREEMENT STATE SPECIFIC LICENSE WHICH AUTHORIZES THE UNDERSIGNED TO CONDUCT ACTIVITIES WHICH ARE THE SAME, EXCEPT FOR LOCATION OF USE, AS SPECIFIED IN ITEM 9 ABOVE. (Four copies of the specific license must accompany the initial NRC Form 241.)
 LICENSE NUMBER: **1699-1** STATE: **FL** EXPIRATION DATE: **4-30-2005**

19. CERTIFICATION (MUST BE COMPLETED BY APPLICANT)

- I, THE UNDERSIGNED, HEREBY CERTIFY THAT:
- a. All information in this report is true and complete.
 - b. I have read and understand the provision of the general license 10 CFR 150.20 reprinted on the instructions of this form; and I understand that I am required to comply with these provisions as to all byproduct, source, or special nuclear material which I possess and use in non-Agreement States or offshore waters under the general license for which this report is filed with the U.S. Nuclear Regulatory Commission.
 - c. I understand that activities, including storage, conducted in non-Agreement States under general license 10 CFR 150.20 are limited to a total of 180 days in calendar year. With the exception of work conducted in off-shore waters, which is authorized for an unlimited period of time in the calendar year.
 - d. I understand that I may be inspected by NRC at the above listed work site locations and at the Licensee home office address for activities performed in non-Agreement States or offshore waters.
 - e. I understand that conduct of any activities not described above, including conduct of activities on dates or locations different from those described above or without NRC authorization, may subject me to enforcement action, including civil or criminal penalties.

CERTIFYING OFFICER - RSO or Management Representative (Name and Title) SIGNATURE DATE
Lynn Yuhr, Vice President *Lynn Yuhr* **6-6-02**

WARNING: False statements in this certificate may be subject to civil and/or criminal penalties. NRC regulations require that submissions to the NRC be complete and accurate in all material respects. 18 U.S.C. Section 1001 makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.

FOR NRC USE ONLY	REVIEWING OFFICIAL (Typed/Printed Name and Title)	SIGNATURE	DATE	TOTAL USAGE -- DAYS TO DATE

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL**

RADIOACTIVE MATERIALS LICENSE

Pursuant to Chapter 404, Florida Statutes, and Chapter 64E-5, Florida Administrative Code (F.A.C.), and in reliance on statements and representations heretofore made by the licensee designated below, a license is hereby issued authorizing such licensee to receive, acquire, possess and transfer the radioactive material(s) designated below and to use such radioactive material(s) for the purpose(s) and at the place(s) designated below. This license is subject to all applicable rules, regulations and orders of the state of Florida, Department of Health now or hereafter in effect and to any conditions specified below.

<p style="text-align: center;">Licensee</p> <p>1. Name: TECHNOS, INC.</p>	<p>3. License Number: 1699-1</p> <p>is hereby renewed in its entirety, with reference to application dated March 15, 2000.</p>
<p>2. Address: 3333 NW 21st Street Miami, FL 33142</p>	<p>4. Expiration Date: 4/30/2005</p> <p>5. Category: 3I(I)</p>

6. Radioactive Material (element and mass number)	7. Chemical And/Or Physical Form	8. Maximum Quantity Licensee May Possess At Any One Time
A. Cesium 137	A. Sealed source (New England Nuclear Model NER-572)	A. One source not to exceed 5 millicuries
B. Americium 241: Beryllium	B. Sealed source (Gamma Industries Model NB-HP or Gulf Nuclear 71-1)	B. One source not to exceed 1 curie

<p>9. Authorized Use</p> <p>A. To be used in an EG&G Geometric Mount Sopris Instrument Model GG375 density tool for well logging.</p> <p>B. To be used in an EG&G Geometric Mount Sopris Instrument Model LLP 2676 neutron tool for well logging.</p>

License Number: 1699-1	LICENSEE COPY	Category: [3I(I)]
Amendment No.: 8	Page 1 of 4 Page(s)	Expiration Date: 4/30/2005
Control Number: 000320-0362		

STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL

CONDITIONS

10. A. The authorized place of use shall be temporary job sites of the licensee throughout the state of Florida. This condition does not prohibit use in other agreement states and states under the jurisdiction of the U.S. Nuclear Regulatory Commission (NRC) under reciprocity which has been approved by the NRC or an agreement state.
B. The authorized place of storage is the licensee's facility located at the address in Item 2, and at temporary job sites.
11. Failure to comply with the provisions of this license is a felony of the third degree pursuant to section 404.161, Florida Statutes. Also, violations may warrant an administrative fine of up to \$1,000.00 per violation per day, pursuant to section 404.162, Florida Statutes.
12. A. Licensed materials shall be used by, or under the supervision and in the physical presence of Richard C. Benson.
B. The radiation safety officer is Richard C. Benson.
13. The licensee shall comply with the provisions of Chapter 64E-5, F.A.C., Part IX, "Notices, Instructions and Reports to Workers; Inspections" and Part IV, "Standards for Protection Against Radiation."
14. The licensee shall not transfer possession or control of radioactive material, or products containing radioactive material as a contaminant except:
A. By transfer to a specifically licensed recipient; or
B. As provided otherwise by specific provision of this license pursuant to the requirements of Chapter 64E-5, F.A.C.
15. Sealed sources containing licensed material shall not be opened nor removed from their respective source holders by the licensee.
16. Radioactive material transported on public thoroughfares shall be packaged, prepared for shipment and transported in accordance with Title 49, Code of Federal Regulations and Chapter 64E-5, F.A.C.

License Number: 1699-1
Amendment No.: 8
Control Number: 000320-0362

LICENSEE COPY
Page 2 of 4 Page(s)

Category: [31(I)]
Expiration Date: 4/30/2005

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL**

17. The licensee shall assure that each sealed source is tested for leakage or contamination and follow the appropriate actions as required by section 64E-5.1104, F.A.C. Licensed material shall be tested at least semiannually. The test sample (smear) shall be taken by the licensee using an approved leak test kit. Analysis of the test sample shall be performed by individuals who are licensed by the department, NRC, agreement state, or licensing state to provide these services. The licensee is required to retain leak test records containing the manufacturer's name, model and serial number of each sealed source tested, identity of each sealed source radionuclide and its estimated activity, the measured activity of each test sample expressed in microcuries, the date of the test and signature of the radiation safety officer or designee. The records shall be maintained for 3 years for inspection by the department.
18. The licensee shall conduct a physical inventory and inspection at least quarterly to account for all sealed sources received and possessed under this license as required by 64E-5.1105, F.A.C. Inventory records shall be maintained for 2 years from the date of the inventory for inspection by the department, and shall include the manufacturer's name, model and serial numbers of each sealed source, the identity of each sealed source radionuclide and its estimated activity, the location of each sealed source, the date of the inventory and the signature of the radiation safety officer or designee.
19. Each source holder or logging tool containing radioactive material shall bear a durable, legible and clearly visible marking or label bearing the the conventional radiation symbol and the following warning: DANGER (or CAUTION) - RADIOACTIVE.
20. The licensee shall notify the department immediately by telephone at (407) 297-2095 of abandonment down-hole of any sealed source containing licensed material and promptly confirm by letter to the Department of Health, Bureau of Radiation Control, Radioactive Materials Section, Room #230.09, 4042 Bald Cypress Way, Tallahassee, FL 32399. A written report must be filed within 30 days and shall include the information required by 64E-5.1119(3)(c), F.A.C.
21. A. Except as specifically provided otherwise by this license, the licensee shall possess and use licensed material described in Items 6, 7, 8, and 9 of this license in accordance with statements, representations and procedures contained in the licensee's application dated March 15, 2000, signed by Lynn Yuhr, General Manager, Vice President and correspondence dated:

May 3, 2000, also signed by Lynn Yuhr, General Manager, Vice President.

License Number: 1699-1
Amendment No.: 8
Control Number: 000320-0362

LICENSEE COPY

Page 3 of 4 Page(s)

Category: [31(l)]


Expiration Date: 4/30/2005

STATE OF FLORIDA
DEPARTMENT OF HEALTH
BUREAU OF RADIATION CONTROL

21. B. The licensee shall comply with all applicable requirements of Chapter 64E-5, Florida Administrative Code, and these regulations shall supersede the licensee's statements in applications or correspondence, unless the statements are more restrictive than the regulations.

Issuance Date: MAY 11 2000

For the Bureau of Radiation Control:



Larry M. Shingler
Environmental Specialist
Bin #C21
4052 Bald Cypress Way
Tallahassee, FL 32399-1741
(850) 245-4545

License Number: 1699-1
Amendment No.: 8
Control Number: 000320-0362

LICENSEE COPY

Page 4 of 4 Page(s)

Category: [31(I)]

Expiration Date: 4/30/2005