

Mr. John R. McGaha,
Vice President - Operations
Entergy Operations, Inc.
River Bend Station
P. O. Box 220
St. Francisville, LA 70775

July 7, 1995

SUBJECT: EXEMPTION FROM CERTAIN REQUIREMENTS OF 10 CFR 73.55, REQUIREMENTS FOR PHYSICAL PROTECTION OF LICENSED ACTIVITIES IN NUCLEAR POWER REACTORS AGAINST RADIOLOGICAL SABOTAGE - RIVER BEND STATION, UNIT 1 (TAC NO. M90821)

Dear Mr. McGaha:

The Commission has issued the enclosed exemption from certain requirements of 10 CFR 73.55 relating to issuance, storage and retrieval of badges for contractors who have been granted unescorted access to the protected areas of the site. This exemption is related to your application dated October 24, 1994, to implement a hand geometry biometric system for access control at the River Bend site such that identification/access control cards can be taken offsite.

A copy of the Exemption is being forwarded to the Office of the Federal Register for publication.

Prior to the use of the hand geometry access control system, in accordance with 10 CFR 50.54(p), please submit your revised Physical Security Plan for River Bend Station. This requirement affects nine or fewer respondents and, therefore, is not subject to the Office of Management and Budget review under P.L. 96-51. If you have any questions, please call me at (301) 415-1301.

Sincerely,

Original Signed By:
David L. Wigginton, Senior Project Manager
Project Directorate IV-1
Division of Reactor Projects - III/IV
Office of Nuclear Reactor Regulation

Docket No. 50-458

Enclosure: Exemption

cc w/encl: See next page

DISTRIBUTION:

Docket File	RZimmerman	DWigginton	RManili	JRoe
PUBLIC	RSpessard	PNoonan	Ghill (2)	OGC
PDIV-1 r/f	JLieberman	WBeckner	ACRS (4)	
WRussell/FMiraglia	EJordan	ABBeach, RIV	JMitchell	

Document Name: RB90821.EXE *See previous concurrence

OFC	LA/PD4-1	PM/PD4-1	TSGB*	OGC*
NAME	PNoonan	DWigginton/vw	RManili	CPW
DATE	7/5/95	7/5/95	6/22/95	6/23/95
COPY	(YES/NO)	(YES/NO)	YES/NO	YES/NO

OFFICIAL RECORD COPY

9507200280 950707
PDR ADOCK 05000458
F PDR

NRC FILE CENTER COPY

cl-3



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

July 7, 1995

Mr. John R. McGaha, Jr.
Vice President - Operations
Entergy Operations, Inc.
River Bend Station
P. O. Box 220
St. Francisville, LA 70775

SUBJECT: EXEMPTION FROM CERTAIN REQUIREMENTS OF 10 CFR 73.55, REQUIREMENTS FOR PHYSICAL PROTECTION OF LICENSED ACTIVITIES IN NUCLEAR POWER REACTORS AGAINST RADIOLOGICAL SABOTAGE - RIVER BEND STATION, UNIT 1 (TAC NO. M90821)

Dear Mr. McGaha:

The Commission has issued the enclosed exemption from certain requirements of 10 CFR 73.55 relating to issuance, storage and retrieval of badges for contractors who have been granted unescorted access to the protected areas of the site. This exemption is related to your application dated October 24, 1994, to implement a hand geometry biometric system for access control at the River Bend site such that identification/access control cards can be taken offsite.

A copy of the Exemption is being forwarded to the Office of the Federal Register for publication.

Prior to the use of the hand geometry access control system, in accordance with 10 CFR 50.54(p), please submit your revised Physical Security Plan for River Bend Station. This requirement affects nine or fewer respondents and, therefore, is not subject to the Office of Management and Budget review under P.L. 96-51. If you have any questions, please call me at (301) 415-1301.

Sincerely,

A handwritten signature in cursive script, appearing to read "D. Wigginton".

David L. Wigginton, Senior Project Manager
Project Directorate IV-1
Division of Reactor Projects - III/IV
Office of Nuclear Reactor Regulation

Docket No. 50-458

Enclosure: Exemption

cc w/encl: See next page

Mr. John R. McGaha
Entergy Operations, Inc.

River Bend Station

cc:

Winston & Strawn
ATTN: Mark J. Wetterhahn, Esq.
1400 L Street, N.W.
Washington, DC 20005-3502

Mr. Harold W. Keiser
Executive Vice President and
Chief Operating Officer
Entergy Operations, Inc.
P. O. Box 31995
Jackson, MS 39286

Mr. Otto P. Bulich
Manager - Nuclear Licensing
Entergy Operations, Inc.
River Bend Station
St. Francisville, LA 70775

Mr. Michael B. Sellman
General Manager - Plant Operations
Entergy Operations, Inc.
River Bend Station
Post Office Box 220
St. Francisville, LA 70775

Mr. Layne McKinney, Director
Joint Operations Cajun
10719 Airline Highway
P. O. Box 15540
Baton Rouge, LA 70895

Mr. James J. Fisicaro
Director - Nuclear Safety
Entergy Operations, Inc.
River Bend Station
Post Office Box 220
St. Francisville, LA 70775

Senior Resident Inspector
P. O. Box 1051
St. Francisville, LA 70775

President of West Feliciana
Police Jury
P. O. Box 1921
St. Francisville, LA 70775

Mr. Jerrold G. Dewease
Vice President - Operations Support
Entergy Operations, Inc.
P. O. Box 31995
Jackson, MS 39286-1995

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 1000
Arlington, TX 76011

The Honorable Richard P. Ieyoub
Attorney General
State of Louisiana
P. O. Box 94095
Baton Rouge, LA 70804-9095

Ms. H. Anne Plettinger
3456 Villa Rose Drive
Baton Rouge, LA 70806

Wise, Carter, Child & Caraway
Attn: Robert B. McGehee, Esq.
P. O. Box 651
Jackson, MS 39205

Administrator
Louisiana Radiation Protection Division
P. O. Box 82135
Baton Rouge, LA 770884-2135

UNITED STATES OF AMERICA
NUCLEAR REGULATORY COMMISSION

In the Matter of)	
)	
ENERGY OPERATIONS, INC.)	Docket No. 50-458
)	
(River Bend Station, Unit 1))	

EXEMPTION

I.

Entergy Operations, Inc., (the licensee) is the holder of Facility Operating License No. NPF-47, which authorizes operation of the River Bend Station, Unit 1. The operating license provides, among other things, that the licensee is subject to all rules, regulations, and orders of the Commission now and hereafter in effect.

The facility consists of a boiling water reactor at the licensee's site in West Feliciana Parish, Louisiana.

II.

Title 10 CFR 73.55, "Requirements for physical protection of licensed activities in nuclear power reactors against radiological sabotage," paragraph (a), in part, states that "The licensee shall establish and maintain an onsite physical protection system and security organization which will have as its objective to provide high assurance that activities involving special nuclear material are not inimical to the common defense and security and do not constitute an unreasonable risk to the public health and safety."

10 CFR 73.55(d), "Access Requirements," paragraph (1), specifies that "The licensee shall control all points of personnel and vehicle access into a protected area." 10 CFR 73.55(d)(5) requires that "A numbered picture badge identification system shall be used for all individuals who are authorized access to protected areas without escort." 10 CFR 73.55(d)(5) also states that an individual not employed by the licensee (i.e., contractors) may be authorized access to protected areas without escort provided the individual "receives a picture badge upon entrance into the protected area which must be returned upon exit from the protected area..."

The licensee proposed to implement an alternative unescorted access control system which would eliminate the need to issue and retrieve badges at each entrance/exit location and would allow all individuals with unescorted access to keep their badge with them when departing the site.

An exemption from 10 CFR 73.55(d)(5) is required to allow contractors who have unescorted access to take their badges offsite instead of returning them when exiting the site. By letter dated October 24, 1994, the licensee requested an exemption from certain requirements of 10 CFR 73.55(d)(5) for this purpose.

III.

Pursuant to 10 CFR 73.5, "Specific exemptions," the Commission may, upon application of any interested person or upon its own initiative, grant such exemptions from the requirements of the regulations in this part as it determines are authorized by law and will not endanger life or property or the common defense and security, and are otherwise in the public interest.

Pursuant to 10 CFR 73.55, the Commission may authorize a licensee to provide alternative measures for protection against radiological sabotage provided the licensee demonstrates that the alternative measures have "the same high assurance objective" and meet "the general performance requirements" of the regulation, and "the overall level of system performance provides protection against radiological sabotage equivalent" to that which would be provided by the regulation.

Currently, employee and contractor identification/access control cards are issued and retrieved on the occasion of each entry to and exit from the protected areas of the River Bend site. Station security personnel are required to maintain control of the badges while the individuals are offsite. This practice has been in effect at the River Bend Station, Unit 1 since the operating license was issued. Security personnel retain each identification access control card, when not in use by the authorized individual, within appropriately designed storage receptacles inside a bullet-resistant enclosure. An individual who meets the access authorization requirements is issued a picture identification card which also serves as an access control card. This card allows entry into preauthorized areas of the station. While entering the plant in the present configuration, an authorized individual is "screened" by the required detection equipment and by the issuing security officer. Having received the badge, the individual proceeds to the access portal, inserts the access control card into the card reader, and passes through the turnstile which is unlocked by the access card. Once inside the station, the access card allows entry into areas if the preauthorized criteria are met.

This present procedure is labor intensive since security personnel are required to verify badge issuance, ensure badge retrieval, and maintain the badges in orderly storage until the next entry into the protected area. The regulations permit employees to remove their badges from the site, but an exemption from 10 CFR 73.55(d)(5) is required to permit contractors to take their badges offsite instead of returning them when exiting the site.

Under the proposed system, all individuals authorized to gain unescorted access will have the physical characteristics of their hand (hand geometry) recorded with their badge number. Since the hand geometry is unique to each individual and its application in the entry screening function would preclude unauthorized use of a badge, the requested exemption would allow employees and contractors to keep their badges at the time of exiting the protected area. The process of verifying badge issuance, ensuring badge retrieval, and maintaining badges could be eliminated while the balance of the access procedure would remain intact. Firearm, explosive, and metal detection equipment and provisions for conducting searches will remain as well. The security officer responsible for the last access control function (controlling admission to the protected area) will also remain isolated within a bullet-resistant structure in order to assure his or her ability to respond or to summon assistance.

Use of a hand geometry biometrics system exceeds the present verification methodology's capability to discern an individual's identity. Unlike the photograph identification badge, hand geometry is nontransferable. During the initial access authorization or registration process, hand measurements are recorded and the template is stored for subsequent use in the identity verification process required for entry into the protected area.

Authorized individuals insert their access authorization card into the card reader and the biometrics system records an image of the hand geometry. The unique features of the newly recorded image are then compared to the template previously stored in the database. Access is ultimately granted based on the degree to which the characteristics of the image match those of the "signature" template.

Since both the badge and hand geometry would be necessary for access into the protected area, the proposed system would provide for a positive verification process. Potential loss of a badge by an individual, as a result of taking the badge offsite, would not enable an unauthorized entry into protected areas.

The access process will continue to be under the observation of security personnel. The system of identification badges coupled with their associated access control cards will continue to be used for all individuals who are authorized access to protected areas without escorts. Badges will continue to be displayed by all individuals while inside the protected area. Addition of a hand geometry biometrics system will provide a significant contribution to effective implementation of the security plan at each site.

IV.


For the foregoing reasons, pursuant to 10 CFR 73.55, the NRC staff has determined that the proposed alternative measures for protection against radiological sabotage meet "the same high assurance objective," and "the general performance requirements" of the regulation and that "the overall level of system performance provides protection against radiological sabotage equivalent" to that which would be provided by the regulation.

Accordingly, the Commission has determined that, pursuant to 10 CFR 73.5, an exemption is authorized by law, will not endanger life or property or common defense and security, and is otherwise in the public interest. Therefore, as long as the licensee uses the hand geometry access control system, the Commission hereby grants Entergy Operations, Inc. an exemption from those requirements of 10 CFR 73.55(d)(5) relating to the returning of picture badges upon exit from the protected area such that individuals not employed by the licensee, i.e., contractors, who are authorized unescorted access into the protected area, can take their badges offsite.

Pursuant to 10 CFR 51.32, the Commission has determined that the granting of this exemption will have no significant impact on the quality of the human environment (60 FR 30116). This exemption is effective upon issuance.

Dated at Rockville, Maryland, this 7th day of July 1995.

FOR THE NUCLEAR REGULATORY COMMISSION



Jack W. Roe, Director
Division of Reactor Projects III/IV
Office of Nuclear Reactor Regulation

Accordingly, the Commission has determined that, pursuant to 10 CFR 73.5, an exemption is authorized by law, will not endanger life or property or common defense and security, and is otherwise in the public interest. Therefore, as long as the licensee uses the hand geometry access control system, the Commission hereby grants Entergy Operations, Inc. an exemption from those requirements of 10 CFR 73.55(d)(5) relating to the returning of picture badges upon exit from the protected area such that individuals not employed by the licensee, i.e., contractors, who are authorized unescorted access into the protected area, can take their badges offsite.

Pursuant to 10 CFR 51.32, the Commission has determined that the granting of this exemption will have no significant impact on the quality of the human environment (60 FR 30116). This exemption is effective upon issuance.

Dated at Rockville, Maryland, this 7th day of July 1995.

FOR THE NUCLEAR REGULATORY COMMISSION

Original Signed By:

Jack W. Roe, Director
 Division of Reactor Projects III/IV
 Office of Nuclear Reactor Regulation

Document Name: RB90821.EXE

OFC	LA/PD4-1	PM/PD4-1	TSGB <i>RM</i>	OGC <i>CPW</i>	D/PD4-1	D/DRPW
NAME	<i>PN</i> PNeenan	<i>DM</i> DMGiginton/vw	RManili	<i>CPW</i>	<i>W</i> WBeckner	<i>JR</i> JRoe
DATE	<i>6/22/95</i>	<i>6/22/95</i>	<i>6/22/95</i>	<i>6/23/95</i>	<i>7/6/95</i>	<i>7/7/95</i>
COPY	<u>YES/NO</u>	<u>YES/NO</u>	<u>YES/NO</u>	<u>YES/NO</u>	<u>YES/NO</u>	<u>YES/NO</u>

OFFICIAL RECORD COPY