

MAY 15 2002

LR-N02-0188



U. S. Nuclear Regulatory Commission
Document Control Desk
Washington, DC 20555

Gentlemen:

**MONTHLY OPERATING REPORT
SALEM GENERATING STATION UNIT 1
DOCKET NO. 50-272**

In compliance with Section 6.9, Reporting Requirements for the Salem Unit 1 Technical Specifications, the operating statistics for **April 2002** are being forwarded.

Sincerely,

A handwritten signature in black ink that reads "D. F. Garchow".

D. F. Garchow
Vice President - Operations

RAR
Attachments

C Distribution

TE24

DOCKET NO.: 50-272
 UNIT: Salem 1
 DATE: 05/10/02
 COMPLETED BY: F. Todd
 TELEPHONE: (856) 339-1316

Reporting Period April 2002

OPERATING DATA REPORT

Design Electrical Rating (MWe-Net)
Maximum Dependable Capacity (MWe-Net)

No. of hours reactor was critical
No. of hours generator was on line (service hours)
Unit reserve shutdown hours
Net Electrical Energy (MWH)

1130		
1096		
Month	Year-to-date	Cumulative
719	2721	136948
719	2641	132336
0	0	0
794998	2893127	134176525

UNIT SHUTDOWNS

NO.	DATE	TYPE F=FORCED S=SCHEDULED	DURATION (HOURS)	REASON (1)	METHOD OF SHUTTING DOWN THE REACTOR (2)	CORRECTIVE ACTION/ COMMENT

(1) Reason

- A - Equipment Failure (Explain)
- B - Maintenance or Test
- C - Refueling
- D - Regulatory Restriction
- E - Operator Training/License Examination
- F - Administrative
- G - Operational Error (Explain)
- H - Other

(2) Method

- 1 - Manual
- 2 - Manual Trip/Scram
- 3 - Automatic Trip/Scram
- 4 - Continuation
- 5 - Other (Explain)

DOCKET NO.: 50-272
UNIT: Salem 1
DATE: 05/10/02
COMPLETED BY: R. Ritzman
TELEPHONE: (856) 339-1445

Summary Of Monthly Operating Experience

- Salem 1 began the month at 100% power.
- On April 17, power was reduced to approximately 74% due to the 13A and 13B circulators being out of service. 13A circulator was out of service for planned maintenance. The 13B circulator waterbox became bio-fouled and was taken out of service for cleaning. Power was restored to approximately 100% on April 19.
- On April 22, power was reduced to approximately 60% due to 12 Steam Generator Feed Pump being removed from service. Power was returned to 100% later that day.
- At the end of the month, Salem 1 completed 48 days of continuous operation.