

JUN-04-2002 18:21

USNRC KOP RA

1602 337 3289 1326705

NRC FORM 341 (7-1998)

U.S. NUCLEAR REGULATORY COMMISSION

APPROVED BY OMB: REG. NO. 3150-0013 EXPIRES: 07/01/2002
 Estimated burden per response to comply with this mandatory collection request: 15 minutes. This notification is required so that NRC may schedule inspection of the activities for protection of the public health and safety. Send comments regarding burden estimate to the Records Management Branch (7-415), U.S. Nuclear Regulatory Commission, Washington, DC 20545-0031, or by internet e-mail to b1r@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NEOR-10202 (3130-0013), Office of Management and Budget, Washington, DC 20503. If a means used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to respond to, the information collection.

REPORT OF PROPOSED ACTIVITIES IN NON-AGREEMENT STATES, AREAS OF EXCLUSIVE FEDERAL JURISDICTION, OR OFFSHORE WATERS

(Please read the instructions before completing this form)

1. NAME OF LICENSEE (Person or firm proposing to conduct the activities described below)
A-TECH MOISTURE Survey Corp

3. ADDRESS OF LICENSEE (Mailing address or other location where licensee may be reached)
**555 MAIDEN LANE
 Rochester, New York**

2. TYPE OF REPORT
 INITIAL REVISION CLARIFICATION

4. LICENSEE CONTACT AND TITLE
Theodore Hoyer, President

5. TELEPHONE NUMBER (Include Area Code) **716 621 6582**
 6. FACSIMILE NUMBER (Include Area Code) **716 621 8902**

7. ACTIVITIES TO BE CONDUCTED UNDER THE GENERAL LICENSE GIVEN IN 10 CFR 150.20

WELL LOGGING LEAK TESTING AND/OR CALIBRATIONS TELETHERAPY/RADIATOR SERVICE

PORTABLE GAUGES OTHER (Specify)

RADIOGRAPHY REGISTERED AS USER OF PACKAGING (CERTIFICATE OF COMPLIANCE NUMBERS)

8. CLIENT NAME, ADDRESS, CITY/COUNTY, STATE, ZIP CODE
**A-TECH MOISTURE Survey Corp
 555 MAIDEN LANE
 Rochester New York
 14616
 MONROE COUNTY**

9. ACTUAL PHYSICAL ADDRESS OF WORK LOCATION (Street and number or other location. Give as complete an address or directions as possible.)
**Hospital Room
 Stewart Air Force
 Savannah - Georgia**

10. CLIENT TELEPHONE NUMBER (Include Area Code) **716 621 6582**
 11. WORK LOCATION TELEPHONE NUMBER (Include Area Code) **716 621 6582**

12. DATES SCHEDULED		13. NUMBER OF WORK DAYS	14. ADD	15. DELETE	16. LOCATION REFERENCE NUMBER
FROM 15	TO 18	3			000814
JUN 2002	JUN 2002				NUMBER TO BE ASSIGNED BY NRC

LIST ADDITIONAL WORK SITES ON SEPARATE SHEET(S) TO INCLUDE ALL INFORMATION CONTAINED IN ITEMS 9-16 ABOVE.

17. LIST RADIOACTIVE MATERIAL, WHICH WILL BE POSSESSED, USED, INSTALLED, SERVICED, OR TESTED (Include description of type and quantity of radioactive material, sealed sources, or devices to be used.)

18. AGREEMENT STATE SPECIFIC LICENSE WHICH AUTHORIZES THE UNDERSIGNED TO CONDUCT ACTIVITIES WHICH ARE THE SAME, EXCEPT FOR LOCATION OF USE, AS SPECIFIED IN ITEM 9 ABOVE. (Four copies of the specific license must accompany the initial NRC Form 341.)

LICENSE NUMBER **2670-3932** STATE **NY** EXPIRATION DATE

19. CERTIFICATION (MUST BE COMPLETED BY APPLICANT)
UNDER RENEWAL

I, THE UNDERSIGNED, HEREBY CERTIFY THAT:

- All information in this report is true and complete.
- I have read and understand the provision of the general license 10 CFR 150.20 reprinted on the instructions of this form; and I understand that I am required to comply with these provisions as to all byproduct, source, or special nuclear material which I possess and use in non-agreement states or offshore waters under the general license for which this report is filed with the U.S. Nuclear Regulatory Commission.
- I understand that activities, including storage, conducted in non-agreement states under general license 10 CFR 150.20 are limited to a total of 180 days in calendar year. With the exception of work conducted in off-shore waters, which is authorized for an unlimited period of time in the calendar year.
- I understand that I may be inspected by NRC at the above listed work site locations and at the Licensee home office address for activities performed in non-agreement states or offshore waters.
- I understand that conduct of any activities not described above, including conduct of activities on dates or locations different from those described above or without NRC authorization, may subject me to enforcement action, including civil or criminal penalties.

CERTIFYING OFFICER - RSO or Management Representative (Name and Title) **Theodore Hoyer** SIGNATURE **Theodore Hoyer** DATE **5 June 2002**

WARNING: False statements in this certificate may be subject to civil and/or criminal penalties. NRC regulations require that submissions to the NRC be complete and accurate in all material respects. 18 U.S.C. Section 1001 makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.

FOR NRC USE ONLY REVIEWING OFFICIAL (Typed/Printed Name and Title) SIGNATURE **John McFurt** DATE **6/14/02** TOTAL USAGE - DAYS TO DATE **4**

⑤ 6/14/02

U.S. NUCLEAR REGULATORY COMMISSION

REPORT OF PROPOSED ACTIVITIES IN NON-AGREEMENT STATES, AREAS OF EXCLUSIVE FEDERAL JURISDICTION, OR OFFSHORE WATERS

APPROVED BY OMB: NO. 0780-0043 EXPIRES: 07/01/2002
 Estimated burden per response to comply with this mandatory collection request is 10 minutes. This information is required so that NRC may estimate the burden of the collection of information, evaluate the necessity of the information for the protection of the public health and safety, send comments regarding this burden estimate to the Records Management Branch (7-400), U.S. Nuclear Regulatory Commission, Washington, DC 20540-0001, or by internet e-mail to hst@nrc.gov, and to the Desk Officer, Office of Information and Regulatory Affairs, NRC-10202, (301-201-3013). Office of Management and Budget, Washington, DC 20503. If a message is used to impose an information collection does not display a currently valid OMB control number, the NRC may not conduct or sponsor, and a person is not required to provide, the information collection.

1. NAME OF LICENSEE (Person or firm providing the service described below)
 [Redacted]

2. TYPE OF REPORT
 INITIAL REVISION CLARIFICATION

3. ADDRESS OF LICENSEE (Mailing address or other location where business may be located)
 555 MADISON LANE
 Rochester, New York

4. LICENSEE CONTACT AND TITLE
 Theodore Hoyer, President

5. TELEPHONE NUMBER (Include Area Code)
 716 621 6582

6. FACSIMILE NUMBER (Include Area Code)
 716 621 9002

7. ACTIVITIES TO BE CONDUCTED UNDER THE GENERAL LICENSE GIVEN IN 10 CFR 190.20

WELL LOGGING LEAK TESTING AND/OR CALIBRATIONS TELETHERAPY/IRRADIATOR SERVICE

PORTABLE GAUGES OTHER (Specify) _____

RADIOGRAPHY _____ REGISTERED AS USER OF PACKAGING (CERTIFICATE OF COMPLIANCE NUMBERS) _____

8. ACTUAL PHYSICAL ADDRESS OF WORK LOCATION (Street and Number or other location. Give as complete an address or directions as possible.)
 Hospital Road
 Stewart Air Force
 Savannah, Georgia

9. CLIENT TELEPHONE NUMBER (Include Area Code)
 716 621 6582

10. WORK LOCATION TELEPHONE NUMBER (Include Area Code)
 716 621 6582

12. DATES SCHEDULED

FROM	TO	13. NUMBER OF WORK DAYS	14. ADD	15. DELETE	16. LOCATION REFERENCE NUMBER
JUNE 15 2002	JUNE 18 2002	3			NUMBER TO BE ASSIGNED BY NRC

17. LIST ADDITIONAL WORK SITES ON SEPARATE SHEET(S) TO INCLUDE ALL INFORMATION CONTAINED IN ITEMS 8-14 ABOVE.

18. LIST RADIOACTIVE MATERIAL, WHICH WILL BE POSSESSED, USED, INSTALLED, SERVICED, OR TESTED (Provide description of type and quantity of radioactive material, sealed sources, or devices to be used.)

19. AGREEMENT STATE SPECIFIC LICENSE WITHIN WHICH THE UNDERSIGNED IS TO CONDUCT ACTIVITIES WHICH ARE THE SUBJECT MATTER FOR LOCATION OF USE AS SPECIFIED IN ITEM 8 ABOVE. (Four copies of the specific license must accompany the initial NRC Form 341.)
 LICENSE NUMBER: 2670-3932 STATE: NY EXPIRATION DATE: [Redacted]

19. CERTIFICATION (MUST BE COMPLETED BY APPLICANT)
 I, THE UNDERSIGNED, HEREBY CERTIFY THAT:
 UNDER RENEWAL

20. CERTIFYING OFFICER - RSO or Management Representative (Name and Title)
 Theodore Hoyer, President

21. SIGNATURE
 Theodore Hoyer

22. DATE
 5 June 2002

WARNING: False statements in this certificate may be subject to civil and/or criminal penalties. NRC regulations require that submissions to the NRC be complete and accurate in all material respects. 18 U.S.C. Section 1001 makes it a criminal offense to make a willfully false statement or representation to any department or agency of the United States as to any matter within its jurisdiction.

FOR NRC USE ONLY

REVIEWING OFFICIAL (Typed/Printed Name and Title)
 [Redacted]

SIGNATURE
 [Redacted]

DATE
 [Redacted]

TOTAL USAGE - DAYS TO DATE
 [Redacted]



A-Tech
Moisture Survey Corp.
dba...
Roof Tech ASSOCIATES
- Diagnostic Roof Moisture Studies -
Since 1976

13 June 2002

N.R.C.
U.S. REGION 1
King Of Prussia, Pa.

Att: Sheryl Villar
610 337 5269 [fax]

Pages 5

1. Ammended Application for Reciprocity [NY-GA]
2. Page 4 NYS DIV SAFETY AND HEALTH LICENSE
3. Appalacant Name "ROOF TECH ASSOCIATES" a NYS Registered Name.
4. TWO PAGE LETTER FROM NYS, Division Health and Safety, dated January 9, 2002, ref. License Application renewal and request for additional information required before renewal will be issued.

NYS indicated there is no other form or further request than that contained in above Letter.

I hope this information is sufficient for your processing Agreement.

Very truly yours,

Theodore W. Hoyler, President
A-TECH MOISTURE SUIRVEY CORP
dba ROOF TECH ASSOCIATES


 STATE OF NEW YORK DEPARTMENT OF LABOR
 DIVISION OF SAFETY AND HEALTH

RADIOACTIVE MATERIALS LICENSE

DL 94-322

Page 1 of 4 Page(s)

PURSUANT TO THE LABOR LAW AND INDUSTRIAL CODE RULE 38, AND IN RELIANCE ON STATEMENTS AND REPRESENTATIONS HERETOFORE MADE BY THE LICENSEE DESIGNATED BELOW. A LICENSE IS HEREBY ISSUED AUTHORIZING SUCH LICENSEE TO RECEIVE, POSSESS, USE AND TRANSFER RADIOACTIVE MATERIAL(S) DESIGNATED BELOW; AND TO USE SUCH RADIOACTIVE MATERIAL(S) FOR THE PURPOSE(S) AND AT THE PLACE(S) DESIGNATED BELOW. THIS LICENSE IS SUBJECT TO ALL APPLICABLE RULES, REGULATIONS, AND ORDERS NOW OR HEREAFTER IN EFFECT OF ALL APPROPRIATE REGULATORY AGENCIES AND TO ANY CONDITIONS SPECIFIED BELOW.

1. NAME OF LICENSEE		3. LICENSE NUMBER	
Roof Tech Associates		2670-3932	
FEIN:16-1074136		4. EXPIRATION DATE	
PHONE:(716)865-9410		March 31, 2001	
2. ADDRESS OF LICENSEE		5a. REFERENCE No.	
Voyager Boat Sales Marina		1	
Stutson Street East		b. AMENDMENT No.	
Rochester, New York, 14617		1	
6. RADIOACTIVE MATERIALS (element in mass number)	7. CHEMICAL AND/OR PHYSICAL FORM	8. MAXIMUM QUANTITY LICENSEE MAY POSSESS AT ANY ONE TIME	
A. Americium 241; Beryllium	A. Sealed Sources	A. See Condition 9.	

 9. Authorized use:
 Conditions 6.A. and 6.B.

1. The licensee is authorized to use any sealed source, or associated portable moisture/density gauge which has been manufactured and distributed in accordance with a specific license issued by an Agreement State or the United States Nuclear Regulatory Commission. Combinations of sources and devices must be compatible for use as stated in a Sealed Source and Device Registration Certificate (i.e. stated in the registration certificate for the source or device).
 2. No single source may exceed the maximum activity specified for that nuclide in the Sealed Source and Device Registration Certificate for any device in which the source is to be used.
10. A. Licensed material shall be stored at Voyager Boat Sales Marina, Stutson Street E., Rochester, NY, and may be used at temporary job sites of the licensee anywhere within the State of New York, where the Department of Labor exercises jurisdiction.

STATE OF NEW YORK - DEPARTMENT OF LABOR
DIVISION OF SAFETY AND HEALTH

RADIOACTIVE MATERIALS LICENSE

Page 2 of 4 Pages

3. License Number 2670-3932-5a. Ref. No. 1b. Amend. No. -1-

- B. Overnight storage at other locations shall be in accordance with statements referenced in Condition 22 herein, providing that such storage may not be in a residence, or in an attached garage except within a vehicle. Any vehicle used for storage shall be driven only for purposes associated with use or transport of the contained radioactive material, by a person qualified to use the material, and no passengers shall be carried unless they are also involved in work under this license. Vehicular storage shall only be allowed if no other storage is possible and shall not exceed five (5) consecutive nights unless authorization to exceed this limit is obtained from the Department.
- C. Under no circumstances shall radioactive material authorized by this license be transferred to the custody of any person or firm other than the licensee, or be used or stored by another person or firm or its employees; unless that person or firm possesses a valid license to possess and use such radioactive material.
11. Licensed material shall be used by, or under the supervision of, Theodore W. Hoyler (Radiation Safety Officer), by licensee personnel trained and certified by the device manufacturer. The licensee shall maintain a complete and accurate record of the qualifications of each person permitted to use radiation sources under this license.
12. Sealed Sources containing radioactive materials shall not be opened or removed from gauges by the licensee.
13. A. The licensee is not authorized to dismantle, repair or effect any changes in the source holders/gauges. Any maintenance involving exposure of the source or removal of shielding is prohibited. All other maintenance shall be performed in accordance with the manufacturer's recommendations.
- B. The licensee shall not alter labels attached to gauges, and shall maintain labels in legible condition at all times.
14. The licensee shall instruct persons who engage in work under the license, in accordance with section 38.27(c) of Code Rule 38. Such instruction shall include the licensee's operating and emergency procedures, and other information contained in documents incorporated in Condition 22.
15. The licensee shall conduct a physical inventory every six (6) months to account for all Gauges received and possessed under the License. The records of the inventories shall be maintained for three (3) years from the date of the inventory for inspection by the Department, and shall include the quantities and kinds of licensed material, Manufacturer's Name and Model No., location of the gauges, the date of the inventory and the name of the person who performed it.

STATE OF NEW YORK - DEPARTMENT OF LABOR
DIVISION OF SAFETY AND HEALTH

RADIOACTIVE MATERIALS LICENSE

Page 3 of 4 Pages

3. License Number 2670-39325a. Ref. No. 1b. Amend. No. -1-

16. A. The licensee shall maintain a utilization log containing the identification of sources used, dates removed and returned to storage, the location of use, the identity of user, and the daily check of sliding blocks required by Condition 21..
- B. The log shall be kept at the location of storage and shall contain sufficient detail to enable the licensee to inform the Department at any time, of the exact location of each source.
17. Current copies of the following documents shall be maintained at temporary job sites for Department inspection:
- A. The manufacturer's instruction manual and the licensee's operating and emergency procedures.
- B. A copy of the results of the latest test for leakage and/or contamination performed on the sealed sources.
18. A. In the event of a serious incident involving licensed material, including but not limited to, the theft or loss of a gauge, or damage to a gauge, the Department shall be notified immediately by telephone. Subsequent information about the incident acquired by the licensee shall be reported as it is received. All gauge users must carry the NYSDOL's current telephone number in their emergency procedures.
- B. In the event that a gauge is damaged, the gauge and surrounding area shall be surveyed with an appropriate survey meter, and the results of the survey shall be reported to and approved by the Department before the gauge is removed from the site.
19. A. The licensee shall ensure that all persons authorized to use portable gauges comply with safe use and maintenance procedures and that they do not leave a gauge unattended or unsecured at any time, even for a few minutes.
- B. Each gauge shall be maintained as prescribed by the manufacturer. In particular, the licensee must take such actions as are necessary to keep gauges in compliance with the Sealed Source & Device Registry sheets for the devices, including any recalls, safety retrofits, inspections or other actions specified by the device manufacturer.
- C. Licensees shall ensure that gauges are only used by individuals who have received the required training, and who follow prescribed procedures. Any evidence of abuse, mishandling or failure to perform necessary maintenance by a worker must be addressed and corrected.

STATE OF NEW YORK - DEPARTMENT OF LABOR
DIVISION OF SAFETY AND HEALTH

RADIOACTIVE MATERIALS LICENSE

Page 4 of 4 Pages

3. License Number 2670-39325a. Ref. No. 1b. Amend. No. —

21. Except as specifically provided otherwise in this License, the licensee shall conduct its program in accordance with the statements, representation and procedures contained in the documents, including any enclosures, listed below. The Department's Regulations shall govern, unless the statements, representation and procedures in the licensee's application and correspondence are more restrictive than the Regulations.
- A. Application dated December 12, 1994, signed by Theodore W. Hoyler, President.
 - B. Letter dated February 17, 1995, signed by Theodore W. Hoyler, President.
 - C. Letter dated March 21, 1995, signed by Theodore W. Hoyler, President.

for: Maria L. Colavito, Director
THE COMMISSIONER OF LABOR

Rita Aldrich

by: Rita Aldrich
Principal Radiophysicist

DATE: March 23, 1995
DCG:wp

RECEIVED
MAR 30 1995

HOYLER



STATE OF NEW YORK
DEPARTMENT OF LABOR
DIVISION OF SAFETY AND HEALTH
RADIOLOGICAL HEALTH UNIT

Building 12, Room 169
Governor W. Averell Harriman State Office Building Campus
Albany, New York 12240

January 9, 2002

Ted Hoyler
555 Maiden Lane
Rochester, NY 14616

Re: NY State Dept. of Labor Radioactive Materials License No. 2670-3932
DL No. 01-092

Dear Mr. Hoyler:


I have reviewed your application to renew New York State Department of Labor Radioactive Materials License No. 2670-3932. The application addressed some of the items we require. However, we still need a response to a several items before we will issue this renewal. Please submit a response to the following items based on Radiation Guide 1.2 (rev 9/99).

1. Submit a copy of appendix I as your description of your RSO's functions or make any necessary changes in red ink and submit that (pages 6, 15 and 16).
2. Confirm that you will conduct annual audits using appendix III or equivalent (page 6).
3. State that you will ensure training and maintain records of such for all device users, in accordance with the provisions of New York State Department of Labor Radiation Guide 1.2 (page 7).
4. Confirm that the Landauer dosimeter "K" TLD badge is capable of detecting both gamma and neutron radiation (page 8).
5. Submit a diagram showing storage arrangements, room and building layout and security mechanisms. Describe the storage location (page 8).
6. Confirm that your device transport methods include blocking and bracing devices in vans and in the trunk of cars or securing devices in a steel cabinet, bolted to the bed of open bed trucks (page 8).
7. Confirm that all devices will be in locked storage or physically watched by an authorized user at all times (page 8).
8. Choose one of the leak test options listed under 14.A. of the guide and submit the details associated with that option (page 9).

9. State that you will perform routine cleaning and maintenance of gauges in accordance with the manufacturer's recommendation and that you will not remove the source or source rod (page 10).
10. State that workers will perform daily checks of gauge shutters (sliding blocks) and keep a record of findings in the utilization log forms as described in the guide (page 10).
11. State that you will carry out packaging and transport of devices in accordance with all applicable DOT regulations (page 10 and 11).
12. Confirm that you will adopt the procedures in appendix II of the guide (3 sections and log form) as procedures you will provide to users of the device. You may submit your own procedures for our review only if they are equivalent to all three sections (pages 11, 17, 18, 19, 20).
13. Provide the name of an individual or firm that has agreed to advise and assist you in emergencies along with a description of their qualifications (page 11).
14. Submit documentation from the manufacturer that states that you can return the sealed sources to them (page 12).
15. Submit a copy of a letter sent to the Police Department at each permanent job site, which informs them that radioactive materials will be on the premises (page 12).
16. Submit a copy of a letter sent to the Fire Department in each permanent job site, which informs them that radioactive materials will be on the premises and include a completed Hazardous Materials Form (F10965-001) (page 12).

Please submit the requested information in duplicate within thirty days after receipt of this letter. You should send your correspondence to my attention and reference DL No. 01-092. If you need assistance, please contact this office at (518) 457-1202 or at the address above.

Sincerely,



Daniel Samson, CHP
Associate Radiophysicist

enc.: RG 1.2



STATE OF NEW YORK
 DEPARTMENT OF LABOR
 DIVISION OF SAFETY AND HEALTH
 Radiological Health Unit
 Mail Stop #7F
 P.O. Box 683
 New York, NY 10014 -0683

RECEIVED
 SEP 18 2000
 HOYLER

September 8, 2000

Roof Tech Associates *DATE: 8/13/00*
 61 Courtly Circle
 Rochester, NY 14615

Attn: Mr. Ted Hoyler
 Radiation Safety Officer

RE: State of New York Department of Labor Radioactive Materials License No. 2670-3932 Inspection on July 13, 2000

*ORIGINAL LICENSE WAS TH
 MISPLACED DURING MY RECOVERY
 FROM SURVIVAL SURGERY IN 2001*

Dear Mr. Hoyler:

This is to acknowledge the receipt of your letter indicating the actions taken to correct the items of noncompliance that were noted during the inspection. Corrective actions will be reviewed at a subsequent inspection.

I wish to thank you for the cooperation and assistance given to me during the survey.

Please feel free to contact me if you have any questions or if I can be of any assistance. I can be reached at (212) 352-6119.

Sincerely,

Rose Marie Pratt

Rose Marie Pratt
 Associate Radiophysicist

RMP/wp

A-TECH Moisture Survey
555 Maiden Lane
Rochester, New York
14616

RQ, RADIOACTIVE Material, SPECIAL, FORM, NOS, UN2974,
CLASS 7, TWPE "A" PACKAGE, CONTAINING

Am-241;Be, 40 mCi

RDIOACTIVE YELLOW II LABEL, TI = 0.1

EMERGENCY CONTACT TED HOYLER/716 621 6582

This is to certify that the above materials are properly
classified, described package, marked and labeled, and are in
proper condition for transportation according to the applicable
regulations of the Department of Transportation.