

January 11, 1996

Mr. C. Lance Terry
Group Vice President, Nuclear
TU Electric
Energy Plaza
1601 Bryan Street, 12th Floor
Dallas, TX 75201-3411

SUBJECT: NOTICE OF CONSIDERATION OF ISSUANCE OF AMENDMENT TO FACILITY
OPERATING LICENSE, PROPOSED NO SIGNIFICANT HAZARDS CONSIDERATION
DETERMINATION, AND OPPORTUNITY FOR HEARING - COMANCHE PEAK STEAM
ELECTRIC STATION, UNITS 1 AND 2 (TAC NOS. M94411 AND M94412)

Dear Mr. Terry:

The Commission has requested the Office of the Federal Register to publish the enclosed "Notice of Consideration of Issuance of Amendment to Facility Operating License, Proposed No Significant Hazards Consideration Determination, and Opportunity for Hearing." This notice relates to your application for amendment dated January 5, 1996. The proposed amendment would temporarily change the Technical Specifications (TSs) to revise the requirements for Minimum Channels OPERABLE for Wide Range RCS (Reactor Coolant System) Temp. (Temperature)-T_h remote shutdown indication for CPSES Unit 2. The minimum number of channels required is being revised from 1 per RCS Loop for each RCS Loop to 1 per RCS Loop for 3 of the 4 RCS Loops. This temporary change is requested as a result of the failure of one of the T_h channels in a manner which cannot be repaired without a unit shutdown and a possible cooldown. NRC granted enforcement discretion on January 5, 1996, to allow the facility to continue operation while this exigent TS is processed.

Sincerely,

ORIGINAL SIGNED BY
Timothy J. Polich, Project Manager
Project Directorate IV-1
Division of Reactor Projects - III/IV
Office of Nuclear Reactor Regulation

Docket Nos. 50-445 and 50-446

Enclosure: Notice

cc w/encl: See next page

DISTRIBUTION:

Docket File	TPolich	ASingh
PUBLIC	OGC	CMcCracken
PDIV-1 R/F	ACRS	WKMortensen
JRoe	CGrimes	JWermiel
WBeckner	EAdensam	BMarcus
PNoonan	JDyer, RIV	NGilles

Document Name: G:CP94411.EXI

OFFICE	PDIV-1/LA	PDIV-1/PM
NAME	PNoonan	TPolich: TP
DATE	1/11/96	1/11/96
COPY	YES/NO	YES/NO

OFFICIAL RECORD COPY

9601190259 960111
PDR ADOCK 05000445
P PDR

FOR THE OFFICE COPY

DFOL
1/11

50



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

January 11, 1996

Mr. C. Lance Terry
Group Vice President, Nuclear
TU Electric
Energy Plaza
1601 Bryan Street, 12th Floor
Dallas, TX 75201-3411

SUBJECT: NOTICE OF CONSIDERATION OF ISSUANCE OF AMENDMENT TO FACILITY OPERATING LICENSE, PROPOSED NO SIGNIFICANT HAZARDS CONSIDERATION DETERMINATION, AND OPPORTUNITY FOR HEARING - COMANCHE PEAK STEAM ELECTRIC STATION, UNITS 1 AND 2 (TAC NOS. M94411 AND M94412)

Dear Mr. Terry:

The Commission has requested the Office of the Federal Register to publish the enclosed "Notice of Consideration of Issuance of Amendment to Facility Operating License, Proposed No Significant Hazards Consideration Determination, and Opportunity for Hearing." This notice relates to your application for amendment dated January 5, 1996. The proposed amendment would temporarily change the Technical Specifications (TSs) to revise the requirements for Minimum Channels OPERABLE for Wide Range RCS (Reactor Coolant System) Temp. (Temperature)-T_h remote shutdown indication for CPSES Unit 2. The minimum number of channels required is being revised from 1 per RCS Loop for each RCS Loop to 1 per RCS Loop for 3 of the 4 RCS Loops. This temporary change is requested as a result of the failure of one of the T_h channels in a manner which cannot be repaired without a unit shutdown and a possible cooldown. NRC granted enforcement discretion on January 5, 1996, to allow the facility to continue operation while this exigent TS is processed.

Sincerely,

A handwritten signature in cursive script, appearing to read "Timothy J. Polich".

Timothy J. Polich, Project Manager
Project Directorate IV-1
Division of Reactor Projects III/IV
Office of Nuclear Reactor Regulation

Docket Nos. 50-445 and 50-446

Enclosure: Notice

cc w/encl: See next page

Mr. C. Lance Terry
TU Electric Company

Comanche Peak, Units 1 and 2

cc:
Senior Resident Inspector
U.S. Nuclear Regulatory Commission
P. O. Box 1029
Granbury, TX 76048

Honorable Dale McPherson
County Judge
P. O. Box 851
Glen Rose, TX 76043

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011

Office of the Governor
ATTN: Susan Rieff, Director
Environmental Policy
P. O. Box 12428
Austin, TX 78711

Mrs. Juanita Ellis, President
Citizens Association for Sound Energy
1426 South Polk
Dallas, TX 75224

Arthur C. Tate, Director
Division of Compliance & Inspection
Bureau of Radiation Control
Texas Department of Health
1100 West 49th Street
Austin, TX 78756-3189

Mr. Roger D. Walker, Manager
Regulatory Affairs for Nuclear
Engineering Organization
Texas Utilities Electric Company
1601 Bryan Street, 12th Floor
Dallas, TX 75201-3411

Texas Utilities Electric Company
c/o Bethesda Licensing
3 Metro Center, Suite 610
Bethesda, MD 20814

George L. Edgar, Esq.
Morgan, Lewis & Bockius
1800 M Street, N.W.
Washington, DC 20036-5869

UNITED STATES NUCLEAR REGULATORY COMMISSION
COMANCHE PEAK STEAM ELECTRIC STATION, UNITS 1 AND 2
DOCKET NOS. 50-445 AND 50-446
NOTICE OF CONSIDERATION OF ISSUANCE OF AMENDMENT TO
FACILITY OPERATING LICENSE, PROPOSED NO SIGNIFICANT HAZARDS
CONSIDERATION DETERMINATION, AND OPPORTUNITY FOR A HEARING

The U.S. Nuclear Regulatory Commission (the Commission) is considering issuance of an amendment to Facility Operating License Nos. NPF-87 and NPF-89, issued to Texas Utilities Electric Company (TU Electric, the licensee), for operation of the Comanche Peak Steam Electric Station, Units 1 and 2 located in Somervell County, Texas.

The proposed exigent amendment Technical Specification (TS) would temporarily change the TS to revise the requirements for Minimum Channels OPERABLE for Wide Range RCS (Reactor Coolant System) Temp. (Temperature)- T_h remote shutdown indication for CPSES Unit 2. The minimum number of channels required is being revised from 1 per RCS Loop for each RCS Loop to 1 per RCS Loop for 3 of the 4 RCS Loops. This temporary change is requested as a result of the failure of one of the T_h channels in a manner which cannot be repaired without a unit shutdown and a possible cooldown. NRC granted enforcement discretion on January 5, 1996, to allow the facility to continue operation while this exigent TS is processed.

Before issuance of the proposed license amendment, the Commission will have made findings required by the Atomic Energy Act of 1954, as amended (the Act) and the Commission's regulations.

Pursuant to 10 CFR 50.91(a)(6) for amendments to be granted under exigent circumstances, the NRC staff must determine that the amendment request involves no significant hazards consideration. Under the Commission's regulations in 10 CFR 50.92, this means that operation of the facility in accordance with the proposed amendment would not (1) involve a significant increase in the probability or consequences of an accident previously evaluated; or (2) create the possibility of a new or different kind of accident from any accident previously evaluated; or (3) involve a significant reduction in a margin of safety. As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. Do the proposed changes involve a significant increase in the probability or consequences of an accident previously evaluated?

The unavailability of one RCS Loop T_h indication at the HSP cannot be an initiating event for nor affect the progression or mitigation of any licensing basis accident; therefore the probability of occurrence of any licensing accident cannot be affected.

The request proposes to change the minimum channels operable for Wide Range Hot Leg RCS Temperature T_h indication at the HSP. Sufficient alternate instrumentation is available on the HSP to provide the information normally directly obtained from T_h . The current Technical Specifications acknowledge the need to and allow for operation with one T_h inoperable for the Allowed Outage Time (AOT) in the action statement. The current Technical Specifications have an AOT of seven days. Further, the improved Standard Technical Specifications allows an AOT of 30 days. The duration of this request is not significantly different than these time periods. Thus the consequences of a remote shutdown with the affected instrument inoperable have already been considered and this change will not increase the consequences of an accident previously evaluated.

2. Do the proposed changes create the possibility of a new or different kind of accident from any accident previously evaluated?

Operation for a period of time with the one RCS Loop T_h unavailable will not create the possibility of a new or different kind of accident from any accident previously evaluated. No hardware modifications are being

made and no plant procedures are being revised that would alter normal plant operations.

3. Do the proposed changes involve a significant reduction in a margin of safety?

The Wide Range Hot Leg RCS Temperature indication at the HSP is only required in the event that a remote shutdown from outside the control room is needed. The availability of other remote shutdown indications (including T_c , T_h in other RCS Loops, and Steam Generator pressure) in combination with licensed operators who have been briefed on how to compensate for an inoperable T_h for one RCS Loop using these other indications, assures that the increased unavailability of the instrument will not have a significant effect in the margin of safety.

The Reactor Building Emergency Cooling system is not an initiator of any accident described in the ANO-1 Safety Analysis Report. The engineering evaluation discussed above verifies that the green train of the Reactor Building Emergency Cooling system remains operable and capable of performing its design function under all postulated accident conditions. Therefore, the probability or consequences of any previously evaluated accident is not increased.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

The Commission is seeking public comments on this proposed determination. Any comments received within 15 days after the date of publication of this notice will be considered in making any final determination.

Normally, the Commission will not issue the amendment until the expiration of the 15-day notice period. However, should circumstances change during the notice period, such that failure to act in a timely way would result, for example, in derating or shutdown of the facility, the Commission may issue the license amendment before the expiration of the 15 day notice period, provided that its final determination is that the amendment involves no significant hazards consideration. The final

determination will consider all public and State comments received. Should the Commission take this action, it will publish in the FEDERAL REGISTER a notice of issuance. The Commission expects that the need to take this action will occur very infrequently.

Written comments may be submitted by mail to the Rules Review and Directives Branch, Division of Freedom of Information and Publications Services, Office of Administration, U.S. Nuclear Regulatory Commission, Washington, DC 20555, and should cite the publication date and page number of this FEDERAL REGISTER notice. Written comments may also be delivered to Room 6D22, Two White Flint North, 11545 Rockville Pike, Rockville, Maryland, from 7:30 a.m. to 4:15 p.m. Federal workdays. Copies of written comments received may be examined at the NRC Public Document Room, the Gelman Building, 2120 L Street, NW., Washington, DC.

The filing of requests for hearing and petitions for leave to intervene is discussed below.

By February 20, 1996, the licensee may file a request for a hearing with respect to issuance of the amendment to the subject facility operating license and any person whose interest may be affected by this proceeding and who wishes to participate as a party in the proceeding must file a written request for a hearing and a petition for leave to intervene. Requests for a hearing and a petition for leave to intervene shall be filed in accordance with the Commission's "Rules of Practice for Domestic Licensing Proceedings" in 10 CFR Part 2. Interested persons should consult a current copy of 10 CFR 2.714 which is available at the Commission's Public Document Room, the Gelman Building, 2120 L Street, NW., Washington, DC, and at the local public document room located at the

University of Texas at Arlington Library, Government Publications/Maps, 702 College, P.O. Box 19497, Arlington, Texas 76019. If a request for a hearing or petition for leave to intervene is filed by the above date, the Commission or an Atomic Safety and Licensing Board, designated by the Commission or by the Chairman of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the designated Atomic Safety and Licensing Board will issue a notice of hearing or an appropriate order.

As required by 10 CFR 2.714, a petition for leave to intervene shall set forth with particularity the interest of the petitioner in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following factors: (1) the nature of the petitioner's right under the Act to be made a party to the proceeding; (2) the nature and extent of the petitioner's property, financial, or other interest in the proceeding; and (3) the possible effect of any order which may be entered in the proceeding on the petitioner's interest. The petition should also identify the specific aspect(s) of the subject matter of the proceeding as to which petitioner wishes to intervene. Any person who has filed a petition for leave to intervene or who has been admitted as a party may amend the petition without requesting leave of the Board up to 15 days prior to the first prehearing conference scheduled in the proceeding, but such an amended petition must satisfy the specificity requirements described above.

Not later than 15 days prior to the first prehearing conference scheduled in the proceeding, a petitioner shall file a supplement to the

petition to intervene which must include a list of the contentions which are sought to be litigated in the matter. Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the petitioner shall provide a brief explanation of the bases of the contention and a concise statement of the alleged facts or expert opinion which support the contention and on which the petitioner intends to rely in proving the contention at the hearing. The petitioner must also provide references to those specific sources and documents of which the petitioner is aware and on which the petitioner intends to rely to establish those facts or expert opinion. Petitioner must provide sufficient information to show that a genuine dispute exists with the applicant on a material issue of law or fact. Contentions shall be limited to matters within the scope of the amendment under consideration. The contention must be one which, if proven, would entitle the petitioner to relief. A petitioner who fails to file such a supplement which satisfies these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing, including the opportunity to present evidence and cross-examine witnesses.

If the amendment is issued before the expiration of the 30-day hearing period, the Commission will make a final determination on the issue of no significant hazards consideration. If a hearing is requested, the final determination will serve to decide when the hearing is held.

If the final determination is that the amendment request involves no

significant hazards consideration, the Commission may issue the amendment and make it immediately effective, notwithstanding the request for a hearing. Any hearing held would take place after issuance of the amendment.

If the final determination is that the amendment request involves a significant hazards consideration, any hearing held would take place before the issuance of any amendment.

A request for a hearing or a petition for leave to intervene must be filed with the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555, Attention: Docketing and Services Branch, or may be delivered to the Commission's Public Document Room, the Gelman Building, 2120 L Street, NW., Washington, DC, by the above date. Where petitions are filed during the last 10 days of the notice period, it is requested that the petitioner promptly so inform the Commission by a toll-free telephone call to Western Union at 1-(800) 248-5100 (in Missouri 1-(800) 342-6700). The Western Union operator should be given Datagram Identification Number N1023 and the following message addressed to [APPROPRIATE PD]: petitioner's name and telephone number, date petition was mailed, plant name, and publication date and page number of this FEDERAL REGISTER notice. A copy of the petition should also be sent to the Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555, and to Nicholas S. Reynolds, Esquire, Winston and Strawn, 1400 L. Street, N.W., Washington, D.C. 20005-3502, attorney for the licensee.


Nontimely filings of petitions for leave to intervene, amended petitions, supplemental petitions and/or requests for hearing will not be

entertained absent a determination by the Commission, the presiding officer or the presiding Atomic Safety and Licensing Board that the petition and/or request should be granted based upon a balancing of the factors specified in 10 CFR 2.714(a)(1)(i)-(v) and 2.714(d).

For further details with respect to this action, see the application for amendment dated January 5, 1996, which is available for public inspection at the Commission's Public Document Room, the Gelman Building, 2120 L Street, NW., Washington, DC, and at the local public document room, located at the University of Texas at Arlington Library, Government Publications/Maps, 702 College, P.O. Box 19497, Arlington, Texas 76019.

Dated at Rockville, Maryland, this 11th day of January 1996.

FOR THE NUCLEAR REGULATORY COMMISSION



Timothy J. Polich, Project Manager
Project Directorate IV-1
Division of Reactor Projects III/IV
Office of Nuclear Reactor Regulation