



Thomas W. Doering, Manager **Engineered Systems** Bechtel SAIC Company, LLC (BSC) 1180 Town Center Drive Las Vegas, NV 89144

ISSUANCE OF DEFICIENCY REPORT (DR) BSC(B)-02-D-142, FAILURE TO SUBMIT RECORD PACKAGES FOR EBS/MTS ACTIVITIES TO THE RECORDS PROCESSING CENTER (RPC)

Enclosed is the subject DR generated as a result of searching for records that needed to be submitted to the RPC. The condition adverse to quality relates to record packages for EBS/MTS activities which were not submitted to the RPC within the period required by Administrative Procedure AP-17.1Q, Records Source Responsibilities for Inclusionary Records.

Please provide the original copy of the response within 10 working days from the date of this correspondence to Kenneth O. Gilkreson, Bechtel SAIC Company, LLC, 1180 Town Center Drive, Las Vegas, Nevada 89144, with a copy of the response to Deborah G. Opielowski, Navarro Quality Services, P. O. Box 364629, YMSCO, Mail Stop 455, North Las Vegas, Nevada 89036.

If you have any questions, please contact either Kenneth O. Gilkerson at (702) 295-5763 or Larry G. Abernathy at (702) 295-4489.

Donald T. Krisha, Manager

Ouality Assurance

REP:bw-0624023092

Enclosure: DR BSC(B)-02-D-142

June 24, 2002 Page 2

cc w/encl:

R. W. Andrews, BSC, Las Vegas, NV G. K. Beall, BSC, Las Vegas, NV L. W. Bradshaw, Nye County, Pahrump, NV Margaret Chu, DOE/HQ (RW-1) FORS J. R. Dyer, DOE/YMSCO, Las Vegas, NV W. J. Glasser, NOS, Las Vegas, NV C. E. Hampton, DOE/YMSCO, Las Vegas, NV D. G. Horton, DOE/YMSCO, Las Vegas, NV D. T. Krisha, BSC, Las Vegas, NV Robert Latta, NRC, Las Vegas, NV S. W. Lynch, State of Nevada, Carson City, NV S. P. Mellington, DOE/YMSCO, Las Vegas, NV Ram Murthy, DOE/OOA, Las Vegas, NV D. G. Opielowski, NOS, Las Vegas, NV R. E. Powe, BSC, Las Vegas, NV J. M. Replogle, DOE/YMSCO, Las Vegas, NV N. K. Stablein, NRC, Rockville, MD Engelbrecht von Tiesenhausen, Clark County, Las Vegas, NV T. J. Wall, BSC, Las Vegas, NV B. L. Wilson, BSC, Las Vegas, NV

cc w/encl:

K. O. Gilkerson, BSC, Las Vegas, NV Asha Kalia, BSC, Las Vegas, NV Norman Kramer, BSC, Las Vegas, NV Alex Sanchez, BSC/SNL, Las Vegas, NV D. A. Thomas, BSC, Las Vegas, NV

NMSSON

			HIS IS A RED STAMP
RADIOACTIVE U.S. DEPAR	E OF CIVILIAN WASTE MANAGEME IMENT OF ENERGY INGTON, D.C.		 DEFICIENCY REPORT CORRECTIVE ACTION REPORT NO. BSC(B)-02-D-142 PAGE 1 OF QA: QA
DEFICIENCY REPORT/C	ORRECTIVE ACTIO	N REPOF	RT
1. Controlling Document: (Document ID and Revision or Date)		2. Related Report No.:	
AP-17.1Q, Rev 2, ICN 2		N/A	
3. Responsible Organization: 4	. Discussed With:		
EBS/MTS A 5. Requirement:	sha Kalia BSC, Alex Sanch	ez SNL	
sooner, 1) The completion of the activity or task as defined in implem 2) One year after the date of the first completed record of that	enting procedure package."		·
6. Description of Condition: Contrary to the above requirements, record packages for the for Acceptance Reports for Calibration Services for Ohio Semitro 13199, 55434, 55924 & 13055.			
Has work been stopped? 🛛 Yes 🗹 No			
7. Initiator: Norman E. Kramer V.M.ann 6/18/02 Printed Name Signature Date 10. Recommended Actions:	9. Does a stop work co Yes No ⊠ If Yes, Check One:	_	?]в []с []р
11. QA Review:	12. Response Due Da	te:	
K.O.G. Kerson R. Stome for Ko Gilkerson Printed Name Signature Date	<u>9/9</u> 2 10	Working Day	s after Issuance
13. QAM Issuance Approval: ROBERT P. KEELEL	hature Advant, Kr. 15/ QAM Closure App	sle/for roval:/	Date (127/02
		-	
QAR Printed Name Signature Date	Printed Name	Signature	Date
AP-16.1Q.1			Rev. 03/25/2002

ķ

.