



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

October 24, 1988

Docket

Docket No. 50-482

Mr. Bart D. Withers
President and Chief Executive Officer
Wolf Creek Nuclear Operating Corporation
Post Office Box 411
Burlington, Kansas 66839

Dear Mr. Withers:

SUBJECT: WOLF CREEK GENERATING STATION - AMENDMENT NO. 21 TO FACILITY
OPERATING LICENSE NO. NPF-42 (TAC NO. 65211)

The Commission has issued the enclosed Amendment No.21 to Facility Operating License No. NPF-42 for the Wolf Creek Generating Station. The amendment consists of changes to the Technical Specifications in response to your application dated December 2, 1986 as supplemented February 18 and August 2, 1988.

The amendment modifies paragraph 2.E of the license to require compliance with the amended Physical Security Plan. This Plan was amended to conform to the requirements of 10 CFR 73.55. Consistent with the provisions of 10 CFR 73.55, search requirements must be implemented within 60 days and miscellaneous amendments within 180 days from the effective date of this amendment.

Our evaluation of the amendment to your Physical Security Plan for the Wolf Creek Generating Station is contained in the enclosed Safeguards Evaluation Report. Based on this evaluation, we find that you meet the requirements of the Miscellaneous Amendments and Search Requirements revision to 10 CFR 73.55 and the recordkeeping requirements of 10 CFR 73.70.

We find that this amendment to your license is related solely to safeguards matters and does not involve any significant construction impacts. Accordingly, this amendment meets the eligibility criteria for categorical exclusion set forth in 10 CFR 51.22(c)(12). Pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared in connection with the issuance of this amendment.

This license amendment applies to the Physical Security Plan and incorporates into the license the latest requirements of your updated Physical Security Plan. We have concluded that there is reasonable assurance that the health and safety of the public will not be endangered by this action and that this action will be conducted in compliance with the Commission's regulations, and the issuance of this amendment will not be inimical to the common defense and security or to the health and safety of the public.

8810280143 881024
PDR ADOCK 05000482
P PIC

CPA
DFol
111

Your Physical Security Plan consists of Safeguards Information required to be protected from unauthorized disclosure in accordance with the provisions of 10 CFR 73.21.

A copy of our related Safety Evaluation is enclosed. The notice of issuance will be included in the Commission's next bi-weekly Federal Register notice.

Sincerely,

151

Douglas Pickett, Project Manager
Project Directorate - IV
Division of Reactor Projects - III,
IV, V and Special Projects
Office of Nuclear Reactor Regulation

Enclosures:

1. Amendment No. 21 to License No. NPF-42
2. Safety Evaluation

cc w/enclosures:
See next page

DOCUMENT NAME: WC AMEND TAC 65211

DISTRIBUTION

ocket File	BGrimes
NRC PDR	TBarnhart (4)
Local PDR	WJones
PD4 Reading	EButcher
PNoonan	ACRS (10)
DPickett	GPA/PA
JCalvo	ARM/LFMB
OGC-Rockville	DHagan
EJordan	Plant File
TAlexion	RSkelton
CBuracker	

*SEE PREVIOUS PAGE FOR CONCURRENCES

PD4/LA*	PD4/PM*	OGC-Rockville*	PD4/D <i>MAC</i>
PNoonan	PO'Connor:sr		JCalvo
09/27/88	09/20/88	10/3/88	10/29/88

Your Physical Security Plan consists of Safeguards Information required to be protected from unauthorized disclosure in accordance with the provisions of 10 CFR 73.21.

A copy of our related Safety Evaluation is enclosed. The notice of issuance will be included in the Commission's next bi-weekly Federal Register notice.

Sincerely,

Paul W. O'Connor, Project Manager
Project Directorate - IV
Division of Reactor Projects - III,
IV, V and Special Projects
Office of Nuclear Reactor Regulation

Enclosures:

1. Amendment No. to License No. NPF-42
2. Safety Evaluation

cc w/enclosures:
See next page

DOCUMENT NAME: WC AMEND TAC 65211

DISTRIBUTION

Docket File	BGrimes
NRC PDR	TBarnhart (4)
Local PDR	WJones
PD4 Reading	EButcher
PNoonan	ACRS (10)
PO'Connor	GPA/PA
JCalvo	ARM/LFMB
OGC-Rockville	DHagan
EJordan	Plant File
TAlexion	RSkelton
CBuracker	

PD4/LA *JM*
PNoonan
09/27/88

PD4/PM *PWO*
PO'Connor:sr
09/20/88


OGC-Rockville
CPW
09/13/88

PD4/D
JCalvo
09/ /88

Your Physical Security Plan consists of Safeguards Information required to be protected from unauthorized disclosure in accordance with the provisions of 10 CFR 73.21.

A copy of our related Safety Evaluation is enclosed. The notice of issuance will be included in the Commission's next bi-weekly Federal Register notice.

Sincerely,



Douglas Pickett, Project Manager
Project Directorate - IV
Division of Reactor Projects - III,
IV, V and Special Projects
Office of Nuclear Reactor Regulation

Enclosures:

1. Amendment No. 21 to
License No. NPF-42
2. Safety Evaluation

cc w/enclosures:
See next page

Mr. Bart D. Withers
Wolf Creek Nuclear Operating Corporation

Wolf Creek Generating Station
Unit No. 1

cc:

Jay Silberg, Esq.
Shaw, Pittman, Potts & Trowbridge
1800 M Street, NW
Washington, D.C. 20036

Chris R. Rogers, P.E.
Manager, Electric Department
Public Service Commission
P. O. Box 360
Jefferson City, Missouri 65102

Regional Administrator, Region III
U.S. Nuclear Regulatory Commission
799 Roosevelt Road
Glen Ellyn, Illinois 60137

Senior Resident Inspector/Wolf Creek
c/o U. S. Nuclear Regulatory Commission
P. O. Box 311
Burlington, Kansas 66839

Mr. Robert Elliot, Chief Engineer
Utilities Division
Kansas Corporation Commission
4th Floor - State Office Building
Topeka, Kansas 66612-1571

Mr. Gerald Allen
Public Health Physicist
Bureau of Air Quality & Radiation
Control
Division of Environment
Kansas Department of Health
and Environment
Forbes Field Building 321
Topeka, Kansas 66620

Mr. Gary Boyer, Plant Manager
Wolf Creek Nuclear Operating Corp.
P. O. Box 411
Burlington, Kansas 66839

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
Office of Executive Director
for Operations
611 Ryan Plaza Drive, Suite 1000
Arlington, Texas 76011

Mr. Otto Maynard, Manager Licensing
Wolf Creek Nuclear Operating Corp.
P. O. Box 411
Burlington, Kansas 66839



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

KANSAS GAS & ELECTRIC COMPANY
KANSAS CITY POWER AND LIGHT COMPANY
KANSAS ELECTRIC POWER COOPERATIVE, INC.
WOLF CREEK GENERATING STATION
DOCKET NO. 50-482
AMENDMENT TO FACILITY OPERATING LICENSE

Amendment No. 21
License No. NPF-42

1. The Nuclear Regulatory Commission (the Commission) has found that:
 - A. The application for amendment to the Wolf Creek Generating Station (the facility) Facility Operating License No. NPF-42 filed by the Wolf Creek Nuclear Operating Corporation, dated December 2, 1986 as supplemented February 18 and August 2, 1988, complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations set forth in 10 CFR Chapter I;
 - B. The facility will operate in conformity with the application, as amended, the provisions of the Act, and the rules and regulations of the Commission;
 - C. There is reasonable assurance: (i) that the activities authorized by this amendment can be conducted without endangering the health and safety of the public, and (ii) that such activities will be conducted in compliance with the Commission's regulations;
 - D. The issuance of this license amendment will not be inimical to the common defense and security or to the health and safety of the public; and
 - E. The issuance of this amendment is in accordance with 10 CFR Part 51 of the Commission's regulations and all applicable requirements have been satisfied.

8810280148 881024
PDR ADOCK 05000482
P PDC

2. Accordingly, Paragraph 2.E of Facility Operating License No. NPF-42 is hereby amended to read as follows:

The licensee shall fully implement and maintain in effect all provisions of the Commission-approved physical security, guard training and qualification, and safeguards contingency plans including amendments made pursuant to provisions of the Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and to the authority of 10 CFR 50.90 and 10 CFR 50.54(p). The plans, which contain Safeguards Information protected under 10 CFR 73.21, are entitled: "Wolf Creek Generating Station Physical Security Plan," with revisions submitted through August 2, 1988; "Wolf Creek Generating Station Security Training and Qualification Plan," with revisions submitted through August 2, 1988; and "Wolf Creek Generating Station Safeguards Contingency Plan," with revisions submitted through August 2, 1988. Changes made in accordance with 10 CFR 73.55 shall be implemented in accordance with the schedule set forth therein.

3. The license amendment is effective as of its date of issuance.

FOR THE NUCLEAR REGULATORY COMMISSION

Jose A. Calvo

Jose A. Calvo, Director
Project Directorate - IV
Division of Reactor Projects - III,
IV, V and Special Projects
Office of Nuclear Reactor Regulation

Date of Issuance: October 24, 1988



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D. C. 20555

SAFEGUARDS EVALUATION REPORT

MISCELLANEOUS AMENDMENTS AND SEARCH REQUIREMENTS

WOLF CREEK NUCLEAR OPERATING CORPORATION

WOLF CREEK GENERATING STATION, UNIT 1

1.0 Introduction

The Wolf Creek Nuclear Operating Corporation (WCNOC) has filed with the Nuclear Regulatory Commission revisions to their Physical Security Plan for the Wolf Creek Generating Station, Unit 1.

This Safeguards Evaluation Report (SGER) summarizes how the licensee proposes to meet the Miscellaneous Amendments and Search Requirements revisions of 10 CFR Part 73.55.

Based on a review of the Physical Security Plan, the staff has concluded that the proposed changes satisfy Miscellaneous Amendments and Search Requirements revisions to 10 CFR 73.55 (51 FR 27817 and 27822) and accompanying 10 CFR 73.70 record reporting requirements. Accordingly, the protection provided will ensure that the public health and safety will not be endangered.

2.0 Personnel Search

The licensee has provided commitments in the Physical Security Plan to provide a search of all individuals entering the protected area except bona fide Federal, State and local law enforcement personnel on official duty, through the use of equipment designed for the detection of firearms, explosives, and incendiary devices. In addition, the licensee has provided commitments to conduct a physical pat-down search of an individual whenever the licensee has cause to suspect that the individual is attempting to introduce firearms, explosives, or incendiary devices into the protected areas; or whenever firearms or explosives detection equipment is out of service or not operating satisfactorily.

3.0 Vital Area Access

WCNOC has modified their Wolf Creek Generating Station, Unit 1, Physical Security Plan to limit unescorted access to vital areas during non-emergency conditions to individuals who require access in order to perform their duties. They have established current authorization access lists for each vital area which are updated and approved by the cognizant manager or supervisor at least once every 31 days. WCNOC has assured that only individuals whose specific duties require access to vital areas during nonemergency conditions are included on their site access list. WCNOC has provided further assurance by revoking access and retrieving badges and other entry devices prior to or simultaneously with notification of termination of an individual's unescorted facility access.

8810280150 881024
PDR ADOCK 05000482
P PDC

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that WCNOC meets the vital area access requirements of 10 CFR 73.55(d)(7)(i)(A)(B) and (C).

4.0 Locks and Keys

The licensee has committed to providing methods to reduce the probability of compromise of keys, locks, combinations, and related access control devices used to control access to their protected areas and vital areas. These methods include the rotation of keys, locks, combinations, and related access control devices every 12 months or the changing of these devices whenever there is evidence or suspicion that any key, lock, combination or related access control device may have been compromised or when an individual who has had access to any of these devices has had their access terminated due to a lack of trustworthiness, reliability or inadequate work performance. Only persons granted unescorted facility access are issued such entry devices.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that WCNOC meets the requirements of 10 CFR 73.55 (d)(9) to reduce the probability of compromise of keys, locks, combinations, and related access control devices.

5.0 Emergency Access

The licensee has provided commitments to provide for the rapid ingress and egress of individuals during emergency conditions or situations that could lead to emergency conditions by assuring prompt access to vital equipment. An annual review of their physical security plans and contingency plans and procedures will be conducted to evaluate their potential impact on plant and personnel safety. Emergency access is granted by a licensed senior operator.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that WCNOC meets the requirements of 10 CFR 73.55 (d)(7)(ii)(B) to assure access to vital equipment during emergencies or to situations that may lead to an emergency.

6.0 Protection of Secondary Power Supplies

The licensee has provided commitments to protect the on-site secondary power supply system for alarm annunciator equipment and non-portable communications equipment by including such equipment within a vital area boundary.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that WCNOC meets the requirements of 10 CFR 73.55(e) in protecting the secondary power supplies of alarm annunciator equipment and non-portable communications equipment.

7.0 Vital Area Entry/Exit Logging

The licensee has committed to maintaining a log indicating name, badge number, time of entry, and time of exit of all individuals granted access to a vital area except those individuals entering or exiting the reactor control room.

Based upon commitments made by the licensee in revisions to their Physical Security Plan, the staff has concluded that WCNOG meets the requirements of 10 CFR 73.70(d) by maintaining entry/exit log of individuals accessing vital areas (except the reactor control room).

8.0 Conclusion

Based upon the above evaluation, we find that the licensee has met the requirements of the Miscellaneous Amendments and Search Requirements revision to 10 CFR Part 73.55 and the record reporting requirements of 10 CFR Part 73.70.

Principal Contributor: Robert Skelton, NRR

Dated: October 24, 1988