



Conference of Radiation Control Program Directors, Inc.

Office of Executive Director ♦ 205 Capital Avenue ♦ Frankfort, KY 40601
Phone: 502/227-4543 ♦ Fax: 502/227-7862 ♦ Web Site: www.crcpd.org
Central E-mail: staff@crcpd.org

July 16, 2002

Board of Directors

Chairperson

Cynthia C. Cardwell
Texas

Chairperson-Elect

Richard A. Ratliff
Texas

Past Chairperson

Paul J. Merges, Ph.D.
New York

Treasurer

Terry C. Frazee
Washington

Members-at-Large

Julia A. Schmitt
Nebraska

Russell S. Takata
Hawaii

Debbie B. Gilley
Florida

Office of Executive Director

Executive Director
Ronald G. Fraass
Kentucky

Administrative Officer
Patricia C. Gorman
Kentucky

Paul Lohaus
Nuclear Regulatory Commission
One White Flint North
11555 Rockville Pike
Rockville, MD 20852

Dear Mr. ^{Paul}Lohaus:

Please find enclosed revised draft copies of the latest suggested state regulations from the Conference of Radiation Control Program Directors. **Part N – Regulation and Licensing of Technologically Enhanced Naturally Occurring Radioactive Materials (TENORM)**, is being presented for peer review. In addition, CRCPD is also presenting the enclosed **Implementation Guidance for Regulation and Licensing of Technologically Enhanced Naturally Occurring Radioactive Material (TENORM)**. Currently, CRCPD members and industry stakeholders are peer reviewing the Part and the guidance document. We request that NRC likewise review the enclosed Part relative to eventual Federal Concurrence.

The CRCPD requests that correspondence relative to Part N from your agency be submitted prior to September 16, 2002.

Thank you for your attention to this important matter.

Sincerely,


Patricia Gorman
Administrative Officer, CRCPD

cc: Ron Fraass, Executive Director, CRCPD
Cindy Cardwell, Chairperson, CRCPD

02 JUL 22 AM 10: 22

STP

STP-006 Template
RIDS DIST: SP02

PART N

**REGULATION AND LICENSING OF
TECHNOLOGICALLY ENHANCED NATURALLY OCCURRING RADIOACTIVE
MATERIAL (TENORM)**

Sec. N.1 - Purpose. This Part establishes radiation protection standards for Technologically Enhanced Naturally Occurring Radioactive Material (TENORM). This includes the possession, use, processing, manufacture, distribution, transfer, and disposal of TENORM and manufacture of products with TENORM. This Part also provides for the licensing of TENORM, including license termination.

Sec. N.2 - Scope.

- a. Except as otherwise excluded in this Part, Part N applies to any person who receives, possesses, uses, processes, transfers, distributes, or disposes of TENORM.
- b. The manufacture and distribution of products containing TENORM in which the TENORM's emitted radiation is considered beneficial to the products are licensed pursuant to the provisions of Part C of these regulations.
- c. This Part also addresses the introduction of TENORM into products in which the radiation emitted from the TENORM is not considered to be beneficial to the products.
- d. This Part does not apply to source material and byproduct material as both are defined in the Atomic Energy Act of 1954, as amended (42 USC §2011 *et seq.*) as implemented by the Nuclear Regulatory Commission.
- e. Storage incident to transportation and transportation of TENORM are governed by Parts D and T respectively of these regulations.

Sec. N.3 - Definitions. As used in this Part, the following definitions apply:

"Beneficial to the product" means that the radioactivity of the TENORM is necessary to the use of the product.

"Conditional release" means release by a licensee for a specified use, not release for unrestricted use.

"Consumer" means a member of the public exposed to TENORM from final end-use products available on a retail basis.

"Consumer or retail product" means any product, article, or component part thereof, produced, distributed or sold for use by a consumer in or around a permanent or temporary household or residence, or for the personal use, consumption, or enjoyment of a consumer, or for use in or around a school or playground.

"Critical group" means the group of individuals reasonably expected to receive the greatest exposure to residual radioactivity for any applicable set of circumstances.

"Product" means something produced, made, manufactured, refined, or benefited.

"Reasonably maximally exposed individual" means a representative of a population who is exposed to TENORM at the maximum TENORM concentration measured in environmental media found at a site along with reasonable maximum case exposure assumptions. The exposure is determined by using maximum values for one or more of the most sensitive parameters affecting exposure, based on cautious but reasonable assumptions, while leaving the others at their mean value.

"Residual radioactivity" means radioactivity in structures, materials, soils, groundwater, and other media at a site resulting from activities under the licensee's control. This includes radioactivity from all licensed and unlicensed sources used by the licensee, but excludes background radiation. It also includes radioactive materials remaining at the site as a result of routine or accidental releases of radioactive material at the site and previous burials at the site, even if those burials were made in accordance with the provisions of [Part D of these regulations].

"Technologically Enhanced Naturally Occurring Radioactive Material (TENORM)" means naturally occurring radioactive material whose radionuclide concentrations are increased by or as a result of past or present human practices. TENORM does not include background radiation or the natural radioactivity of rocks or soils. TENORM does not include "source material" and "byproduct material" as both are defined in the Atomic Energy Act of 1954, as amended (42 USC §2011 *et seq.*) as implemented by the Nuclear Regulatory Commission.^{2/}

["Transfer" means the physical relocation of TENORM within a business' operation or between general or specific licensees. This term does not include commercial distribution or a change in legal title to TENORM that does not involve physical movement of those materials.]

"Total effective dose equivalent" or "TEDE" means [applicable state definition for consistency with other regulations.]

Sec. N.4 - Exemptions. ^{**/}

- a. Persons who receive, possess, use, process, transfer, distribute, or dispose of TENORM are exempt from the requirements of Part N with respect to any combination of ²²⁶Ra and ²²⁸Ra

^{2/} All radionuclides are listed as hazardous substances pursuant to the Comprehensive Environmental Response, Compensation Liability Act (CERCLA 42 USC §9601 *et seq.* as amended). Because the Superfund definition of hazardous substances extends to natural hazardous substances that have been removed from their place in nature and exposed to the accessible environment, materials containing naturally occurring radionuclides which have not been enriched in concentration are covered by CERCLA and related EPA regulations.

^{**/} States may establish alternative exemption criteria using site and industry specific data, provided that the criteria are consistent with N.5b and N.5c.

if the materials contain, or are contaminated at, concentrations less than [185 becquerel per kilogram (5 pCi/g)] excluding natural background. The progeny of the exempt TENORM ^{226}Ra and ^{228}Ra are also exempt. Manufacture of consumer or retail products at concentrations greater than [185 becquerel per kilogram (5 pCi/g)] is regulated pursuant to N.22c. and N.23.^{2/}

- b. Persons who receive products or materials containing TENORM distributed in accordance with a specific license issued by the Agency pursuant to N.20a., or to an equivalent license issued by another Licensing State, are exempt from this Part with regard to those products or materials.
- c. Persons who receive, possess, use, process, transfer and distribute, including preparation of custom blends for distribution, phosphate or potash ore-based fertilizers containing TENORM are exempt from this Part.
- d. [Persons who receive, possess, use, process, transfer, dispose into a permitted landfill, and distribute, including preparation of custom blends for distribution, zirconia, zircon, and products of zirconia and zircon containing TENORM are exempt from this Part. A facility that manufactures zirconia or zircon from ore is not exempt from this Part. A facility that chemically processes zirconia or zircon resulting in increased environmental mobility of TENORM is not exempt from this Part.]^{3/}
- e. Persons who possess TENORM waste regulated by the Comprehensive Environmental Response, Compensation Liability Act (CERCLA 42 USC §9601 *et seq.* as amended) or by the Resources Conservation and Recovery Act (RCRA 42 USC §6901 *et seq.* as amended) [or equivalent state authority] are exempt from this Part for the TENORM waste regulated by either of these federal acts.
- f. Other persons who possess or use TENORM shall be exempt when the Agency makes a determination, upon its own initiative or upon request for such determination, that the reasonably maximally exposed individual will not receive a public dose with a total effective dose equivalent (TEDE) of more than 1 millisievert (0.1 rem) in one year from all licensed or registered sources of radiation including TENORM.
- g. [Persons who receive water treatment plant or sewage treatment plant liquid or sludge, apply such material to farmland by spreading, or cultivate such material into farmland as a soil amendment in accordance with a permit from the [appropriate state agency] are hereby exempt from this Part if the concentration of ^{226}Ra and ^{228}Ra combined in the liquid or sludge before application to farmland is less than 370 becquerel per kilogram (10 pCi/g).]^{4/}

^{2/}To apply this exemption to equipment such as pipe, it must be determined that the concentration of total radium is less than 185 becquerel per kilogram (5 pCi/g) excluding the weight of the pipe or object contaminated with TENORM.

^{3/} Should a state Agency wish to exempt zircon and zirconia from its TENORM rule, there is sufficient basis to do so in situations where processing has not increased the environmental mobility of radionuclides.

^{4/} The Agency should coordinate with the appropriate state agency that authorizes the application of liquid or sludge. The related assessment was based on a total of 3 applications of 5,000 kg of material per acre for each application.

Sec. N.5 - Standards for Radiation Protection for Members of the Public.

- a. No person licensed under N.10 or N.20 shall use, possess, process, distribute, or transfer TENORM or conduct operations with TENORM in a manner such that an individual will receive a public dose with an annual TEDE in excess of 1 millisievert (100 mrem) from all licensed or registered sources of radiation including TENORM.
- b. Persons subject to a specific or general license under this Part shall comply with the standards for radiation protection set out in Part D of these regulations.^{2/}
- c. Doses from inhalation of indoor radon and its short half-life (less than 1 hour) progeny shall not be included in calculations of the TEDE, except when the dose is due to effluent releases from licensed operations from handling or processing of TENORM.

Sec. N.6 - Protection of Workers During Operations. Each person subject to a specific or general license under Part N shall conduct operations such that protection of workers is in compliance with the standards for radiation protection set out in Parts D and J of these regulations.

Sec. N.7 - Unrestricted Use and Conditional Release. The following criteria apply for persons subject to a specific or general license under this Part:

- a. **Release of equipment for unrestricted use.** Equipment can be released from the site for unrestricted use when that equipment is not contaminated with TENORM at levels greater than those in Appendix A of this Part. Upon application, specific approval of alternative levels may be granted by the Agency.
- b. **Release of a site for unrestricted use.** ^{**/} The Agency shall release a site for unrestricted use upon request by the licensee who has demonstrated to the Agency that the appropriate following criteria have been met:
 - i. The average member of the critical group will not receive annually a public dose in excess of 0.25 millisievert (0.025 rem) TEDE from residual radioactive materials on site other than residual TENORM ²²⁶Ra and ²²⁸Ra and their progeny;
 - ii. The concentration of residual TENORM ²²⁶Ra and ²²⁸Ra on land averaged over 100 square meters, is less than 185 becquerel per kilogram (5 pCi/g) above the background concentration, averaged over any 15 cm layer of soil. The 15 cm layers

^{2/} States which have already adopted Part D of these regulations or the equivalent shall substitute the appropriate reference.

^{**/} The Agency must consider, where applicable, the Clean Water Act, Safe Drinking Water Act, and other requirements of the U.S. Environmental Protection Agency.

are contiguous depth increments from the surface down. Each of the progeny radionuclides of the residual TENORM ^{226}Ra and ^{228}Ra may also be present in concentrations similar to the residual TENORM ^{226}Ra and ^{228}Ra concentration;

- iii. Where residual TENORM ^{226}Ra and ^{228}Ra and their progeny and other residual TENORM radionuclide contamination are present the sum of fractions shall be used for combining the criteria of N.7b.i. and N.7b.ii. The sum of fractions is determined by dividing each average radium concentration by the radium limit of 185 becquerel per kilogram (5 pCi/g) and dividing the estimated annual dose from other residual TENORM radionuclides by 0.25 millisievert (0.025 rem) and then adding the ratios together. The sum of the fractions must be less than, or equal to, 1.0 to meet this criterion; and
- iv. The license termination requirements in Part D of these regulations. [Whenever TENORM ^{226}Ra and ^{228}Ra and other non-TENORM licensed radioactive material is present, the Agency will determine on a case-by-case basis how the criteria of Part D will be applied because Part N covers only TENORM and Part D covers all other licensed radioactive material regulated by the Agency and 185 becquerel per kilogram (5 pCi/g) of TENORM ^{226}Ra and ^{228}Ra above background is exempt.]
- c. Persons with a specific license shall comply also with requirements of N.26a.vi., N.26a.vii., and N.27 that are applicable to remediation and termination of the license.
- d. Persons with a general license shall also notify the Agency in writing prior to commencing activities to reclaim the site. Decontamination activities require a specific license.
 - i. Notification of Site or Area Closure. When the general licensee has permanently ceased use of radioactive materials at a site or portion of a site or facility or when an area has not been used for a period of two years, the licensee shall, within 60 days, provide the following information in writing to the Agency:
 - (1) The location of the site or area; and
 - (2) The plan for reclaiming or decontaminating the site or area.
- e. Actions taken to confine TENORM on site or to remediate sites shall be based on expected longevity related controls for 1000 years [or longer].^{2/}
- f. Conditional release of metal for recycle. Conditionally released metal for recycle shall be done only under the condition that metal contaminated with TENORM does not exceed a maximum exposure level of 50 microrentgen per hour, including background radiation, at

^{2/} The emphasis of CERCLA policies for permanency and the Nuclear Regulatory Commission's License Termination Rule of 10 CFR 20 should be considered by the Agency.

any accessible location of the metal surface prior to release from the site.^{2/}

- g. Equipment not released for unrestricted use. Equipment contaminated with TENORM in excess of levels specified in Appendix A may be transferred pursuant to N.10e.
- h. Other transfers of TENORM. Other transfers of TENORM shall be in accordance with N.8, N.10, or N.20 of these regulations.

Sec. N.8 - Disposal and Transfer of Waste for Disposal.

- a. Each person subject to specific or general license requirements of this Part shall manage and dispose of wastes containing TENORM:
 - i. By transfer of the wastes for storage, treatment, or disposal at a facility licensed by the Agency, an agency of another Agreement State, or the Nuclear Regulatory Commission, or authorized by the Department of Energy for storage, treatment, or disposal of TENORM;
 - ii. By transfer of the wastes for storage, treatment, or disposal to a facility licensed by the Agency, an agency of another state, or the Nuclear Regulatory Commission for storage, treatment or disposal of low-level radioactive waste unless the disposal facility license prohibits disposal of TENORM;
 - iii. By transfer of the waste for disposal at a permitted solid or hazardous waste disposal facility, provided such facility is not prohibited from receiving and disposing such TENORM waste and the disposal is in accordance with applicable federal and state law;
 - iv. By disposal in an injection well approved in accordance with [insert reference to appropriate state regulation] or by transfer for disposal at an out-of-state injection well approved by the applicable governmental authority;
 - v. By transfer for disposal in another state as otherwise approved by the applicable governmental authority [and with written approval of the Agency]; or
 - vi. In accordance with alternate methods authorized by the permitting agency for the disposal site upon application or upon the Agency's initiative, consistent with N.5 [and where applicable the Clean Water Act, Safe Drinking Water Act and other requirements of the US Environmental Protection Agency for disposal of such wastes].
- b. Records of disposal, including manifests for TENORM, shall be maintained consistent with

^{2/} States may establish screening levels based on gamma survey instrument results for use in releasing facilities and equipment consistent with N.5.

the provisions of Part D of these regulations.

- c. TENORM waste shall not be diluted for the sole purpose of making the waste exempt from the disposal requirements without prior Agency approval. The criteria in N.5 shall be used by the Agency to determine whether or not to approve such a request.^{1/}

Sec. N.9 - Prohibition. Purposeful dilution to render TENORM exempt shall not be performed without prior Agency approval.^{2/}

General Licenses

Sec. N.10 - General Licenses.

- a. Subject to the requirements of N.5 through N.8 and N.10, unless and until a specific license has been issued in accordance with N.20, a general license is hereby issued to possess, use, transfer, distribute or dispose of TENORM without regard to quantity.^{2/}
- b. This general license does not authorize the manufacture of consumer or retail products containing TENORM in concentrations greater than those specified in N.4a. nor the receipt and disposal of wastes from other persons.
- c. Employees or contractors under control and supervision of a general licensee can perform routine maintenance on equipment, facilities, and land owned or controlled by the general licensee. Maintenance that provides a pathway for exposure different from that found in daily operations and that increases the potential for additional exposure is not considered routine maintenance. The decontamination of equipment, facilities, and land shall be performed only by persons specifically licensed by the Agency, an Agreement State, or another Licensing State to conduct such work.
- [d.**] Any person subject to the general license issued by N.10a. shall notify the Agency within 60 days of the effective date of this Part or of becoming subject to the general license. Such notification shall include:
- i. Name and address of the licensee;
 - ii. Location and description of the facility [facilities] or portion of a facility where the TENORM is situated;^{3/}

^{1/} Examples of uses that have been approved by other states include mineral processing wastes as an ingredient in asphalt, contaminated soil as a soil amendment, and treated sludge as material to melt snow on road ways.

^{2/} Dilution resulting from normal product processing is not considered purposeful dilution.

^{2/} Ownership of TENORM is authorized by the general license in C.22f. of these regulations.

^{**} This subsection may be omitted at the option of the adopting state.

^{3/} This allows an option of a general license for each facility or for a single general license for multiple facilities owned

- iii. Description of the TENORM including estimates of the amount and extent of TENORM.]
- e. Transfer of material, equipment or real property.
 - i. The transfer of TENORM not exempt from these regulations from one general licensee to another general licensee is authorized if:
 - (1) The equipment and facilities contaminated with TENORM are to be used by the recipient for a similar purpose, provided that no member of the public shall receive a dose in excess of that allowed under N.5a.; or
 - (2) The transfer of control or ownership of land contaminated with TENORM includes [an annotation of the deed records]²¹[notice to owners of surface and mineral rights]²² to indicate the presence of TENORM.
 - ii. For transfers not made in accordance with N.10e.i., prior written approval by the Agency is required. [To obtain Agency approval, the transferor shall submit information that demonstrates compliance with N.7. Records of such compliance shall be maintained as specified in (cite record keeping for decommissioning).²³]
 - iii. For transfers made under N.10e.i., the general licensee who makes the transfer shall assess the amount and extent of TENORM contamination or material present, inform the general licensee receiving the TENORM of these assessments prior to such transfer, and maintain records required by these regulations that include:
 - (1) The date, recipient name and location;
 - (2) A description and quantity of the material; and
 - (3) A description of the procedures and mechanisms used to ensure that material will not be released in another manner, such as an unrestricted release.
 - iv. A general licensee intending to transfer material or real property for unrestricted use shall document compliance with the requirements of N.7. Records of such compliance shall be maintained [state's option].

by same person. The Agency can allow the general licensee to select the option.]

²¹ *The notice to local government is to ensure notification of the appropriate government agency that regulates land use. The intent is to ensure that no use of the land or construction occurs that would cause exposure to the TENORM above the limit for a member of the public without the knowledge of the individuals being exposed.*

²² *This option is provided for those states in which notations to recorded deeds are prohibited*

²³ *Procedural aspects need to be considered in a Regulatory Guide*

- f. Distribution of TENORM products between general licensees. The distribution of TENORM products not exempt from these regulations from one general licensee to another general licensee is authorized provided the product is accompanied by labels or manifests which identify the type and amount of TENORM.^{4/}
- g. The Agency may, by written notice, require any person authorized by a general license to apply for and obtain a specific license if the Agency determines that specific licensure is necessary to ensure that exposures do not exceed the criteria of N.5 and N.6. The notice shall state the reason or reasons for requiring a specific license.

Specific Licenses

Sec. N.20 - Specific Licenses.

- a. A specific license is required under N.22c. and N.23 to manufacture and distribute any consumer or retail product containing TENORM unless the manufacture and distribution are:
- i. Authorized as specified by N.10a. or N.10f.;
 - ii. Licensed under the provisions of Part C of these regulations;
 - iii. Exempted under the provisions of N.4; or
 - iv. Otherwise exempt in accordance with another Part of these regulations;
- b. A specific license is required to decontaminate equipment or land not exempted under the provisions of N.4 or to decontaminate facilities contaminated with TENORM in excess of the levels in N.7. For purposes of this subsection, the term "decontaminate" shall not include routine maintenance which results in the incidental removal of contamination; and
- c. A specific license is required to receive TENORM from other persons for storage, treatment or disposal unless otherwise provided by Part N [or authorized in writing by the Agency].

Sec. N.21 - Filing Application for Specific Licenses.^{5/}

- a. Applications for specific licenses shall be in English and filed in a manner and on a form prescribed by the Agency.

^{4/} This may be accomplished by providing notification to the recipient through literature such as Material Safety Data Sheets, manifests, or labeling accompanying the product.

^{5/} This section duplicates the requirements of SSRCR Part C; states having equivalent requirements may elect to refer to appropriate regulations.

- b. The Agency may at any time after the filing of the original application, and before the termination of the license, require further statements in order to enable the Agency to determine whether the application should be granted or denied or whether a license should be modified or revoked.
- c. Each application shall be signed by the applicant or licensee or a person duly authorized to act for and on the licensee's behalf.
- d. An application for a license may include a request for a license authorizing one or more activities.
- e. Each application for a specific license shall be accompanied by the fee prescribed in [cite the appropriate regulation].
- [f. In an application, the applicant may incorporate by reference information contained in previous applications, statements, or reports filed with the Agency provided such references are clear and specific.]
- g. Applications and documents submitted to the Agency may be made available for public inspection [state's option: include references to applicable freedom of information statute, trade secrets, etc.].

Sec. N.22 - Requirements for the Issuance of Specific Licenses.^{2/}

- a. A license application will be approved if the Agency determines that:
 - i. The applicant is qualified by reason of training and experience to use the TENORM in question for the purpose requested in accordance with these regulations in such a manner as to protect the public health and safety or property;
 - ii. The applicant's proposed equipment, facilities, and procedures are adequate to protect the public health and safety or property;
 - iii. The issuance of the license will not be inimical to the health and safety of the public;
 - iv. The applicant satisfied all applicable special requirements in this Part;
 - v. The applicant has met the financial assurance requirements of N.50;

^{2/} This section duplicates the requirements of SSRCR Part C; states having equivalent requirements may elect to refer to appropriate regulations.

- vi. The applicant has adequately addressed the following items in the application:
 - (1) Procedures and equipment for monitoring and protecting workers;
 - (2) An evaluation of the radiation levels and concentrations of contamination expected during normal operations;
 - (3) Operating and emergency procedures, including procedures for waste reduction and quality assurance of items released for unrestricted use; and
 - (4) A method for managing the radioactive material removed from contaminated equipment and facilities; and
- vii. For each location to be listed on the license as an authorized use location, the applicant shall submit either:
 - (1) A statement that the applicant owns the facility where radioactive material is to be used or stored; or
 - (2) A statement verifying that the facility owner has been informed, in writing, of the use or storage of radioactive material at the facility, and that the use of such material is subject to the regulations of the Agency.
- b. An application for a specific license to decontaminate equipment, land, or facilities contaminated with TENORM in excess of the levels set forth in N.7, as applicable, and to dispose of the resulting waste will be approved if:
 - i. The applicant satisfies the general requirements specified in N.22a.; and
 - ii. The applicant has adequately addressed the following items in the application:
 - (1) Procedures and equipment for monitoring and protection of workers;
 - (2) An evaluation of the radiation levels and concentrations of contamination expected during normal operations;
 - (3) Operating and emergency procedures, including procedures for waste reduction and quality assurance of items released for unrestricted use; and
 - (4) Method of disposing of the TENORM removed from contaminated equipment, facilities, or land.
- c. An application for a specific license to transfer or manufacture or distribute consumer or retail products containing TENORM to persons exempted from these regulations pursuant to N.4b. will be approved if:
 - i. The applicant satisfies the general requirements specified in N.22a.;

- ii. The TENORM is not contained in any food, beverage, cosmetic, drug, or other commodity designed for ingestion or inhalation by, or application to, a human being; and
- iii. The applicant submits sufficient information relating to the design, manufacture, prototype testing, quality control procedures, labeling or marking, and conditions of handling, storage, use, and disposal of the TENORM product to demonstrate that the product will meet the safety criteria set forth in N.23. The information shall include:
 - (1) A description of the product and its intended use or uses;
 - (2) The type, quantity, and concentration of TENORM in each product;
 - (3) The chemical and physical form of the TENORM in the product and changes in chemical and physical form that may occur during the useful life of the product;
 - (4) An analysis of the solubility in water and body fluids of the radionuclides in the product;
 - (5) The details of manufacture and design of the product relating to containment and shielding of the TENORM and other safety features under normal and severe conditions of handling, storage, use, reuse, and disposal of the product;
 - (6) The degree of access of human beings to the TENORM product during normal handling, use, and disposal;
 - (7) The total quantity of TENORM expected to be distributed annually in the product;
 - (8) The expected useful life of the product;
 - (9) The proposed method of labeling or marking each unit of the product with identification of the manufacturer or initial transferor of the product and the radionuclides and quantity of TENORM in the product;
 - (10) The procedures for prototype testing of the product to demonstrate the effectiveness of the containment, shielding, and other safety features under both normal and severe conditions of handling, storage, use, reuse, and disposal;
 - (11) The results of the prototype testing of the product, including any change in the form of the TENORM contained in it, the extent to which the TENORM may be released to the environment, any change in radiation levels, and any other changes in safety features;

- (12) The estimated external radiation doses and committed dose equivalent relevant to the safety criteria in N.23 and the basis for such estimates;
- (13) A determination that the probabilities with respect to doses referred to in N.23 meet the safety criteria;
- (14) The quality control procedures to be followed in the processing of production lots of the product, and the quality control standards the product will be required to meet; and
- (15) Any additional information, including experimental studies and tests, required by the Agency to facilitate a determination of the radiation safety of the product.

[d. Notwithstanding the provisions of N.23b., the Agency may deny an application for a specific license if the end uses of the product are frivolous or cannot be reasonably foreseen.]

Sec. N.23 - Safety Criteria for Consumer and Retail Products. An applicant for a license under N.22c. shall demonstrate that the product is designed and will be manufactured so that:

- a. In normal use and disposal of a single exempt item,^{2/} and in normal handling and storage of the quantities of exempt items likely to accumulate in one location during marketing, distribution, installation, and servicing of the product, it is unlikely that the dose in any one year, to a suitable sample of the group of individuals expected to be most highly exposed to radiation or radioactive material from the product will exceed the doses in Column I of N.24.
- b. In use and disposal of a single exempt item and in handling and storage of the quantities of exempt items likely to accumulate in one location during marketing, distribution, installation, and servicing of the product, the probability is low^{22/} that the containment, shielding, or other safety features of the product would fail under such circumstances that a person would receive an external radiation dose or committed dose equivalent in excess of the dose to the appropriate part of the body as specified in Column II of the table in N.24 and the probability is negligible^{23/} that a person would receive an external radiation dose or committed dose equivalent in excess of the dose to the appropriate part of the body as specified in Column III of the table in N.24.^{233/}

^{2/} "Exempt items" as defined in Part C of these regulations, even though Part C does not address TENORM.

^{22/} Low-not more than one such failure per year for each 1,000 exempt units distributed. Negligible-not more than one such failure per year for each 100,000 exempt units distributed.

^{233/} It is the intent of this paragraph that as the magnitude of the potential dose increases above that permitted under normal conditions, the probability that any individual will receive such a dose must decrease. The probabilities have been expressed in general terms to emphasize the approximate nature of the estimates which are to be made. The above values may be used as guidelines in estimating compliance with the criteria.

- c. It is unlikely that there will be a significant reduction in the effectiveness of the containment, shielding, or other safety features of the product from wear and abuse likely to occur in normal handling and use of the product during its useful life.

Sec. N.24 - Table of Doses.

Part of Body	Column I* Dose	Column II* Dose	Column III* Dose
Whole body; head and trunk; active blood-forming organs; gonads; or lens of eye	0.05 mSv (0.005 rem)	5 mSv (0.5 rem)	150 mSv (15 rem)
Hands and forearms; feet and ankles; localized areas of skin averaged over areas no larger than 1 square centimeter	0.75 mSv (0.075 rem)	75 mSv (7.5 rem)	2000 mSv (200 rem)
Other organs	0.15mSv (0.015 rem)	15mSv (1.5 rem)	500mSv (50 rem)
*Dose limit is the dose above background from the product.			

Sec. N.25 - Issuance of Specific Licenses.

- a. Upon a determination that an application meets the requirements of [applicable authorizing statutes and rules of the Agency], the Agency will issue a specific license authorizing the proposed activity in such form and containing such conditions and limitations as it deems appropriate or necessary.
- b. The Agency may incorporate in any license at the time of issuance, or thereafter by amendment, such additional requirements and conditions with respect to the licensee's receipt, possession, use, and transfer of TENORM subject to this Part as it deems appropriate or necessary in order to:
- i. Protect public health and safety or property;
 - ii. Require such reports and the keeping of such records, and to provide for such inspections of activities under the license as may be appropriate or necessary; and
 - iii. Prevent loss, theft, or loss of control of TENORM subject to this Part.

Sec. N.26 - Conditions of Specific Licenses Issued Under N.22.

- a. General Terms and Conditions

- i. Each specific license issued pursuant to this Part shall be subject to all the provisions of the [applicable Act], now or hereafter in effect, and to all rules, regulations, and orders of the Agency.
- ii. No specific license issued or granted under this Part and no right to possess or utilize TENORM granted by any license issued pursuant to this Part shall be transferred, assigned, or in any manner disposed of, either voluntarily or involuntarily, directly or indirectly, through transfer of control of any license to any person unless the Agency shall, after securing full information, find that the transfer is in accordance with the provisions of the [applicable Act], and shall give its consent in writing.
- iii. Each person specifically licensed by the Agency pursuant to this Part shall confine use and possession of the TENORM licensed to the locations and purposes authorized in the specific license.
- iv. Each person specifically licensed by the Agency pursuant to this Part is subject to the provisions of N.5, N.6, N.7, and N.8.
- v. Notification of Bankruptcy.

Each licensee shall notify the Agency, in writing, immediately following the filing of a voluntary or involuntary petition for bankruptcy under any Chapters of Title II (Bankruptcy) of the United States Code (11 U.S.C.) by or against:

- (a) The licensee;
 - (b) An entity [as that term is defined in 11 U.S.C. 101 (15)] controlling a licensee or listing the license or licensee as property of the estate; or
 - (c) An affiliate [as that term is defined in 11 U.S.C. 101 (2)] of the licensee.
- (2) This notification shall indicate:
- (a) The bankruptcy court in which the petition for bankruptcy was filed; and
 - (b) The date of the filing of the petition.
- vi. Each licensee shall notify the Agency in writing prior to commencing activities to reclaim the licensed facility and site.
 - vii. Notification of Site or Area Closure. When a licensee has permanently ceased use of radioactive materials at a site or portion of a facility and the licensee has not decontaminated the area, or when an area has not been used for a period of two years, the licensee shall, within 60 days, provide the following information in writing to the Agency:

- (1) The location of the facility, site, or area;
- (2) The plan for reclaiming or decontaminating the facility, site or area; and
- (3) An evaluation of any changes to the financial assurance submitted in accordance with N.50.

viii. Temporary Jobsites

- (1) When temporary jobsites are authorized on a specific license, TENORM may be used at temporary jobsites throughout the State of [name of your state] in accordance with N.40 [or C.90 of these regulations], in areas not under exclusive federal jurisdiction.
- (2) Before TENORM can be used at a temporary jobsite at any federal facility within the State of [name of your state], the jurisdictional status of the jobsite shall be determined as it pertains to the TENORM. Authorization for use of TENORM at jobsites under exclusive federal jurisdiction shall be obtained from the federal agency with jurisdiction for TENORM at the temporary jobsite.[Authorization for use of TENORM at jobsites under exclusive federal jurisdiction must be obtained from the federal agency having jurisdiction of the property. Also, specific licenses issued by the Agency do not authorize activities in other states or in areas of exclusive federal jurisdiction in this state or in any other state. Before radioactive materials can be used at a temporary jobsite in another state or an area of exclusive federal jurisdiction, a license or equivalent authorization must be obtained from the appropriate state or federal agency.]

[b. Quality Control, Labeling, and Reports of Transfer.^{2/} Each person licensed under N.22c. shall:

- i. Carry out adequate control procedures in the manufacture of the product to assure that each production lot meets the quality control standards approved by the Agency;
- ii. Label or mark each unit so that the manufacturer, processor, producer, or initial transferor of the product and the TENORM in the product can be identified; and
- iii. Maintain records [identifying, by name and address, each person to whom TENORM is transferred for use under N.4b. or the equivalent regulations of another Licensing State, and stating the kinds, quantities, and uses of TENORM transferred. An annual summary report stating the total quantity of each radionuclide transferred under the

^{2/} State option; this section may be omitted or modified as appropriate based on state quality control standards.

specific license shall be filed with the Agency. Each report shall cover the year ending December 31, and shall be filed within 90 days thereafter. If no transfers of TENORM have been made pursuant to N.22c. during the reporting period, the report shall so indicate.]^{2/}

Sec. N.27 - Expiration and Termination of Specific Licenses.

- a. Except as provided in N.28b., the authority to engage in licensed activities as specified in the specific license shall expire at the end of the specified day in the month and year stated therein. Any expiration date on a specific license applies only to the authority to engage in licensed activities. Expiration of a specific license shall not relieve the licensee of responsibility for decommissioning its facility and terminating the specific license.
- b. Each licensee shall notify the Agency immediately, in writing, and request termination of the license when the licensee decides to terminate all activities involving radioactive materials authorized under the license. This notification and request for termination shall include the documents required by N.27d. and shall otherwise substantiate that the licensee has met all of the requirements in N.27d.
- c. No less than 30 days before the expiration date specified in a specific license, the licensee shall either:
 - i. Submit an application for license renewal pursuant to N.28; or
 - ii. Notify the Agency, in writing, if the licensee decides not to renew the license. The licensee requesting termination of a license shall comply with the requirements of N.27d;
- d. Termination of Licenses.
 - i. If a licensee does not submit a complete application for license renewal pursuant to N.28, the licensee shall, on or before the expiration date specified in the license;
 - (1) Terminate use of the TENORM specified in the license;
 - (2) Remove radioactive contamination to the level outlined in N.7, to the extent practicable;
 - (3) Properly dispose of the TENORM specified in the license;
 - (4) Submit a completed Agency Form T "Certificate-Disposition of Radioactive Materials"; and

^{2/} Implementing state may require reporting as appropriate for each category of licensee.

- (5) Submit a radiation monitoring report to confirm the absence of TENORM specified in the license or to establish the levels of residual radioactive contamination, unless the licensee demonstrates the absence of residual radioactive contamination in some other manner. The radiation monitoring report shall specify the instrumentation used and certify that each instrument was properly calibrated and tested. The licensee shall, as applicable, report levels or quantities of:
 - (a) Beta and gamma radiation at 1 centimeter from surfaces in units, multiples, or subunits of sieverts or rem per hour or microroentgens per hour;
 - (b) Gamma radiation at 1 meter from surfaces in units, multiples, or subunits of sieverts or rem per hour or microroentgens per hour;
 - (c) Removable radioactivity on surfaces in units, multiples, or subunits of becquerels or curies per 100 square centimeters of surface area or in disintegrations (transformations) per minute per 100 square centimeters of surface area;
 - (d) Fixed radioactivity on surfaces in units, multiples, or subunits of becquerels or curies per 100 square centimeters of surface areas or in disintegrations (transformations) per minute per 100 square centimeters of surface area;
 - (e) Radioactivity in contaminated liquids such as water, oils or solvents in units, multiples, or subunits of becquerels or curies per milliliter of volume or per gram of liquid; and
 - (f) Radioactivity in contaminated solids such as soils or concrete in units, multiples, or subunits of becquerels or curies per gram of solid.
- ii. If levels of residual radioactive contamination attributable to activities conducted under the license are less than those established in N.7, the licenses shall so certify. If the Agency determines that this certification and the information submitted pursuant to N.27d.i(5) is adequate and monitoring confirms the findings, then the Agency will notify the licensee, in writing, of the termination of the license.
- iii. If residual radioactive contamination attributable to activities conducted under the license are not in conformance with criteria established in N.7:
 - (1) The license continues in effect beyond the expiration date, if necessary, with respect to possession of residual TENORM material present as contamination until the Agency notifies the licensee in writing that the license is terminated. During this time the licensee is subject to the provisions of N.27e.

- (2) In addition to the information submitted pursuant to N.27d.i(4) and N.27d.i(5), the licensee shall submit a plan for decontamination and disposal, if required, as regards residual TENORM contamination remaining at the time the license expires.
- e. Each licensee who possesses TENORM pursuant to N.27d.iii, following the expiration date specified in the license, shall:
- i. Limit actions involving TENORM as specified in the license to those related to decontamination and other activities related to preparation for release for unrestricted use; and
 - ii. Continue to control entry to restricted areas until they are suitable for release for unrestricted use and the Agency notifies the licensee in writing that the license is terminated.

Sec. N.28 - Renewal of Specific Licenses.

- a. Applications for renewal of specific licenses shall be filed in accordance with N.21.
- b. In any case in which a licensee, not less than [30 days]^{2/} prior to expiration of an existing license, has filed an application in proper form for renewal or for a new license authorizing the same activities, such existing license shall not expire until final action by the Agency.

Sec. N.29 - Amendment of Specific Licenses at Request of Licensee. Applications for amendment of a license shall be filed in accordance with N.21 and shall specify the respects in which the licensee desires the license to be amended and the grounds for such amendment.

Sec. N.30 - Agency Action on Applications to Renew and Amend Specific Licenses. In considering an application by a licensee to renew or amend the license, the Agency will apply the criteria set forth in N.22.

Sec. N.31 - Modification and Revocation of Specific Licenses.

- a. The terms and conditions of all licenses shall be subject to amendment, revision, or modification or the license may be suspended or revoked by reason of amendments to the [applicable Act], or by reason of rules, regulations, and orders issued by the Agency.
- b. In accordance with [cite appropriate rule], any license may be revoked, suspended, or modified, in whole or in part, for any material false statement in the application or any statement of fact required under provisions of the [applicable Act], or because of conditions revealed by such application or statement of fact or any report, record, or inspection or other means which would warrant the Agency to refuse to grant a license on an original

^{2/} State option; appropriate time for review.

application, or for violation of, or failure to observe any of the terms and conditions of the [applicable Act], or of the license, or of any rule, regulation, or order of the Agency.

- c. Except in cases of willfulness or those in which the public health, interest or safety requires otherwise, no license shall be modified, suspended or revoked, prior to the institution of proceedings to modify, suspend, or revoke the license, unless facts or conduct which may warrant such action shall have been called to the attention of the licensee in writing and the licensee shall have been accorded an opportunity to demonstrate or achieve compliance with all lawful requirements.

[Sec. N.32 - Agency Action to Remove an Authorized User or a Radiation Safety Officer.

- a. The Agency may act to remove authorized users or the appointed Radiation Safety Officer from a license for any one or more of the following causes:
- i. Willfully evading the statute or regulations pertaining to the radiation safety program, or willfully aiding another person in evading such statute or regulations;
 - ii. Having been convicted of a felony under the laws of this State, another state, or the United States, unless the convicted individual demonstrates to the Agency that he has been sufficiently rehabilitated, by restoration of all civil rights, to warrant the public trust;
 - iii. Exhibiting significant or repeated incompetence in the handling of radioactive material, or in the performance of Radiation Safety Officer duties;
 - iv. Performing authorized user duties or Radiation Safety Officer duties in such a manner that requirements of the Agency are violated resulting in a threat to health and safety of an individual, other workers or the public; and
- b. If, based upon any of the above grounds, the Agency determines that action to remove an authorized user or the appointed Radiation Safety Officer from a radioactive material license is warranted, the Agency shall notify the individual and shall provide an opportunity for a hearing in accordance with [cite appropriate Agency rule]. An opportunity for a hearing shall be provided before the Agency takes action to remove an authorized user or a Radiation Safety Officer from a license unless the Agency finds that an immediate removal is required to protect against immediate danger to health or safety, (cite Act that gives authority for this action), in which case the Agency shall remove the individual pending a hearing.
- c. If the Agency finds that removal of an authorized user or a Radiation Safety Officer is warranted, the usual action shall be a suspension of duties for up to one year. The term of suspension may be reduced by the [title of Agency authority who can reduce the suspension], upon the recommendation of the [title of hearing officer], if the [title of hearing officer] finds, based upon evidence presented during a hearing, that the conditions leading to the [name of the Order for Suspension] can be cured in less than one year. However, if the Agency finds that the causes are of a serious or continuous nature, such as past actions which posed an

immediate threat to occupational or public health or safety or deficiencies that cannot be cured within one year, the Agency shall remove the individual from the radioactive material license.

- d. An individual who has been removed from a radioactive material license may seek reinstatement of duties by filing with the Agency a petition for reinstatement. Such petition may be filed one year or more after the beginning of the removal period. The individual shall be afforded a hearing in accordance with [cite Agency's hearing rules] and shall bear the burden of proof of establishing that the individual should be reinstated due to rehabilitation or other just cause.]

Sec. N.33 - Record Keeping Requirements for Site Reclamation. Each licensee shall keep records of information important to the safe and effective reclamation of a facility in an identified location until the license is terminated by the Agency. If records of relevant information are maintained for other purposes, reference to these records and their locations may be used. For purposes of N.33, "reclaiming"^{2/} shall mean returning property to a condition or state such that the property no longer presents a health or safety hazard or threat to the environment. Information the Agency considers important to reclaiming includes:

- a. Records of spills or other unusual occurrences involving the spread of contamination in and around the facility, equipment or site. These records may be limited to instances when contamination remains after any cleanup procedures or when there is reasonable likelihood that contaminants may have spread to inaccessible areas as in the case of possible seepage into porous materials such as concrete. These records must include any known information on identification of involved radionuclides, quantities, forms and concentrations.
- b. As-built drawings and modifications of structures and equipment in restricted areas where radioactive materials are used or stored, and of locations of possible inaccessible contamination, such as buried pipes which may be subject to contamination. If required drawings are referenced, each relevant document need not be indexed individually. If drawings are not available, the licensee shall substitute appropriate records of available information concerning these areas and locations.
- c. If required by N.50, records of this reclaiming cost estimate prepared for the amount approved by the Agency for reclaiming.

Reciprocity

Sec. N.40 - Reciprocal Recognition of Specific Licenses.

- a. Subject to these regulations, any person who holds a specific license from an Agreement State or a Licensing State, issued by the agency having jurisdiction where the licensee

^{2/} For purposes of N.33, the term "reclaiming" includes but is not limited to those activities necessary to decommission the licensed facility (i.e., to remove (as a facility) safely from service and reduce residual radioactivity to a level that permits release of the property for unrestricted use and termination of license).

maintains an office for directing the licensed activity and at which radiation safety records are normally maintained, is hereby granted a general license to conduct the activities authorized in such licensing document within this State for a period not in excess of 180 days in any 12 month period, provided that:

- i. A current copy of the licensing document or equivalent authorization is on file with the Agency and the authorized activities are not limited to specified installations or locations;
 - ii. The out-of-state licensee notifies the Agency by telephone, telefacsimile, telegraph, or letter prior to engaging in such activity. Such notification shall indicate the location, period, and type of proposed possession and use within the State. Upon receipt from the out-of-state licensee of a written request which contains a schedule of activities to be conducted within [name of the State] the Agency will waive the requirement for additional notifications during the 12-month period following the receipt of the initial notification from a person engaging in activities under the general license provided in N.40a.;
 - iii. The out-of-state licensee complies with all applicable regulations of the Agency and with all the terms and conditions of the licensing document or equivalent authorization, except any such terms and conditions which may be inconsistent with applicable regulations of the Agency;
 - iv. The out-of-state licensee supplies any other information necessary to show compliance with these regulations; and
 - v. The out-of-state licensee shall not transfer or dispose of TENORM possessed or used under the general license provided in N.40a. except by transfer to a person:
 - (1) Specifically licensed by the Agency or by another Licensing State to receive such TENORM; or
 - (2) Exempt from the requirements for a license for such TENORM under N.4.
- b. The Agency may withdraw, limit or qualify its acceptance of any specific license or equivalent authorization issued by a Licensing State, or any product distributed pursuant to such license or equivalent authorization, if the Agency determines that had the out-of-state licensee been licensed by [name of the State], the licensee's license would have been subject to action under N.31 or [cite State's rules for Administrative or Criminal Procedures as applicable].

Sec. N.50 - Financial Assurance Arrangements. Pursuant to [cite applicable State statute], each licensee or applicant for a license under N.22 shall post with the Agency financial assurance, or security, to ensure the protection of the public health and safety and the environment in the event of abandonment, default, or other inability or unwillingness of the licensee to meet the requirements of the Act and these regulations. Financial assurance arrangements shall:

- a. Consist of [surety bonds], [cash deposits], [certificates of deposit], [government securities], [irrevocable letters or lines of credit], [corporate guarantees], [insurance], [state funds],^{2/} or any combination of these;
- b. Be in an amount sufficient to meet the applicant's or licensee's obligations under the Act and these regulations and shall be based upon Agency approved cost estimates;
- c. Be established prior to issuance of the license or the commencement of operations to assure that sufficient funds will be available to carry out the decontamination and decommissioning of the facility;
- d. Be continuous for the duration of the license and for a period coincident with the applicant or licensee's responsibility under the Act and these regulations;
- e. Be available in [name of State] subject to judicial process and execution in the event required for the purposes set forth; and
- f. Be established within 90 days of [the effective date of this regulation] for licenses in effect on that date.

[Sec. N.51 - Effective Date. The provisions and requirements of this Part shall take effect on [effective date of the regulations] and shall apply to all facilities or sites owned or controlled by a person on that date. [Products introduced into commerce and disposals approved prior to that date are not subject to the provisions of this Part.]^{2/}

^{2/} State option; may include corporate guarantees, insurance, state funds, as state deems appropriate.

^{**/} This provision may not be necessary if covered by generally applicable laws or rules of the state.

Part N

APPENDIX AACCEPTABLE SURFACE CONTAMINATION¹ LEVELS FOR TENORM

	AVERAGE ^{2, 3, 6}	MAXIMUM ^{2, 4, 6}	REMOVABLE ^{2, 3, 5, 6}
Alpha	5,000 dpm/100 cm ²	15,000 dpm /100 cm ²	1,000 dpm /100 cm ²
Beta-gamma	5,000 dpm/100 cm ²	15,000 dpm /100 cm ²	1,000 dpm /100 cm ²

¹ Where surface contamination by both alpha and beta-gamma emitting nuclides exists, the limits established for alpha and beta-gamma emitting nuclides should apply independently.

² As used in this table, dpm (disintegrations per minute) means the rate of emission by radioactive material as determined by correcting the counts per minute observed by an appropriate detector for background, efficiency, and geometric factors associated with the instrumentation.

³ Measurements of average contamination level should not be averaged over more than one square meter. For objects of less surface area, the average should be derived for each object.

⁴ The maximum contamination level applies to an area of not more than 100 cm².

⁵ The amount of removable radioactive material per 100 cm² of surface area should be determined by wiping that area with dry filter or soft absorbent paper, applying moderate pressure, and assessing the amount of radioactive material on the wipe with an appropriate instrument of known efficiency. When removable contamination on objects of surface area A (where A is less than 100 sq. cm) is determined, the entire surface should be wiped and the contamination level multiplied by 100/A to convert to a "per 100 sq cm" basis.

⁶ The average and maximum radiation levels associated with surface contamination resulting from beta-gamma emitters should not exceed 0.2 mrad/hr (2 µGy/hr) at 1 cm and 1.0 mR/hr (10 µGy/hr) at 1 cm, respectively, measured through not more than 7 milligrams per square centimeter of total absorber.

**2002
RATIONALE FOR REVISIONS**

**PART N
REGULATION AND LICENSING OF
TECHNOLOGICALLY ENHANCED NATURALLY OCCURRING RADIOACTIVE
MATERIAL (TENORM)**

Introduction

The following are reasons for changes made to the April 1999 version of Part N:

Specific Provisions

Sec. N.1 - Purpose.

Changes clarify the activities for which radiation standards or licensing criteria have been established by Part N.

Sec. N.2 - Scope.

N.2a. The minor editorial change is for clarification that some TENORM is excluded, such as the TENORM that is exempt.

N.2b. and N.2c. The order of these two sections was swapped. Because "beneficial attribute" and "Beneficial to the product" had the same meaning, the first term was replaced by the second in the text. The "and/or its" words were deleted from N.2b. because the item being covered is covered well in N.2c. The words "neither the TENORM , nor" were deleted because Part N addresses radiation hazards.

N.2d. Here and elsewhere specific references to the Atomic Energy Act (AEA) definitions of source material and byproduct material were used because the NORM radionuclides for which NRC retains exclusive jurisdiction are defined by the terms used in SR-5's revised language rather than by radionuclide. Work is being done that may change the concentrations at which these materials are regulated by the NRC and Agreement States.

N.2e. The reference to location of transportation requirements has been moved here from N.4e. because the requirements are not exemptions.

Sec. N.3 - Definitions.

The term "Average member of the critical group" has been defined as it is used in N.7.

The term "Beneficial attribute" has been deleted because the identically defined term "Beneficial to the product" is now used throughout to be clearer.

The term "Conditional release" has been defined because it was used in N.7.

The term "Consumer" has been defined to clarify requirements in N.10, N.20, and N.22.

The term "Consumer or retail product" has been defined because it has been used in several sections including N.10, N.20, and N.22. The definition is a slight modification of the definition in the Consumer Product Safety Act (15 USC Section 2052).

The term "Critical group" has been defined as it is used in N.7b.

The terms "General environment" and "Institutional controls" are not used in the text so these terms have been deleted.

The definition for "Product" had a word that is not the generally accepted term of art for the affected industries so it was replaced with the generally accepted word -- "beneficiated."

The term "Residual radioactivity" has been defined as it is used in N.7. The definition was taken from 10 CFR 20.1003.

The definition of "Technologically Enhanced Naturally Occurring Radioactive Material (TENORM)" has been modified to match the language used in N.2d. See the comment for N.2d. above for the reason.

A footnote was added to address the EPA's concern regarding the definition of TENORM.

The definition of "Transfer" was revised for clarity.

Sec. N.4 - Exemptions.

N.4 formatting was revised.

N.4a. Minor editorial changes were made for clarification. The last sentence was moved to N8e. because it is a prohibition rather than an exemption. Disposal is not the only issue here because dilution could be done to become or remain exempt. NOTE: SR-5 also introduced a section, N.9, to address the prohibition. A footnote has been added to clarify that the concentration of TENORM may not be averaged over the weight of the contaminated article. The word "own" was deleted because ownership is addressed in Part C. The last sentence was clarified to indicate that consumer or retail products having greater than 5 pCi/g of radium are subject to specific licensing.

N.4b. Because the reference is to TENORM distributed in accordance with N.20a. and such TENORM is only regulated by Part N, "these regulations" has been changed to "this Part" for clarity.

N.4c. The word "fertilizer" was preceded by "phosphate or potash ore-based" to distinguish phosphate or potash fertilizers from organic-based fertilizers.

N.4d. The optional exemption for zircon, zirconia and zircon products was added after evaluation of information submitted demonstrated that the dose criteria specified in N.4f. would not be exceeded. The zircon exemption was added as a new N.4d.

N.4d. through N.4f. were relettered due to the insertion of the new N.4d.

N.4e. To be consistent the words have been spelled for the acronym CERCLA as was done for RCRA. The statutory references for the two federal statutes have been added as a user friendly item for persons desiring the information.

N.4e. The transportation provision has been moved to N.2e. because it is not an exemption. Transportation of TENORM is covered by the same regulations as all other radioactive material.

N.4f. The criterion upon which exemptions from Part N are to be based has been added.

N.4g. A section was added to address land spreading of water treatment plant and sewage treatment plant liquid or sludge.

A footnote was added for clarification in response to U.S. EPA's comments.

Sec. N.5 - Standards for Radiation Protection for Members of the Public.

The title has been changed for clarity because radiation protection for workers is addressed in N.6.

N.5a. This provision includes standards for radiation protection for TENORM that are consistent with Part D. N.5a. refers to controlling exposure to the general public from activities licensed or registered by the Agency. For clarity minor editorial changes were made to include words used in the referenced sections.

N.5b. For clarity the words were changed to correspond with the title of Part D.

N.5c. The dose from inhalation of radon and its short half-life decay products is excluded from the dose to members of the public, except when the dose is due to effluent releases from licensed operations from handling or processing TENORM. For licensed facilities that cause the release of radon from materials being processed the impact on the public is controlled by the effluent release criteria of Part D, and the dose from the released radon should be included in dose to workers.

N.5c. The standards for radiation protection exclude doses from indoor radon and its progeny. Radon, a radioactive gas, can accumulate to elevated levels inside buildings. Isotopes of radon are formed by the decay of radium and thorium. There are many factors such as construction methods that make it nearly impossible to accurately predict the level of radon expected from a given concentration of radium or thorium in soils or building materials. SR-5 recommends that use, transfer or disposal of TENORM be done in such a manner to be consistent with EPA/HHS 1994 indoor radon guidance. This may be achieved by institutional controls or the adherence to building codes. As such, implementation of the Agency's radon program should provide adequate protection of the public from indoor radon.

Sections N.5b. and N.5c. have been revised to clarify that the TEDE dose from radon and its short half-life progeny for effluent emissions from licensed sites is included based on Part D, but that the indoor inhalation dose from diffusion of radon from subsurface residual radium is excluded from calculations of the TEDE dose.

N.5d. has been deleted, due to revisions in N.5b. and N.5c.

N.5e. has been moved to N.7e.

Sec. N.6 - Protection of Workers During Operations.

Words have been changed for clarification.

Sec. N.7 - Unrestricted Use and Conditional Release.

The title has been changed to reflect changes in what is now covered by this section and the section has been rewritten. The section has been rephrased to state what can be done rather than what cannot. New subsections have been added to clarify criteria for transfer, unrestricted use and conditional release.

To be consistent with N.4 and for clarity "²²⁶Ra or ²²⁸Ra" has been changed to "²²⁶Ra and ²²⁸Ra". A provision was added to cover TENORM other than ²²⁶Ra or ²²⁸Ra and its associated progeny. The 25 millirem/y criterion for the average member of the critical group is added to apply when ²²⁶Ra or ²²⁸Ra is not present.

N.7b. A footnote was added, in response to U.S. EPA comments.

N.7e. A footnote denoting the emphasis of CERCLA policies on permanent solutions is added to N.7e. A limit has been added for application to results from environmental pathways dose assessments to ensure the engineering design of sites, when remediation is performed, and the assumptions used in the dose assessment modeling meet the longevity requirements of 10 CFR 20 and correspond to the requirements of the EPA for radioactivity with similar characteristics.

N.7f. The screening criterion, which is for conditional release, has been rephrased to clearly state that such release is for metal recycle only. This eliminates the apparent contradiction with the concentration criterion. Also, SR-5 is specifically stating a 50 microroentgen per hour screening level in an effort to encourage uniformity of this level nationwide. Specification in this manner eliminates arguments regarding what the true value of background was for each measurement.

Sec. N.8 - Disposal and Transfer of Waste for Disposal.

N.8a. Several words have been changed for purposes of clarity.

These options include, but are not limited to, disposal at sites licensed by the Nuclear Regulatory Commission or Agreement States and also provide the option for disposal of waste at sites that have been permitted for receipt and disposal of appropriate waste by other applicable regulatory agencies. Part N is not intended to foreclose the option of transferring TENORM waste to regulated waste disposal facilities, including RCRA-permitted solid waste disposal facilities. N.8a.iii. clarifies acceptance and disposal of TENORM waste is conditioned on the absence of express prohibition, e.g., by the disposal facility's operating permit, and must not be contrary to applicable federal and state law governing the type of TENORM waste to be disposed.

For example; WCS (Waste Control Specialists), in Texas, does not have a license for disposal of radioactive waste or TENORM, but under the Texas regulatory structure, it has permits for disposal of NORM exempt from the Texas NORM regulations (30 pCi/g of radium). Also, there are two sites in California with permits for disposal of geothermal NORM waste. The SR-5 group does not wish the Part N rules to restrict these permitted options.

N.8a.iv. Provides the option for disposal in injection wells approved by applicable government authority, without Agency action.

N.8a.v. In N.8a.v. changes have been made to clarify that use of a disposal site is appropriately a function of the permitting agency for that disposal site not another Agency issuing the license to use the TENORM. This change eliminates potential conflicts with existing regulatory structure in some states. It also increases the options likely to be available to TENORM licensees.

N.8a.vi. In response to U.S.EPA comments, N.8e.iii. is reinstated in this section.

N.8b. This is the former N.8d.

N.8c. This section was added to prohibit dilution for the purpose of making waste exempt, without regulatory approval. A footnote was added giving examples of approved uses.

Sec. N.9 - Prohibition.

This section has been added to clarify that dilution is not allowed to be used to avoid regulation by an Agency. This section applies to materials that are not waste, because waste is covered by a similar provision in N.8e. A footnote was added explaining that normal product processing is not considered purposeful dilution.

Sec. N.10 - General License.

N.10a. Words were added to clarify that a specific license and a general license are mutually exclusive for the same TENORM. A footnote was added concerning ownership.

N.10b. The words "consumer or retail" have been added to clarify that a general license is required for industrial products manufacturing but a specific license is required to manufacture consumer or retail products.

N.10c. Minor editing has been done for clarification.

N.10d. Minor editing has been done for clarification. A time limit for the notification has been added. A footnote was added indicating Agency options.

N.10e. The title was revised for clarity to include the item covered by the provisions that was not previously indicated in the title. The order of the subsections has been changed for clarity.

N.10e.i. Clarifications were made. A footnote was added for notification of local governments.

N.10e.ii. This section was formerly N.10e.iii. Minor editing has been performed to change to a clear positive requirement rather than a negative statement.

N.10e.iii. This section was formerly N.10e.iv.

N.10e.iv. The former N.10e.ii. provision was moved to N.10e.iv. This provision has been rewritten to clarify that the prior approval must be in writing to transfer property and equipment in a manner other than the same person for the same purpose or there is an ownership/possession of property change. The criteria used to grant approval has been added. A record keeping provision has been added that conforms to decommissioning record keeping requirements. Another option has been added to the optional methods for documentation.

N.10f. Words were changed to allow more flexibility. A footnote was added to identify options for providing notification of recipients.

N.10g. A phrase has been added to clarify that radiation exposure concerns are the basis for an Agency to require a general licensee to apply for a license and become a specific licensee. This should be a rare event. An example of such would be some Florida facilities that have already been specifically licensed because of concerns for personnel exposures.

Sec. N.20 - Specific Licenses.

N.20 Editorial rephrasing has been done for clarity. We tried to eliminate some of the confusion caused by use of "unless", "except" and "not."

N.20a. The words "consumer or retail" have been added to clarify the type of manufacturing and distribution operations that require a specific license rather than a general license.

N.20b. Editorial rephrasing was done for clarity.

N.20c. Added storage and treatment to cover other waste management practices.

Sec. N.21 - Filing Application for Specific License.

N.21a. Words were added to require an application for a license to be in English.

N.21b. The word "expiration" was changed to "termination" to conform to regulatory practice. This change also has been made in other appropriate sections of the rule.

Sec. N.22 - Requirements for the Issuance of Specific Licenses.

A footnote has been added for clarity.

N.22a.v. The legally correct term has been used by changing "surety" to "assurance".

N.22a.vi.(3) The provision for procedures has been changed to "quality assurance program" for measurements.

N.22a.vii. Because the land owner is or can be ultimately held liable for contamination existing on the property, this provision has been added. It may reduce potential liability for the licensing Agency.

N.22b.ii.(3) The provision for procedures has been changed to quality assurance program for measurements.

N.22c. The words "consumer or retail" have been added to clarify the type of manufacturing and distribution operations that require a specific license rather than a general license. Defining "consumer or retail product" also indicated the need to delete "material or" where it was used with "product" for clarity.

N.22c.iii.(4) The word "radionuclides" replaced "TENORM" to clarify that solubility analysis will be for each form of each element.

N.22c.iii.(6) The word "material" has been replaced with "TENORM", because that is the material we are concerned with and want to keep isolated.

N.22c.iii.(12) The dose terminology was changed to match the current Part D terminology.

N.22c.iii.(14) The term "processing" seemed clearer than "production" before "production lots."

N.23. The words "consumer and retail" were added as adjectives for "products" for clarity to match new defined terms.

Sec. N.24 - Table of Doses.

N.24 The word "Organ" has been deleted because the doses are not all organ doses.

Sec.'s N.25 through N.40 These generic sections of licensing are found in Part C and basically applied to all kinds of licensees. An Agency may choose to reference appropriate sections of Part C rather than repeat them. The Agency should carefully review the recommended changes included in Part N before deciding to reference Part C provisions. The sections have been placed in Part N so that Part N can stand alone for most of the affected licensees.

N.26a.i., ii., iii. and iv. The word "specific" or "specifically" has been added for clarity.

N.26a.iv. N.5 has been added to the referenced sections to provide a comprehensive list of applicable sections.

N.26a.v. Editorial changes have been made for clarification and accuracy in reference to the definition of "entity".

N.26a.vi. and vii. These are updated requirements from the License Termination Rulemaking.

N.26a.viii. The temporary jobsite provision from Part C has been modified to cover the lack of jurisdiction under the Atomic Energy Act of 1954, as amended.

Sec. N.27 - Expiration and Termination of Specific Licenses.

This section has been rewritten to more clearly indicate the distinction between expiration and termination of a license. It also more clearly indicates the licensee's continuing responsibility for licensed material when a license has expired but has not been terminated by the Agency. Radiation monitoring reporting requirements are more clearly specified. Procedural requirements are more detailed for clarity.

Sec. N.31 - Modification and Revocation of Specific Licenses.

Minor editorial changes have been made for clarity.

Sec. N.32 - Agency Action to Remove an Authorized User or a Radiation Safety Officer.

This optional section was developed in response to problems in some states and is provided for those Agencies who think it beneficial.

Sec. N.33 - Record Keeping Requirements for Site Reclamation.

These are updated requirements from the License Termination Rulemaking.

Sec. N.40 - Reciprocal Recognition of Specific Licenses.

The section has been revised to make it more user friendly and for clarity.

N.40b. This provision has been added to advise licensees who have been licensed under a less restrictive set of conditions that conditions or limitations can be imposed by the Agency with authority to grant the reciprocal recognition.

Sec. N.50 - Financial Surety Arrangements.

In the title and N.50a., the term "financial surety arrangements" has been revised to the technically correct term "financial assurance arrangements."

Matters for Future Consideration

1. TENORM Definition In letters dated April 2001 and May 3, 2002, the U.S. Environmental Protection Agency (EPA) recommended that the National Academy of Sciences (NAS) TENORM definition be adopted in Part N to address those circumstances where exposure risk to TENORM is increased without radionuclide concentration increasing. The NAS definition of TENORM is very broad, and could include trivial situations, such as plowing a field, or the use of granite in countertops. The SR-5 Committee believes that the definition of TENORM proposed in this model rule will meet the needs of most States, as well as, address the major portions of the TENORM problems. The Committee agrees with EPA's

- comments that the definition will not address all situations, such as the potential TENORM problems associated with waste rock or drill cuttings. In those few situations, the individual state may wish to consider altering the model rule to address its specific TENORM problems. With the additional experience that the states will gain in the regulation of TENORM using the model rule and any additional TENORM studies that may be conducted, the definition of TENORM and EPA's comments should be reexamined during the next revision of Part N.
2. Recycling The SR-5 Committee addressed the release for conditional use in metal recycle of equipment contaminated with a maximum exposure level of 50 microrentgen per hour including background. The NRC, EPA, and DOE are currently working on the recycling issue. With additional information that should be forthcoming in the future from current studies by these federal agencies, the recycling issue should be reexamined during the next revision of Part N.
 3. Disposal of TENORM The EPA expressed concerns that the provisions in N.8a addressing the disposal of TENORM were not adequate for the protection of groundwater. This concern was addressed by stating that SR-5 believed that the 25 millirem per year all pathways criteria is protective of the environment with an adequate margin of safety. The SR-5 committee believes that TENORM contamination of groundwater is very unlikely with the exception of uranium mining, rare earth metals extraction industries, or a few other metals mining and extraction industries where NORM is known to exist in significant concentrations (e.g., copper). These types of industries are currently subject to existing federal and state statutes that address the protection of groundwater. However, this issue should be considered a matter for future consideration. EPA should identify for SR-5 situations in which TENORM contamination of groundwater occurred that was not amenable to regulatory intervention under the existing environmental laws.
 4. Table of Doses For consistency with Part C and 10 CFR Part 32, the Table of Doses and the dose terminology in N.22c.iii.(12) and N.23b were not revised to include the present terminology used in Part D and 10 CFR Part 20. The Table of Doses and these sections of Part N should be revised to be consistent with ICRP 26 and 30 or ICRP 68 or 72, when Part C and 10 CFR Part 32 are revised.
 5. Concentration Limits Concentration limits for other radionuclides should be developed for N.4 (Exemptions) and N.10b (General License).
 6. Regulatory Guidance A regulatory guide identifying the procedures for obtaining Agency approval as specified in N.10e.ii. for the transfer of material, equipment or real property not made in accordance with N.10e.i. should be developed.
 7. Appendix A When NRC and the Agreement States adopt a dose based criteria for acceptable levels of surface contamination, Appendix A should be replaced using similar criteria. (e.g., ANSI/HPS N13.12-1999 *Surface and Volume Radioactivity Standards for Clearance*)
 8. RSO Requirements Additional provisions to N.21 and N.22 should be considered to address RSO requirements and responsibilities consistent with anticipated changes to Part C.

PART N

**REGULATION AND LICENSING OF
TECHNOLOGICALLY ENHANCED NATURALLY OCCURRING RADIOACTIVE
MATERIALS (TENORM)**

Sec. N.1 - Purpose. This Part establishes radiation protection standards for the possession, use, transfer, disposal and of Technologically Enhanced Naturally Occurring Radioactive Materials (TENORM). This includes the possession, use, processing, manufacture, distribution, transfer, and disposal of TENORM and manufacture of products with TENORM. This Part also establishes provides for the licensing of TENORM, including license termination.

Sec. N.2 - Scope.

- a. ~~These regulations apply~~ Except as otherwise excluded in this Part, Part N applies to any person who receives, owns, possesses, uses, processes, transfers, distributes, or disposes of TENORM.
- b. The manufacture and distribution of products containing TENORM, in which the TENORM's and/or its emitted radiation is considered to be a beneficial attribute to the products, are licensed pursuant to the provisions of Part C of these regulations.
- c. ~~The regulations in t~~ This Part also addresses the introduction of TENORM into products in which neither the TENORM, nor the radiation emitted from the TENORM is not considered to be beneficial to the products.
- d. This Part does not apply to ~~radionuclides for which NRC retains exclusive jurisdiction~~ source material and byproduct material as both are defined in the Atomic Energy Act of 1954, as amended (42 USC §2011 et seq.) as implemented by the Nuclear Regulatory Commission.
- e. Storage incident to transportation and transportation of TENORM ~~The transportation and storage incident to transportation are governed by Parts D and T respectively of these regulations.~~

Sec. N.3 - Definitions. As used in this Part, the following definitions apply:

"Beneficial attribute" means the radioactivity of the product necessary to the use of the product.

"Beneficial to the product" see "Beneficial attribute": means that the radioactivity of the TENORM is necessary to the use of the product.

"Conditional release" means release by a licensee for a specified use, not release for unrestricted use.

"Consumer" means a member of the public exposed to TENORM from final end-use products available on a retail basis.

"Consumer or retail product" means any product, article, or component part thereof, produced, distributed or sold for use by a consumer in or around a permanent or temporary household or residence, or for the personal use, consumption, or enjoyment of a consumer, or for use in or around a school or playground.

"General environment" means the total terrestrial, atmospheric, and aquatic environments outside the site boundary within which any activity, operation, or process authorized by a general or specific license issued under this Part, is performed.

"Institutional controls" means: (1) Permanent markers placed at a disposal site, (2) public records and archives, (3) government ownership and regulations regarding land or resource use, and (4) other methods of preserving knowledge about the location, design, and contents of a disposal system.

"Critical group" means the group of individuals reasonably expected to receive the greatest exposure to residual radioactivity for any applicable set of circumstances.

"Product" means something produced, made, manufactured, refined, or benefited/beneficiated.

"Reasonably maximally exposed individual" means a representative of a population who is exposed to TENORM at the maximum TENORM concentration measured in environmental media found at a site along with reasonable maximum case exposure assumptions. The exposure is determined by using maximum values for one or more of the most sensitive parameters affecting exposure, based on -cautious but reasonable assumptions, while leaving the others at their mean value.

"Residual radioactivity" means radioactivity in structures, materials, soils, groundwater, and other media at a site resulting from activities under the licensee's control. This includes radioactivity from all licensed and unlicensed sources used by the licensee, but excludes background radiation. It also includes radioactive materials remaining at the site as a result of routine or accidental releases of radioactive material at the site and previous burials at the site, even if those burials were made in accordance with the provisions of [Part D of these regulations].

"Technologically Enhanced Naturally Occurring Radioactive Material (TENORM)" means naturally occurring radionuclides-radioactive material whose radionuclide concentrations are increased by or as a result of past or present human practices. TENORM does not include background radiation or the natural radioactivity of rocks or soils. TENORM does not include "source material" and "byproduct material" as both are defined in the Atomic Energy Act of 1954, as amended (42 USC §2011 et seq.) as implemented by the Nuclear Regulatory Commission.^{2/}

TENORM does not include uranium or thorium in "source material" as defined in the AEA and US

^{2/} All radionuclides are listed as hazardous substances pursuant to the Comprehensive Environmental Response, Compensation Liability Act (CERCLA 42 USC §9601 et seq. as amended). Because the Superfund definition of hazardous substances extends to natural hazardous substances that have been removed from their place in nature and exposed to the accessible environment, materials containing naturally occurring radionuclides which have not been enriched in concentration are covered by CERCLA and related EPA regulations.

NRC regulations:

["Transfer" means the physical relocation of TENORM within a business' operation or between general or specific licensees. This term does not include commercial distribution or a change in legal title to TENORM that does not involve physical movement of those materials.]

"Total effective dose equivalent" or "TEDE" means [applicable state definition for consistency with other regulations.]

Sec. N.4 - Exemptions. ^{**}

- a. Persons who receive, -possess, use, process, transfer, distribute, or dispose of TENORM are exempt from the requirements of Part N with respect to any combination of ²²⁶Ra and ²²⁸Ra if the materials contain, or are contaminated at, concentrations less than [185 becquerel per kilogram -(5 pCi/g)] excluding natural background. The progeny of the exempt TENORM ²²⁶Ra and ²²⁸Ra are also exempt. Manufacture of consumer or retail products at concentrations greater than [185 becquerel per kilogram -(5 pCi/g)] This exemption does not apply to consumer or retail products which that are is discussed in regulated pursuant to N.22c. and N.23. ^{***} Using purposeful dilution to render TENORM waste exempt shall not be allowed without prior agency approval.
- b. Persons who receive products or materials containing TENORM distributed in accordance with a specific license issued by the Agency pursuant to N.20a., or to an equivalent license issued by another Licensing State, are exempt from ~~these regulations~~ this Part with regard to those products or materials.
- c. Persons who receive, possess, use, process, transfer and distribute, including preparation of custom blends for distribution ~~The distribution, including custom blending, possession, and use and disposal, phosphate or potash ore-based fertilizers and zircon, zirconia and zircon products containing TENORM is are~~ -exempt from the requirements of this Part.
- d. [Persons who receive, possess, use, process, transfer, dispose into a permitted landfill, and distribute, including preparation of custom blends for distribution, zirconia, zircon, and products of zirconia and zircon containing TENORM -are exempt from this Part. A facility that manufactures zirconia or zircon from ore is not exempt from this Part. A facility that chemically processes- zirconia or zircon -resulting in increased environmental mobility of TENORM is not exempt from this Part.] ^{***}

^{**} States may establish alternative exemption criteria using site and industry specific data, provided that the criteria are consistent with Section N.5b through and N.5c.

^{***} To apply this exemption to equipment such as pipe, it must be determined that the concentration of total radium is less than 185 becquerel per kilogram (5 pCi/g) excluding the weight of the pipe or object contaminated with TENORM.

^{****} Should a state Agency wish to exempt zircon and zirconia from its TENORM rule, there is sufficient basis to do so in situations where processing has not increased the environmental mobility of radionuclides.

- d. ~~e.~~ Persons who possess TENORM waste regulated by the Comprehensive Environmental Response, Compensation Liability Act (CERCLA 42 USC §9601 et seq. as amended) or RCRA by the (Resources Conservation and Recovery Act) (RCRA 42 USC §6901 et seq. as amended) [or equivalent state authority] are exempt from this Part for the TENORM waste regulated by either of these federal acts.
- e. ~~The transportation and storage incident to transportation are governed by Parts D and T of these regulations.~~
- e.f. Other persons who possess or use TENORM shall be exempt when the Agency makes a determination, upon its own initiative or upon request for such determination, that the reasonably maximally exposed individual will not receive a public dose with a total effective dose equivalent (TEDE) of more than 1 millisievert (0.1 rem) in one year from all licensed or registered sources of radiation including TENORM, from all exposure pathways of the TENORM. The dose specified in this subsection does not include occupational dose, dose received from background radiation, or dose received as a result of administration of radioactive material to a patient.
- g. [Persons who receive water treatment plant or sewage treatment plant liquid or sludge, apply such material to farmland by spreading, or cultivate such material into farmland as a soil amendment in accordance with a permit from the [appropriate state agency] are hereby exempt from this Part if the concentration of ²²⁶Ra and ²²⁸Ra combined in the liquid or sludge before application to farmland is less than 370 becquerel per kilogram (10 pCi/g).]****

Sec. N.5 - Standards for Radiation Protection for TENORM Members of the Public.

- a. No person licensed under N.10 or N.20 shall ~~conduct operations, use, possess, process, distribute, or transfer TENORM or conduct operations with TENORM~~ in a manner such that a member of the public individual will receive a public dose with an annual TEDE Total Effective Dose in excess of 1 millisievert (100 mrem-) from all licensed or registered sources of radiation including TENORM.
- b. Persons subject to a specific or general license under this Part shall comply with the radiation protection standards for radiation protection set out in Part D of these regulations.^{2/}
- c. Doses from inhalation of indoor radon and its short half-life (less than 1 hour) progeny shall

^{****} The Agency should coordinate with the appropriate state agency that authorizes the application of liquid or sludge. The related assessment was based on a total of 3 applications of 5,000 kg of material per acre for each application.

^{2/} States which have already adopted Part D of these regulations or the equivalent shall substitute the appropriate reference.

not be included in Total Effective Dose Equivalent calculations of the TEDE, except when the dose is due to effluent releases from licensed operations from handling or processing of TENORM.

~~unless specifically directed otherwise by the Agency. The Agency will provide its basis if it directs the inclusion of radon in such calculations~~

d. ~~No person shall release TENORM for unrestricted use in such a manner that the reasonably maximally exposed individual will receive an annual total effective dose equivalent TEDE from the released TENORM, excluding its radon and its radon progeny per year (100 mrem/yr.)~~

~~**/ excluding natural background.~~

Sec. N.6 - Protection of Workers During Operations. Each person subject to a specific or general license under Part N shall conduct operations such that protection of dose to workers is in compliance with the standards for radiation protection set out in Parts D and J of these regulations.

Sec. N.7 - Unrestricted Use and Conditional Release. The following criteria apply for persons subject to a specific or general license under this Part:

- a. Release of equipment for unrestricted use. Equipment can be released from the site for unrestricted use when that equipment is not contaminated with TENORM at levels greater than those in Appendix A of this Part. Upon application, specific approval of alternative levels may be granted by the Agency.
- b. Release of a site for unrestricted use. ~~**/~~ The Agency shall release a site for unrestricted use upon request by the licensee who has demonstrated to the Agency that the appropriate following criteria have been met:
 - i. The average member of the critical group will not receive annually a public dose in excess of 0.25 millisievert (0.025 rem) TEDE from residual radioactive materials on site other than residual TENORM ^{226}Ra and ^{228}Ra and their progeny;
 - ii. The concentration of residual TENORM ^{226}Ra and ^{228}Ra on land averaged over 100 square meters, is less than 185 becquerel per kilogram (5 pCi/g) above the background concentration, averaged over any 15 cm layer of soil. The 15 cm layers are contiguous depth increments from the surface down. Each of the progeny radionuclides of the residual TENORM ^{226}Ra and ^{228}Ra may also be present in concentrations similar to the residual TENORM ^{226}Ra and ^{228}Ra concentration;
 - iii. Where residual TENORM ^{226}Ra and ^{228}Ra and their progeny and other residual TENORM radionuclide contamination are present the sum of fractions shall be used for combining the criteria of N.7b.i. and N.7b.ii. The sum of fractions is determined by dividing each average radium concentration by the radium limit of 185 becquerel

~~**/ The Agency must consider, where applicable, the Clean Water Act, Safe Drinking Water Act, and other requirements of the U.S. Environmental Protection Agency.~~

per kilogram (5 pCi/g) and dividing the estimated annual dose from other residual TENORM radionuclides by 0.25 millisievert (0.025 rem) and then adding the ratios together. The sum of the fractions must be less than, or equal to, 1.0 to meet this criterion; and

- iv. The license termination requirements in Part D of these regulations. [Whenever TENORM ²²⁶Ra and ²²⁸Ra and other non-TENORM licensed radioactive material is present, the Agency will determine on a case-by-case basis how the criteria of Part D will be applied because Part N covers only TENORM and Part D covers all other licensed radioactive material regulated by the Agency and 185 becquerel per kilogram (5 pCi/g) of TENORM ²²⁶Ra and ²²⁸Ra above background is exempt.]
- c. Persons with a specific license shall comply also with requirements of N.26a.vi., N.26a.vii., and N.27 that are applicable to remediation and termination of the license.
- d. Persons with a general license shall also notify the Agency in writing prior to commencing activities to reclaim the site. Decontamination activities require a specific license.
- i. Notification of Site or Area Closure. When the general licensee has permanently ceased use of radioactive materials at a site or portion of a site or facility or when an area has not been used for a period of two years, the licensee shall, within 60 days, provide the following information in writing to the Agency:
- (1) The location of the site or area; and
 - (2) The plan for reclaiming or decontaminating the site or area.
- e. Actions taken to confine TENORM on site or to remediate sites shall be based on expected longevity related controls for 1000 years [or longer].^{**/}
- f. Conditional release of metal for recycle. Conditionally released metal for recycle shall be done only under the condition that metal contaminated with TENORM does not exceed a maximum exposure level of 50 microrentgen per hour, including background radiation, at any accessible location of the metal surface prior to release from the site.^{**/}
- g. Equipment not released for unrestricted use. Equipment contaminated with TENORM in excess of levels specified in Appendix A may be transferred pursuant to N.10e.
- h. Other transfers of TENORM. Other transfers of TENORM shall be in accordance with N.8.

^{**/} *The emphasis of CERCLA policies for permanency and the Nuclear Regulatory Commission's License Termination Rule of 10 CFR 20 should be considered by the Agency.*

^{***/} *States may establish screening levels based on gamma survey instrument results for use in releasing facilities and equipment, equipment consistent with N.5.*

N.10, or N.20 of these regulations.

Sec. N.7 - Release for Unrestricted Use. Each person subject to a license under this Part shall:

- a. ~~Not transfer or release for unrestricted use facilities or equipment contaminated with TENORM in excess of levels in Appendix A of this Part^{***};~~
- b. ~~Not transfer or release for unrestricted use equipment contaminated with TENORM in excess of a surface gamma radiation level of [insert state screening level micro rems/hour including/excluding natural background]; and~~
- c. ~~Not transfer land for unrestricted use where the concentration of ²²⁶Ra or ²²⁸Ra in soil averaged over any 100 square meters exceeds the background level by more than 185 becquerel per kilogram (5 pCi/gm), averaged over any 15 cm layer of soil below the surface, unless compliance with N.5 b through d can be demonstrated.~~

~~Ω·π;ΥΩφ·ζΩΥ~ΥsΩs·ü~~

Sec. N.8 - Disposal and Transfer of Waste for Disposal.

- a. Each person subject to a specific or general license requirements off under this Rule Part shall manage and dispose of wastes containing TENORM:
 - i. By transfer of the wastes for storage, treatment, or disposal to at a facility licensed by the Agency, an agency of another Agreement State, or the Nuclear Regulatory Commission, or authorized by the Department of Energy for storage, treatment, or disposal of TENORM under requirements for uranium or thorium byproduct materials in either 40 CFR 192, or 10 CFR 40 Appendix A, or equivalent regulations of an Agreement State;
 - ii. By transfer of the wastes for storage, treatment, or disposal to a disposal facility licensed by the Agency, an agency of another state, or the US Nuclear Regulatory Commission, an Agreement State, or a Licensing State for storage, treatment or disposal of low-level radioactive waste unless the disposal facility license prohibits disposal of TENORM;
 - iii. By transfer of the waste for disposal at a permitted solid or hazardous waste disposal facility, provided such facility is not prohibited from receiving and disposing such TENORM waste and the disposal is in accordance with applicable federal and state law;
 - iv. By disposal in an injection well approved in accordance with [insert reference to

^{***} States may establish screening levels based on gamma survey instrument results for use in releasing facilities and equipment, consistent with N.5.

appropriate state regulation] or by transfer for disposal at an out-of-state injection well approved by the applicable governmental authority;

v. By transfer for disposal in another state as otherwise approved by the applicable governmental authority [and with written approval of the Agency]; or

~~iii-vi.~~ In accordance with alternate methods authorized by the A permitting agency for the disposal site upon application or upon the Agency's initiative, consistent with N.5 [and where applicable the Clean Water Act, Safe Drinking Water Act and other requirements of the US Environmental Protection Agency for disposal of such wastes].

b. Records of disposal, including manifests for TENORM, shall be maintained consistent with the provisions of Part D of these regulations. Equipment contaminated with TENORM in excess of levels specified in Appendix A N.7a. or N.7b., which is to be disposed of as waste, shall be disposed of:

~~i.~~ So as to ~~In a manner that will~~ prevent any reintroduction into commerce or unrestricted use; and

~~ii.~~ Within disposal areas specifically designed to meet the criteria of ~~referred to in~~ N.8a.

c. TENORM waste shall not be diluted for the sole purpose of making the waste exempt from the disposal requirements without prior Agency approval. The criteria in N.5 shall be used by the Agency to determine whether or not to approve such a request.^{1/} Transfers of waste containing TENORM for disposal shall be made only to a person specifically authorized by the US Nuclear Regulatory Commission, an Agreement State or a ~~L~~licensing sState, to receive such waste, or other agency with appropriate permitting authority.

~~d.~~ Records of disposal, including manifests, shall be maintained pursuant to the provisions of Part D of these regulations.

~~e.~~ Purposeful dilution to render TENORM waste exempt shall not be performed without prior Agency approval.

~~f.~~ A licensee may dispose of TENORM [not away from the point of generation] in an injection well approved in accordance with [cite the appropriate state regulation for underground injection control (UIC) permitting].

Sec. N.9 - Prohibition. Purposeful dilution to render TENORM exempt shall not be performed without prior Agency approval.^{2/}

^{1/} Examples of uses that have been approved by other states include mineral processing wastes as an ingredient in asphalt, contaminated soil as a soil amendment, and treated sludge as material to melt snow on road ways.

^{2/} Dilution resulting from normal product processing is not considered purposeful dilution.

General Licenses

Sec. N.10 - General Licenses.

- a. Subject to the requirements of N.5 through N.8 and N.10, unless and until a specific license has been issued in accordance with N.20, a general license is hereby issued to possess, use, transfer, distribute or dispose of TENORM without regard to quantity.^{2/}
 - b. This general license does not authorize the ~~manufacturing~~ manufacture of consumer or retail products containing TENORM in concentrations greater than those specified in N.4a. nor the receipt and disposal of wastes from other persons.
 - c. ~~The decontamination of equipment, facilities, and land shall be performed only by persons specifically licensed by the aAgency or another Licensing sState to conduct such work. However, employees~~ Employees or contractors under control and supervision of a general licensee can perform routine maintenance on equipment, facilities, and land owned or controlled by the general licensee. Maintenance that provides a a different pathway for exposure different from that than is found in daily operations and that increases the potential for additional exposure is not considered routine maintenance. The decontamination of equipment, facilities, and land shall be performed only by persons specifically licensed by the Agency, an Agreement State, or another Licensing State to conduct such work.
- [d.^{2/} ~~Any person~~ Any person subject to the general license issued by this section N.10a. shall notify the Agency within 60 days of the effective date of this Part or of becoming subject to the general license. Such notification shall include:
- i. Name and address of the licensee;
 - ii. Location and description of the ~~facility~~ facility [facilities] ~~or operation~~ portion of a facility where the TENORM is situated,^{3/}
 - iii. Description of the TENORM including estimates of the amount and extent of TENORM.]
- e. Transfer of material, equipment or real property.
 - i. The transfer of TENORM not exempt from these regulations from one general

^{2/} Ownership of TENORM is authorized by the general license in C.22f. of these regulations.

^{**/} This subsection may be omitted at the option of the adopting state.

^{3/} This allows an option of a general license for each facility or for a single general license for multiple facilities owned by same person. The Agency can allow the general licensee to select the option.]

licensee to another general licensee is authorized if:

- (1) The equipment and facilities contaminated with TENORM are to be used by the recipient for a similar purpose, provided that no member of the public shall receive a dose in excess of that allowed under N.5a for the same purpose;
; or
 - (2) The transfer of control or ownership of land contaminated with TENORM includes [an annotation of the deed records]^{**}[notice to owners of surface and mineral rights]^{***} to indicate the presence of TENORM.
- ii. ~~For transfers not made in accordance with N.10e.i., require prior written approval by the Agency is required. [To obtain Agency approval, the transferor shall submit information that demonstrates compliance with N.7. Records of such compliance shall be maintained as specified in (cite record keeping for decommissioning)].^{****}~~
Add the following in footnote: []
- iii. ~~For transfers made under N.10e.i., do not relieve the general licensee who makes the transfer from the responsibilities of assessing shall assess the amount and extent of TENORM contamination or material present, informing the general licensee receiving the TENORM of these assessments prior to such transfer, and maintaining records required by these regulations that include:~~
- (1) The date, recipient name and location;
 - (2) A description and quantity of the material; and
 - (3) A description of the procedures and mechanisms used to ensure that material will not be released in another manner, such as an unrestricted release.
- iv. A general licensee intending to transfer material or real property for unrestricted use shall document compliance with the requirements of N.7 ~~of this regulation~~. Records of such compliance shall be ~~kept~~ maintained [state's option].
- f. Distribution of TENORM products between general licensees. The distribution of TENORM products not exempt from these regulations from one general licensee to another general licensee is authorized provided the product is accompanied by labels or manifests which

^{**} The notice to local government is to ensure notification of the appropriate government agency that regulates land use. The intent is to ensure that no use of the land or construction occurs that would cause exposure to the TENORM above the limit for a member of the public without the knowledge of the individuals being exposed.

^{**} This option is provided for those states in which notations to recorded deeds are prohibited

^{****} Procedural aspects need to be considered in a Regulatory Guide

identify the type and amount of TENORM.^{4/}

- g. The ~~[name of regulating agency]~~ Agency may, by written notice, require any person authorized by a general license to apply for and obtain a specific license if the Agency determines that specific licensure is necessary to ensure that exposures do not exceed the criteria of N.5 and N.6. The notice shall state the reason or reasons for requiring a specific license.

Specific Licenses

Sec. N.20 - Specific Licenses. Unless otherwise exempt, a specific license is required to:

- a. A specific license is required under N.22c. and N.23 to Mmanufacture and distribute any material consumer or retailer product containing TENORM unless the manufacture and distribution is are; authorized by N.10f, exempted under the provisions of N.4, or licensed under the provisions of Part C of these regulations
- i. Authorized as specified by N.10a. or N.10f.;
 - ii. Licensed under the provisions of Part C of these regulations;
 - iii. Exempted under the provisions of N.4; or
 - iv. Otherwise exempt in accordance with another Part of these regulations.;
- b. ~~Except as provided in N.10e.,~~ A specific license is required to decontaminate equipment or land not otherwise exempted under the provisions of N.4 or facilities to decontaminated with facilities contaminated with TENORM in excess of the levels set forth in N.7, except as provided in N.10e. as applicable; fFor purposes of this subsection, the term "decontaminate" shall not include routine maintenance which incidentally results in the incidental removal of contamination; and
- c. A specific license is required to Rreceive TENORM from other persons for storage, treatment or disposal unless otherwise provided by Part N exempt [or authorized in writing by the Agency].;

Sec. N.21 - Filing Application for Specific Licenses.^{2/}

^{4/} This may be accomplished by providing notification to the recipient through literature such as Material Safety Data Sheets, manifests, or labeling accompanying the product.

^{2/} This section duplicates the requirements of SSRCR Part C; states having equivalent requirements may elect to refer to appropriate regulations.

- a. Applications for specific licenses shall be in English and filed in a manner and on a form prescribed by the Agency.
 - b. The Agency may at any time after the filing of the original application, and before the ~~expiration~~ termination of the license, require further statements in order to enable the Agency to determine whether the application should be granted or denied or whether a license should be modified or revoked.
 - c. Each application shall be signed by the applicant or licensee or a person duly authorized to act for and on the licensee's behalf.
 - d. An application for a license may include a request for a license authorizing one or more activities.
 - e. Each application for a specific license shall be accompanied by the fee prescribed in [cite the appropriate regulation].
 - [f. In an application, the applicant may incorporate by reference information contained in previous applications, statements, or reports filed with the Agency provided such references are clear and specific.]
- g.
- g. Applications and documents submitted to the Agency may be made available for public inspection [state's option: include references to applicable freedom of information statute, trade secrets, etc.].

Sec. N.22 - Requirements for the Issuance of Specific Licenses.^{2/}

- a. A license application will be approved if the Agency determines that:
 - i. The applicant is qualified by reason of training and experience to use the TENORM in question for the purpose requested in accordance with these ~~rules~~ regulations in such a manner as to protect the public health and safety or property;
 - ii. The applicant's proposed equipment, facilities, and procedures are adequate to protect the public health and ~~safety~~ or property;
 - iii. The issuance of the license will not be inimical to the health and safety of the public;

^{2/} This section duplicates the requirements of SSRCR Part C; states having equivalent requirements may elect to refer to appropriate ~~appropriate~~ regulations.

- iv. The applicant satisfied all applicable special requirements in this Part; and
- v. The applicant has met the financial ~~surety~~ assurance requirements of N.50₂;
- vi. The applicant has adequately addressed the following items in the application:
 - (1) Procedures and equipment for monitoring and protecting workers;
 - (2) An evaluation of the radiation levels and concentrations of contamination expected during normal operations;
 - (3) Operating and emergency procedures, including procedures for waste reduction and quality assurance of items released for unrestricted use; and
 - (4) A method for managing the radioactive material removed from contaminated equipment and facilities; and.
- vii. For each location to be listed on the license as an authorized use location, the applicant shall submit either:
 - (1) A statement that the applicant owns the facility where radioactive material is to be used or stored; or
 - (2) A statement verifying that the facility owner has been informed, in writing, of the use or storage of radioactive material at the facility, and that the use of such material is subject to the regulations of the Agency.
- b. An application for a specific license to decontaminate equipment, land, or facilities contaminated with TENORM in excess of the levels set forth in N.7b., ~~N.7c., or N.7d.~~ or Appendix A of this Part, as applicable, and to dispose of the resulting waste will be approved if:
 - i. The applicant satisfies the general requirements specified in N.22a.; and
 - ii. The applicant has adequately addressed the following items in the application:
 - (1) Procedures and equipment for monitoring and protection of workers;
 - (2) An evaluation of the radiation levels and concentrations of contamination expected during normal operations;
 - (3) Operating and emergency procedures, including procedures for waste reduction and quality assurance of items released for unrestricted use; and
 - (4) Method of disposing of the TENORM removed from contaminated equipment, facilities, and/or land.

- c. An application for a specific license to transfer ~~materials~~ or manufacture or distribute consumer or retail products containing TENORM to persons exempted from these regulations pursuant to N.4b. will be approved if:
- i. The applicant satisfies the general requirements specified in N.22a.;
 - ii. The TENORM is not contained in any food, beverage, cosmetic, drug, or other commodity designed for ingestion or inhalation by, or application to, a human being; and
 - iii. The applicant submits sufficient information relating to the design, manufacture, prototype testing, quality control procedures, labeling or marking, and conditions of handling, storage, use, and disposal of the TENORM ~~material or~~ product to demonstrate that the ~~material or~~ product will meet the safety criteria set forth in N.23. The information shall include:
 - (1) A description of the ~~material or~~ product and its intended use or uses;
 - (2) The type, quantity, and concentration of TENORM in each ~~material or~~ product;
 - (3) The chemical and physical form of the TENORM in the ~~material or~~ product, and changes in chemical and physical form that may occur during the useful life of the ~~material or~~ product;
 - (4) An analysis of the solubility in water and body fluids of the radionuclides ~~TENORM~~ in the ~~material or~~ product;
 - (5) The details of manufacture and design of the ~~material or~~ product relating to containment and shielding of the TENORM and other safety features under normal and severe conditions of handling, storage, use, reuse, and disposal of the ~~material or~~ product;
 - (6) The degree of access of human beings to the ~~material or~~ TENORM product during normal handling, use, and disposal;
 - (7) The total quantity of TENORM expected to be distributed annually in the ~~material or~~ product;
 - (8) The expected useful life of the ~~material or~~ product;
 - (9) The proposed method of labeling or marking each unit of the ~~material or~~ product with identification of the manufacturer or initial transferor of the product and the radionuclides and quantity of TENORM in the ~~material or~~ product;

- (10) The procedures for prototype testing of the ~~material or product~~ to demonstrate the effectiveness of the containment, shielding, and other safety features under both normal and severe conditions of handling, storage, use, reuse, and disposal;
- (11) The results of the prototype testing of the ~~material or product~~, including any change in the form of the TENORM contained in it, the extent to which the TENORM may be released to the environment, any change in radiation levels, and any other changes in safety features;
- (12) The estimated external radiation doses and ~~dose commitments~~ committed dose equivalent relevant to the safety criteria in N.23 and the basis for such estimates;
- (13) A determination that the probabilities with respect to doses referred to in N.23 meet the safety criteria;
- (14) The quality control procedures to be followed in the ~~production~~ processing of production lots of the ~~material or product~~, and the quality control standards the ~~material or product~~ will be required to meet; and
- (15) Any additional information, including experimental studies and tests, required by the Agency to facilitate a determination of the radiation safety of the ~~material or product~~.

[d. Notwithstanding the provisions of N.23b., the Agency may deny an application for a specific license if the end uses of the product are frivolous or cannot be reasonably foreseen.]

Sec. N.23 - Safety Criteria for Consumer and Retail for Products. An applicant for a license under N.22c. shall demonstrate that the product is designed and will be manufactured so that:

- a. In normal use and disposal of a single exempt item,^{2/} and in normal handling and storage of the quantities of exempt items likely to accumulate in one location during marketing, distribution, installation, and servicing of the product, it is unlikely that the ~~TEDE~~ dose in any one year, to a suitable sample of the group of individuals expected to be most highly exposed to radiation or radioactive material from the product will exceed the doses in Column I of N.24.
- b. In use and disposal of a single exempt item and in handling and storage of the quantities of exempt items likely to accumulate in one location during marketing, distribution, installation, and servicing of the product, the probability is low^{2/} that the containment, shielding, or other safety features of the product would fail under such circumstances that a person would

^{2/} "Exempt items" as defined in Part C of these regulations, even though Part C does not address TENORM.
~~'Exempt items' as defined in SSR Part C, even though Part C doesn't address TENORM isotopes.~~

receive an external radiation dose or ~~dose commitment~~committed dose equivalent in excess of the dose to the appropriate ~~organ part of the body~~organ part of the body as specified in Column II of the table in N.24 and the probability is negligible^{§i}-^{§ii} that a person would receive an external radiation dose or ~~dose commitment~~committed dose equivalent in excess of the dose to the appropriate ~~organ part of the body~~organ part of the body as specified in Column III of the table in N.24.^{§ii}-^{§iii}

- c. It is unlikely that there will be a significant reduction in the effectiveness of the containment, shielding, or other safety features of the product from wear and abuse likely to occur in normal handling and use of the product during its useful life.

^{§i}-^{§ii} Low-not more than one such failure per year for each 10,000 exempt units distributed. Negligible-not more than one such failure per year for each ~~one million~~100,000 exempt units distributed.

^{§ii}-^{§iii} It is the intent of this paragraph that as the magnitude of the potential dose increases above that permitted under normal conditions, the probability that any individual will receive such as dose must decrease. The probabilities have been expressed in general terms to emphasize the approximate nature of the estimates which are to be made. The above values may be used as guidelines in estimating compliance with the criteria.

Sec. N.24 - Table of Organ Doses.

Part of Body	Column I* Dose	Column II* Dose	Column III* Dose
Whole body; head and trunk; active blood-forming organs; gonads; or lens of eye	0.05 mSv (0.005 rem)	5 mSv (0.5 rem)	150 mSv (15 rem)
Hands and forearms; feet and ankles; localized areas of skin averaged over areas no larger than 1 square centimeter	0.75 mSv (0.075 rem)	75 mSv (7.5 rem)	2000 mSv (200 rem)
Other organs	0.15mSv (0.015 rem)	15mSv (1.5 rem)	500mSv (50 rem)
*Dose limit is the dose above background from the product.			

Sec. N.25 - Issuance of Specific Licenses.

- a. Upon a determination that an application meets the requirements of [applicable authorizing statutes and rules of the Agency], the Agency will issue a specific license authorizing the proposed activity in such form and containing such conditions and limitations as it deems appropriate or necessary.
- b. The Agency may incorporate in any license at the time of issuance, or thereafter by amendment, such additional requirements and conditions with respect to the licensee's receipt, possession, use, and transfer of TENORM subject to this Part as it deems appropriate or necessary in order to:
 - i. Protect public health and safety or property;
 - ii. Require such reports and the keeping of such records, and to provide for such inspections of activities under the license as may be appropriate or necessary; and
 - iii. Prevent loss, theft, or loss of control of TENORM subject to this Part.

Sec. N.26 - Conditions of Specific Licenses Issued Under N.22.

- a. General Terms and Conditions
 - i. Each specific license issued pursuant to this Part shall be subject to all the provisions of the [applicable Act], now or hereafter in effect, and to all rules, regulations, and orders of the Agency.

- ii. No specific license issued or granted under this Part and no right to possess or utilize TENORM granted by any license issued pursuant to this Part shall be transferred, assigned, or in any manner disposed of, either voluntarily or involuntarily, directly or indirectly, through transfer of control of any license to any person unless the Agency shall, after securing full information, find that the transfer is in accordance with the provisions of the [applicable Act], and shall give its consent in writing.
- iii. Each person specifically licensed by the Agency pursuant to this Part shall confine use and possession of the TENORM licensed to the locations and purposes authorized in the specific license.
- iv. Each person specifically licensed by the Agency pursuant to this Part is subject to the general provisions of N.5, N.6, N.7, and N.8.
- v. Notification of Bankruptcy.

Each licensee shall: ~~(1)~~ Notify the Agency, in writing, immediately following the filing of a voluntary or involuntary petition for bankruptcy under any Chapters of Title II (Bankruptcy) of the United States Code (11 U.S.C.) by or against:

- (a) The licensee;
- (b) An entity [as that term is defined in 11 U.S.C. 101 (1514)] controlling a licensee or listing the license or licensee as property of the estate; or
- (c) An affiliate [as that term is defined in 11 U.S.C. 101 (2)] of the licensee.

(2) This notification shall indicate in their Bankruptcy notification:

- (a) The bankruptcy court in which the petition for bankruptcy was filed; and
- (b) The date of the filing of the petition.

- vi. Each licensee shall notify the Agency in writing prior to commencing activities to reclaim the licensed facility and site.
- vii. Notification of Site or Area Closure. When a licensee has permanently ceased use of radioactive materials at a site or portion of a facility and the licensee has not decontaminated the area, or when an area has not been used for a period of two years, the licensee shall, within 60 days, provide the following information in writing to the Agency:
 - (1) The location of the facility, site, or area;

- (2) The plan for reclaiming or decontaminating the facility, site or area; and
- (3) An evaluation of any changes to the financial assurance submitted in accordance with N.50.

viii. Temporary Jobsites:

- (1) When temporary jobsites are authorized on a specific license, TENORM may be used at temporary jobsites, in areas not under exclusive federal jurisdiction, throughout the State of [name of your state].
- (2) Before TENORM can be used at a temporary jobsite at any federal facility, the jurisdictional status of the jobsite shall be determined. Authorization for use of TENORM at jobsites under exclusive federal jurisdiction shall be obtained from ...

viii. Temporary Jobsites

- (1) When temporary jobsites are authorized on a specific license, TENORM may be used at temporary jobsites throughout the State of [name of your state] in accordance with N.40 [or C.90 of these regulations], in areas not under exclusive federal jurisdiction.
- (2) Before TENORM can be used at a temporary jobsite at any federal facility within the State of [name of your state], the jurisdictional status of the jobsite shall be determined as it pertains to the TENORM. Authorization for use of TENORM at jobsites under exclusive federal jurisdiction shall be obtained from the federal agency with jurisdiction for TENORM at the temporary jobsite.[Authorization for use of TENORM at jobsites under exclusive federal jurisdiction must be obtained from the federal agency having jurisdiction of the property. Also, specific licenses issued by the Agency do not authorize activities in other states or in areas of exclusive federal jurisdiction in this state or in any other state. Before radioactive materials can be used at a temporary jobsite in another state or an area of exclusive federal jurisdiction, a license or equivalent authorization must be obtained from the appropriate state or federal agency.]

[b. Quality Control, Labeling, and Reports of Transfer.^{2/} Each person licensed under N.22c shall:

- i. Carry out adequate control procedures in the manufacture of the product to assure that

^{2/} State option; this section may be omitted or modified as appropriate based on state quality control standards.

each production lot meets the quality control standards approved by the Agency;

- ii. Label or mark each unit so that the manufacturer, processor, producer, or initial transferor of the material or product and the TENORM in the product can be identified; and
- iii. Maintain records [identifying, by name and address, each person to whom TENORM is transferred for use under N.4b. or the equivalent regulations of another Licensing State, and stating the kinds, quantities, and uses of TENORM transferred. An annual summary report stating the total quantity of each radionuclide transferred under the specific license shall be filed with the Agency. Each report shall cover the year ending December 31, and shall be filed within 90 days thereafter. If no transfers of TENORM have been made pursuant to N.22c. during the reporting period, the report shall so indicate.]^{**/}

Sec. N.27 - Expiration and Termination of Specific Licenses.

- a. Except as provided in N.28b., the authority to engage in licensed activities as specified in the specific license shall expire at the end of the specified day in the month and year stated therein. Any expiration date on a specific license applies only to the authority to engage in licensed activities. Expiration of a specific license shall not relieve the licensee of responsibility for decommissioning its facility and terminating the specific license. Except as provided in N.27d.vi. and N.28b., each specific license shall expire at the end of the specified day in the month and year stated therein.
- b. Each licensee shall notify the Agency immediately, in writing, and request termination of the license when the licensee decides to terminate all activities involving TENORM radioactive materials authorized under the license. This notification and request for termination ~~of the license must~~ shall include the reports and information specified in documents required by N.27d.iv. and shall otherwise substantiate that the licensee has met all of the requirements in N.27d. The licensee is subject to the provisions of N.27d. and N.27e., as applicable.
- c. No less than 30 days before the expiration date specified in a specific license, the licensee shall either:
 - i. Submit an application for license renewal ~~under~~ pursuant to N.28; or
 - ii. Notify the Agency, in writing, ~~under N.27b.,~~ if the licensee decides not to not renew the license. The licensee requesting termination of a license shall comply with the requirements of N.27d; ~~discontinue all activities involving TENORM.~~
- d. Termination of Licenses. ~~If a licensee does not submit an application for license renewal~~

^{**/} Implementing state may require reporting as appropriate for each category of licensee.

under N.28, the licensee shall, on or before the expiration date specified in the license:

- i. Terminate use of TENORM; If a licensee does not submit a complete application for license renewal pursuant to N.28, the licensee shall, on or before the expiration date specified in the license:
 - (1) Terminate use of the TENORM specified in the license;
 - (2) Remove radioactive contamination to the level outlined in N.7, to the extent practicable;
 - (3) Properly dispose of the TENORM specified in the license;
 - (4) Submit a completed Agency Form T "Certificate-Disposition of Radioactive Materials"; and
 - (5) Submit a radiation monitoring report to confirm the absence of TENORM specified in the license or to establish the levels of residual radioactive contamination, unless the licensee demonstrates the absence of residual radioactive contamination in some other manner. The radiation monitoring report shall specify the instrumentation used and certify that each instrument was properly calibrated and tested. The licensee shall, as applicable, report levels or quantities of:
 - (a) Beta and gamma radiation at 1 centimeter from surfaces in units, multiples, or subunits of sieverts or rem per hour or microroentgens per hour;
 - (b) Gamma radiation at 1 meter from surfaces in units, multiples, or subunits of sieverts or rem per hour or microroentgens per hour;
 - (c) Removable radioactivity on surfaces in units, multiples, or subunits of becquerels or curies per 100 square centimeters of surface area or in disintegrations (transformations) per minute per 100 square centimeters of surface area;
 - (d) Fixed radioactivity on surfaces in units, multiples, or subunits of becquerels or curies per 100 square centimeters of surface areas or in disintegrations (transformations) per minute per 100 square centimeters of surface area;
 - (e) Radioactivity in contaminated liquids such as water, oils or solvents in units, multiples, or subunits of becquerels or curies per milliliter of volume or per gram of liquid; and
 - (f) Radioactivity in contaminated solids such as soils or concrete in units,

multiples, or subunits of becquerels or curies per gram of solid.

- ii. Remove TENORM contamination consistent with the requirements of N.7; if levels of residual radioactive contamination attributable to activities conducted under the license are less than those established in N.7, the licenses shall so certify. If the Agency determines that this certification and the information submitted pursuant to N.27d.i(5) is adequate and monitoring confirms the findings, then the Agency will notify the licensee, in writing, of the termination of the license.
- iii. Properly dispose of TENORM; and if residual radioactive contamination attributable to activities conducted under the license are not in conformance with criteria established in N.7:
 - (1) The license continues in effect beyond the expiration date, if necessary, with respect to possession of residual TENORM material present as contamination until the Agency notifies the licensee in writing that the license is terminated. During this time the licensee is subject to the provisions of N.27e.
 - (2) In addition to the information submitted pursuant to N.27d.i(4) and N.27d.i(5), the licensee shall submit a plan for decontamination and disposal, if required, as regards residual TENORM contamination remaining at the time the license expires.
- e. Each licensee who possesses residual TENORM ~~material under~~ pursuant to N.27d.viii, following the expiration date specified in the license, shall:
 - i. Be limited to actions involving TENORM as specified in the license to those related to decontamination and other activities related to preparation related to preparing the locations for release for unrestricted use; and
 - ii. Continue to control entry to restricted areas until ~~the locations~~ they are suitable for release for unrestricted use and the Agency notifies the licensee in writing that the license is terminated.

Sec. N.28 - Renewal of Specific Licenses.

- a. Applications for renewal of specific licenses shall be filed in accordance with N.21.
- b. In any case in which a licensee, not less than [30 days]^{2/} prior to expiration of an existing license, has filed an application in proper form for renewal or for a new license authorizing the same activities, such existing license shall not expire until final action by the Agency.

^{2/} State option; appropriate time for review.

Sec. N.29 - Amendment of Specific Licenses at Request of Licensee. Applications for amendment of a license shall be filed in accordance with N.21 and shall specify the respects in which the licensee desires the license to be amended and the grounds for such amendment.

Sec. N.30 - Agency Action on Applications to Renew and Amend Specific Licenses. In considering an application by a licensee to renew or amend the license, the Agency will apply the criteria set forth in N.22.

Sec. N.31 - Modification and Revocation of Specific Licenses.

- a. The terms and conditions of all licenses shall be subject to amendment, revision, or modification or the license may be suspended or revoked by reason of amendments to the [applicable Act], or by reason of rules, regulations, and orders issued by the Agency.
- b. In accordance with [cite appropriate rule]. Any license may be revoked, suspended, or modified, in whole or in part, for any material false statement in the application or any statement of fact required under provisions of the [applicable Act], or because of conditions revealed by such application or statement of fact or any report, record, or inspection or other means which would warrant the Agency to refuse to grant a license on an original application, or for violation of, or failure to observe any of the terms and conditions of the [applicable Act], or of the license, or of any rule, regulation, or order of the Agency.
- c. Except in cases of willfulness or those in which the public health, interest or safety requires otherwise, ~~the Agency no license shall not be modify~~ modified, suspended or revoked a license, prior to the institution of proceedings to modify, suspend, or revoke the license, unless facts or conduct which may warrant such action shall have been called to the attention of the licensee in writing and the licensee shall have been accorded an opportunity to demonstrate or achieve compliance with all lawful requirements.

[Sec. N.32 - Agency Action to Remove an Authorized User or a Radiation Safety Officer.

- a. The Agency may act to remove authorized users or the appointed Radiation Safety Officer from a license for any one or more of the following causes:
 - i. Willfully evading the statute or regulations pertaining to the radiation safety program, or willfully aiding another person in evading such statute or regulations;
 - ii. Having been convicted of a felony under the laws of this State, another state, or the United States, unless the convicted individual demonstrates to the Agency that he has been sufficiently rehabilitated, by restoration of all civil rights, to warrant the public trust;
 - iii. Exhibiting significant or repeated incompetence in the handling of radioactive material, or in the performance of Radiation Safety Officer duties;
 - iv. Performing authorized user duties or Radiation Safety Officer duties in such a manner that requirements of the Agency are violated resulting in a threat to health and safety

of an individual, other workers or the public; and

- b. If, based upon any of the above grounds, the Agency determines that action to remove an authorized user or the appointed Radiation Safety Officer from a radioactive material license is warranted, the Agency shall notify the individual and shall provide an opportunity for a hearing in accordance with [cite appropriate Agency rule]. An opportunity for a hearing shall be provided before the Agency takes action to remove an authorized user or a Radiation Safety Officer from a license unless the Agency finds that an immediate removal is required to protect against immediate danger to health or safety, (cite Act that gives authority for this action), in which case the Agency shall remove the individual pending a hearing.
- c. If the Agency finds that removal of an authorized user or a Radiation Safety Officer is warranted, the usual action shall be a suspension of duties for up to one year. The term of suspension may be reduced by the [title of Agency authority who can reduce the suspension], upon the recommendation of the [title of hearing officer], if the [title of hearing officer] finds, based upon evidence presented during a hearing, that the conditions leading to the [name of the Order for Suspension] can be cured in less than one year. However, if the Agency finds that the causes are of a serious or continuous nature, such as past actions which posed an immediate threat to occupational or public health or safety or deficiencies that cannot be cured within one year, the Agency shall remove the individual from the radioactive material license.
- d. An individual who has been removed from a radioactive material license may seek reinstatement of duties by filing with the Agency a petition for reinstatement. Such petition may be filed one year or more after the beginning of the removal period. The individual shall be afforded a hearing in accordance with [cite Agency's hearing rules] and shall bear the burden of proof of establishing that the individual should be reinstated due to rehabilitation or other just cause.]

Sec. N.33 - Record Keeping Requirements for Site Reclamation. Each licensee shall keep records of information important to the safe and effective reclamation of a facility in an identified location until the license is terminated by the Agency. If records of relevant information are maintained for other purposes, reference to these records and their locations may be used. For purposes of N.33, "reclaiming"* shall mean returning property to a condition or state such that the property no longer presents a health or safety hazard or threat to the environment. Information the Agency considers important to reclaiming includes:

- a. Records of spills or other unusual occurrences involving the spread of contamination in and around the facility, equipment or site. These records may be limited to instances when contamination remains after any cleanup procedures or when there is reasonable likelihood that contaminants may have spread to inaccessible areas as in the case of possible seepage

* For purposes of N.33, the term "reclaiming" includes but is not limited to those activities necessary to decommission the licensed facility (i.e., to remove (as a facility) safely from service and reduce residual radioactivity to a level that permits release of the property for unrestricted use and termination of license).

into porous materials such as concrete. These records must include any known information on identification of involved radionuclides, quantities, forms and concentrations.

- b. As-built drawings and modifications of structures and equipment in restricted areas where radioactive materials are used or stored, and of locations of possible inaccessible contamination, such as buried pipes which may be subject to contamination. If required drawings are referenced, each relevant document need not be indexed individually. If drawings are not available, the licensee shall substitute appropriate records of available information concerning these areas and locations.
- c. If required by N.50, records of this reclaiming cost estimate prepared for the amount approved by the Agency for reclaiming.

Reciprocity

Sec. N.40 - Reciprocal Recognition of Specific Licenses.

- a. Subject to these regulations, any person who holds a specific license from an Agreement State or a Licensing State, and issued by the agency having jurisdiction where the licensee maintains an office for directing the licensed activity and at which radiation safety records are normally maintained, is hereby granted a general license to conduct the activities authorized in such licensing document within this State for a period not in excess of 180 days in any calendar year 12 month period, provided that:
- ai. A current copy of the licensing document or equivalent authorization is on file with the Agency and the authorized ~~The licensing document does not limit the activity authorized by such document activities are not limited~~ to specified installations or locations;
- bii. The out-of-state licensee notifies the Agency in writing at least [3] days by telephone, telefacsimile, telegraph, or letter prior to engaging in such activity. Such notification shall indicate the location, period, and type of proposed possession and use within the State. Upon receipt from the out-of-state licensee of a written request which contains a schedule of activities to be conducted within [name of the State] The Agency will may waive the requirement for filing additional written notifications during the remainder of the calendar year 12-month period following the receipt of the initial notification from a person engaging in activities under the general license provided in N.40a.;
- eiii. The out-of-state licensee complies with all applicable regulations of the Agency and with all the terms and conditions of the licensing document or equivalent authorization, except any such terms and conditions which may be inconsistent with applicable regulations of the Agency;
- div. The out-of-state licensee supplies such any other information necessary to show compliance with these regulations as the Agency may request; and

ev. The out-of-state licensee shall not transfer or dispose of TENORM possessed or used under the general license provided in N.40a. except by transfer to a person:

i.(1) Specifically licensed by the Agency or by another Licensing State to receive such TENORM; or

ii.(2) Exempt from the requirements for a license for such TENORM under N.4.

b. The Agency may withdraw, limit or qualify its acceptance of any specific license or equivalent authorization issued by a Licensing State, or any product distributed pursuant to such license or equivalent authorization, if the Agency determines that had the out-of-state licensee been licensed by [name of the State], the licensee's license would have been subject to action under N.31 or [cite State's rules for Administrative or Criminal Procedures as applicable].

Sec. N.50 - Financial AssuranceSurety Arrangements. Pursuant to [cite applicable State statute], each licensee or applicant for a license under N.22 shall post with the Agency financial assurancesurety, or security, to ensure the protection of the public health and safety and the environment in the event of abandonment, default, or other inability or unwillingness of the licensee to meet the requirements of the Act and these regulations. Financial assurancesurety arrangements shall:

- a. Consist of [surety bonds], [cash deposits], [certificates of deposit], [government securities], [irrevocable letters or lines of credit], [corporate guarantees], [insurance], [state funds],^{2/} or any combination of these;
- b. Be in an amount sufficient to meet the applicant's or licensee's obligations under the Act and these regulations and shall be based upon Agency approved cost estimates;
- c. Be established prior to issuance of the license or the commencement of operations to assure that sufficient funds will be available to carry out the decontamination and decommissioning of the facility;
- d. Be continuous for the duration of the license and for a period coincident with the applicant or licensee's responsibility under the Act and these regulations;
- e. Be available in [name of State] subject to judicial process and execution in the event required for the purposes set forth; and
- f. Be established within 90 days of [the effective date of this regulation] for licenses in effect on that date.

^{2/} State option; may include corporate guarantees, insurance, state funds, as state deems appropriate.

[Sec. N.51 - Effective Date. The provisions and requirements of this Part shall take effect on [effective date of the regulations] and shall apply to all facilities or sites owned or controlled by a person on that date. [Products introduced into commerce and disposals approved prior to that date are not subject to the provisions of this Part.]^{**/}

^{**/}-This provision may not be necessary if covered by generally applicable laws or rules of the state.

Part N

APPENDIX AACCEPTABLE SURFACE CONTAMINATION¹ LEVELS FOR TENORM

	AVERAGE ^{2, 3, 6}	MAXIMUM ^{2, 4, 6}	REMOVABLE ^{2, 3, 5, 6}
Alpha	5,000 dpm/100 cm ²	15,000 dpm /100 cm ²	1,000 dpm /100 cm ²
Beta-gamma	5,000 dpm/100 cm ²	15,000 dpm /100 cm ²	1,000 dpm /100 cm ²

¹ Where surface contamination by both alpha and beta-gamma emitting nuclides exists, the limits established for alpha and beta-gamma emitting nuclides should apply independently.

² As used in this table, dpm (disintegrations per minute) means the rate of emission by radioactive material as determined by correcting the counts per minute observed by an appropriate detector for background, efficiency, and geometric factors associated with the instrumentation.

³ Measurements of average contamination level should not be averaged over more than one square meter. For objects of less surface area, the average should be derived for each object.

⁴ The maximum contamination level applies to an area of not more than 100 cm².

⁵ The amount of removable radioactive material per 100 cm² of surface area should be determined by wiping that area with dry filter or soft absorbent paper, applying moderate pressure, and assessing the amount of radioactive material on the wipe with an appropriate instrument of known efficiency. When removable contamination on objects of surface area *A* (where *A* is less than 100 sq. cm) is determined, the entire surface should be wiped and the contamination level multiplied by 100/*A* to convert to a "per 100 sq cm" basis.

⁶ The average and maximum radiation levels associated with surface contamination resulting from beta-gamma emitters should not exceed 0.2 mrad/hr (2 µGy/hr) at 1 cm and 1.0 mR/hr (10 µGy/hr) at 1 cm, respectively, measured through not more than 7 milligrams per square centimeter of total absorber.

Implementation Guidance
for
Regulation and Licensing of
Technologically Enhanced Naturally
Occurring Radioactive Material
(TENORM)

Part N
of the
Suggested State Regulations for Control of
Radiation

July 2001

Prepared by the
CRCPD Task Force on TENORM (E-36)
(Revision 1 to September 1999)

The preparation of this document was supported by purchase order number K99-575049 of Lockheed Martin Idaho Technologies Company, on behalf of the U.S. Department of Energy. Revision 1 was prepared by the Suggested Regulations-Group 5, Part N Working Group.

This document has been developed by the CRCPD Task Force on TENORM. The contents do not necessarily represent the views of the Board of Directors of CRCPD, the membership of CRCPD, contractors to CRCPD, or federal agencies contributing funds to CRCPD. The mention of commercial products, their sources, or their use in connection with material reported herein is not to be construed as either an actual or implied endorsement of such products by the CRCPD or any federal agency.

TABLE OF CONTENTS

Table of Contents.....	i
Task Force Membership.....	iii
Suggested Regulations-Group 5 Membership.....	iv
1.0 Introduction.....	1
1.1 Basic radiation protection standard.....	3
1.2 Radiation dose from radon and its decay product.....	5
2.0 Do I have TENORM?	6
2.1 Is my material source material or uranium by-product material?	6
2.2 How do I know if my TENORM is included or exempted from regulations?.....	7
3.0 Licensing.....	8
3.1 Introduction.....	8
3.2 What is a general license and do I need one?.....	9
3.3 What is a specific license and do I need one?.....	11
3.4 On-site waste management	12
4.0 How do I transfer or dispose of TENORM waste?.....	12
4.1 What are the disposal options under Part N?.....	12
4.2 How do I evaluate a proposed transfer of TENORM waste for disposal?.....	14
5.0 How do I evaluate my site for release under Part N?.....	15
5.1 What are environmental exposure pathways and exposure scenarios?.....	16
5.2 Which computer programs for dose assessment are useful for TENORM evaluations?	16
5.3 What special use programs can be applied to TENORM evaluations?	17
5.4 What multiple environmental pathways programs are useful for TENORM evaluations?	17
5.5 How do I use the RESRAD computer program for TENORM dose assessments?	18
5.5.1 In general, what information do I need for RESRAD?.....	18
5.5.2 What input parameters do I use with RESRAD?.....	20
5.5.3 What output reports are available from RESRAD?.....	21
5.5.4 What are the results of a typical RESRAD dose assessment?	21
6.0 What radiation measurements are required for complying with Part N?.....	23

6.1	What instruments are available for conducting radiation measurements?	24
6.2	What are the procedures for releasing equipment for unrestricted use?	25
6.3	What are the procedures for the release of facilities for unrestricted use?	27
6.4	What are the procedures for release of open land for unrestricted use?	28
6.5	What are the requirements for documentation of surveys and sample analyses, and what must be submitted for release concurrence?	28
7.0	Financial Assurance	29
Appendix A: Figures and Tables		
	Figure 1. Environmental Transport Pathways.....	32
	Table 1 Selected Models for Assessing the Radiation Exposure from Residual Radioactivity	33
	Table 2. Summary of Parameters Used in RESRAD.....	34
	Table 3: Specific Parameters for Site Specific Conditions	35
	Table 4. Alternative K_d Values	36
	Table 5. RESRAD Assessment of Residual TENORM for a Resident Farmer.....	38
	Table 6. Comparison of Doses from Selected Scenarios	39
Appendix B: References and Information Sources		
	General References	41
	RESRAD References	42
	Information Sources.....	45
Appendix C: Screening Limits Adopted by Various States for Release of Contaminated Equipment.....		
	Equipment.....	48
Appendix D: Sample RESRAD Summary Report.....		
	Sample RESRAD Summary Report.....	51

Task Force Membership

The following served on the CRCPD Task Force on TENORM (E-36), during the preparation of this document:

Chairman

Thomas Cardwell
Texas Bureau of Radiation Control

Members

David Bernhardt
Rogers and Associates Engineering Corp.

Samuel L. Finklea, III, Ph.D., J.D.
South Carolina Department of Health and Environmental Control

Michael Ryan, Ph.D., C.H.P.
Medical University of South Carolina

Advisor

Charles Simmons, J.D.
Kilpatrick Stockton, LLP

Consultant

James E. Hickey

SUGGESTED REGULATIONS-GROUP 5 (Part N) Membership

Chairman

Steve Collins

Illinois Department of Nuclear Safety

Members

Thomas Cardwell

Texas Bureau of Radiation Control

Robert Goff

Mississippi State Department of Health

Thomas Hill

Georgia Department of Natural Resources

Jared Thompson

Arkansas Department of Health

Advisors:

David E. Bernhardt

Private Consultant

Charles Simmons, J.D.

Kilpatrick Stockton, LLP

Ray Paris

Oregon Radiation Protection Services

Paul Merges

New York Department of Environmental Conservation

Sam Finkley

South Carolina

Walter Cofer

Florida Bureau of Radiation Control

1.0 Introduction

This document is intended to assist both regulatory authorities and the regulated community with interpreting and implementing the provisions of Part N of the Suggested State Regulations for Control of Radiation (SSRCR), entitled, "Regulation and Licensing of Technologically Enhanced Naturally Occurring Radioactive Materials (TENORM)". No requirements are added in this document beyond those established in Part N. The concept of as low as reasonably achievable (ALARA) shall be considered in application of Part N. The regulatory standards contained in Part N are based on those established by the United States Nuclear Regulatory Commission (NRC) and the United States Environmental Protection Agency (USEPA). TENORM is generated as part of processes in many industries, and companies in these industries must assure that adequate controls are in place to prevent contamination of the environment, and to protect public and employee safety. Realizing this diversity, the Conference of Radiation Control Program Directors, Inc. (CRCPD) has developed a flexible model state regulation (SSRCR) that can be adapted by the regulator to the TENORM hazards of the state. When utilizing Part N as a model for their TENORM regulations, each state must establish standards and regulations that are consistent with their current standards for protection of public health and the environment.

Different standards for radiation dose to the general public apply during a company's operations than for exposures from post operational and disposal activities. The NRC standard for dose to the general public from operational or licensed activities is an annual limit of 1 millisievert (mSv) [100 millirem (mrem)], total effective dose equivalent (TEDE). This standard has also been adopted by the Agreement States as a matter of compatibility with NRC. NRC in 10 CFR 61 established 250 microsieverts (μSv) [25 mrem] per year whole body as the limit for the reasonably maximally exposed individual from disposal of radioactive material. It is important to note that this limit is based on dosimetry published in an ICRP Committee 2 Report of 1958 and is not a TEDE. The USEPA recommends an annual dose limit to members of the general public from of 100 μSv [10 mrem] TEDE from any single source in the environment. The USEPA also has established a recommendation of 150 μSv [15 mrem] per year TEDE for decontamination of sites. Although the NRC limits were established for radioactive material, there is consensus among the authors of this document that these TEDE limits should apply to all licensed or registered sources of radiation. Furthermore, the NRC limits of 10 CFR 20 and Part D limit the total dose from all licensed and/or registered sources of radiation, which would include TENORM. The NRC limits are endorsed by Part N and this document. Having considered all aspects, the CRCPD has taken a position that the current Part N allows flexibility in the regulation of TENORM. Part N allows land and facilities to be decontaminated to a level that will limit the annual radiation dose to the reasonably maximally exposed individual to some fraction of 1 mSv [100 mrem] TEDE. The regulatory authority should establish this fraction such that no individual will likely receive a dose in excess of 1 mSv [100 mrem] TEDE annually above background from any use or release of land together with doses from other licensed or registered sources of radiation. Part D of the SSRCR (10 CFR 20) governs occupational doses from exposure to TENORM. Training requirements for workers are addressed in Part J.12 of the SSRCR (10 CFR 19.12).

The exemption level for TENORM under Part N is 0.18 becquerels (Bq) [5 picocuries (pCi)] of radium per gram (any combination of radium-226 and radium-228). This is the same exemption level established for the clean up of property contaminated with uranium mill tailings. It is important to note that this concentration is an exemption level below which most materials are exempt from regulation. It does not mean that every material above this level must necessarily be regulated. Since most TENORM is in the form of scales or sludges with a lower radon emanation fraction than uranium mill tailings, the exempting of soil or media contaminated to this level is considered protective of public health.

The exemption of 5 pCi/g of total radium (i.e., Ra-226 and Ra-228) in Section N.4a. is based on the net concentration above natural background. Although there are large variations in the natural background of total radium in geological materials, the average background is about 2 pCi/g (NCRP87, Myrick83, MARSSIM00). Although outcrops of minerals with elevated concentrations of radium (e.g., phosphate ore with concentrations around 30 pCi/g, bastnasite rare earth ore with concentrations of over 50 pCi/g, and uranium ore with concentrations exceeding hundreds of picocuries per gram) exist, they are relatively uncommon where the exemption level of 5 pCi/g is applicable. Background concentrations of total radium, appropriate for applying the radium exemption of up to 5 pCi/g, will generally range from 2 to an upper range of 5 pCi/g. The application of higher background values will be subject to approval by the Agency. Extensive information and procedures for determining natural background are provided in MARSSIM00.

Part N does not attempt to regulate and should not be applied to any material that is defined as source material or uranium by-product material regulated under the Uranium Mill Tailings Radiation Control Act of 1978 (UMTRCA). Other naturally occurring radionuclides, e.g., tritium, carbon-14, and potassium-40, may also be concentrated as TENORM.

Of the diverse companies that generate TENORM and accumulate TENORM waste, many may not have personnel familiar with radiation safety. They will, nevertheless, be required to comply with state regulations based on Part N of the SSRCR and to demonstrate basic radiation safety and environmental control. To do this they will need to have an understanding of Part N requirements and methods of complying with these requirements to prevent the spread of contamination and to assure employee and public safety. In addition states may need more detailed information than is contained in Part N to properly draft and implement their own TENORM regulations. This document was developed to address these needs by providing guidance, in regard to TENORM, on the following topics:

1. standards for the use of radioactive material;
2. standards for disposal of radioactive material;
3. selection of dose assessment models;
4. selection of parameters for dose assessment models; and,
5. a framework for common understanding among state regulatory agencies, companies, workers, and the general public regarding adequate measures for

compliance with Part N.

This document has seven sections, followed by appendices and citations of references. Topics covered are: the material regulated; the types of licenses required; how materials contaminated with TENORM may be transferred from one person to another; TENORM disposal issues; suggested dose assessment models and parameters of the models; the decommissioning of TENORM licensed facilities; considerations for measurement of TENORM; and financial assurance considerations for TENORM. The radiation protection standards for TENORM are discussed in Sections 1.1 and 1.2.

1.1 Basic Radiation Protection Standard

The general standards for radiation protection for TENORM are consistent with Part D which are incorporated by reference in Part N. The standards for workers during operations are those of Part D. The standards for radiation protection for members of the public, also from Part D, are given in N.5.

The standard for members of the public shall be some fraction of the basic standard of 100 mrem per year. N.5a. refers to controlling exposure to the general public from activities licensed or registered by the Agency or other radioactive materials licensing agencies (e.g., NRC). The 100 mrem per year limit includes exposures from all licensed or registered sources, including TENORM. N.5d. specifically pertains to standards for sites released to unrestricted use, and addresses a specific TENORM release. This follows the National Council on Radiation Protection and Measurements assertion that exposure to more than one source at a substantial fraction of the annual limit is not likely for any particular individual. The total dose provision of N.5a. also includes the contribution from sources under N.5d.

The as low as is reasonably achievable (ALARA) principle shall be applied in implementing Part N. Procedures shall be followed, to the extent practicable, based upon sound radiation protection principles to achieve occupational doses and public doses that are ALARA. As low as is reasonably achievable (ALARA) is defined in Part A. ALARA is not to be construed as a radiation protection standard as has been indicated by the NRC in 52 Federal Register 2822, 2826 (1987).

N.5d. indicates that no person shall release TENORM for unrestricted use in such a manner that the reasonably maximally exposed individual will receive an annual TEDE of greater than 1 mSv per year [100 mrem per year]. The NRC 10 CFR 20 context of not releasing a site for unrestricted use is extended to quantities of TENORM to cover the release of bulk (e.g., truck loads) TENORM or TENORM in other forms, not just sites.

Determination of the radiation dose for compliance to Part N is based on assessments of the dose for the "reasonably maximally exposed individual." The NRC uses the dose to the "average member of the critical group" for decommissioning and termination of license actions for 10 CFR

20. Licensees and agencies should be aware of the potential presence of AEA materials when performing decommissioning and termination of license actions and ensure that cleanup actions and any related radiation dose assessments meet all regulatory requirements. For application to decommissioning and license termination activities, Agencies and licensees should ensure that the ratio of the "100 mrem" dose limit applied will result in the dose to the average member of the critical group that will not exceed the NRC dose limit of 25 mrem for decommissioning.

The exemption of 5 pCi/g of radium applies both to operations and for termination of licenses. Under some scenarios, the potential dose from 5 pCi/g may exceed the NRC license termination criterion of 25 mrem per year. This is similar to the situation for uranium and thorium recovery facilities (i.e., milling sites), where the NRC has recognized that the dose of 25 mrem per year may be exceeded after remediation. The remediation standards for uranium and thorium recovery facilities are taken from the EPA regulations in 40 CFR 192, as implemented by NRC in 10 CFR 40 (i.e., Appendix A Criterion 6). In 10 CFR Part 20.1401(a), the license termination criterion of 25 mrem per year specifically excludes uranium and thorium recovery facilities already subject to Appendix A of 10 CFR 40.

Environmental pathways radiation dose assessments for residual concentrations of 5 pCi/g of radium, using the normal default parameters of risk assessment models, may indicate potential radiation doses greater than 25 mrem per year. The illustration example given in Chapter 5 of this guidance demonstrates this. However, the use of reasonable site specific parameters for occupancy times, actual pathway scenarios, and other parameters will often indicate potential doses, for sites with residual radium at or less than the exemption concentration of 5 pCi/g, of less than 25 mrem per year. Furthermore, prudent remediation at a licensed site and application of ALARA will generally result in average residual concentrations related to license termination below the exemption level of 5 pCi/g of radium.

ALARA shall be applied in implementing Part N. A recommended application of ALARA is the determination of land areas that meet the exemption of N.7b, which specifies that characterization shall be based on averages for areas of 100 m² and depth increments of 15 cm. It is suggested that proper application of ALARA for this situation would require remediation of areas of about 1 m² or more which have concentrations of radium greater than three (3) times the exemption of 5 pCi/g (above background). That is, even though a concentration of radium of 50 pCi/g in an area of 1 m² (assuming a depth increment of 15 cm) may result in an average of less than 5 pCi/g over the 100 m² area, consideration of ALARA requires reasonable efforts to remove the elevated material. Hence, a specific example of ALARA is that reasonable effort should be applied to remove residual contamination, more than three (3) times the exemption criterion, even if the average for a 100 m² area meets the exemption criterion.

If termination of a license or unrestricted release of TENORM is likely to result in a TEDE of greater than 100 mrem or the states specified fraction thereof, or the license termination limit of 25 mrem per year, the state can consider options of alternate dose criteria or require additional

cleanup.

Furthermore, the state may want to consider the guidance of the National Council on Radiation Protection and Measurements, "Limitation of Exposure to Ionizing Radiation," NCRP Report No. 116 (Chapter 16, Remedial Action Levels for Naturally Occurring Radiation for Members of the Public) for case-by-case application.

In summary, the exemption of 5 pCi/g of radium, above natural background, is intended for application to sites contaminated with radium. However, radiation dose assessments should be performed for contaminated licensed sites that are remediated for termination of license. The NRC's license termination criterion of 25 mrem per year is generally applicable for termination of licenses at all TENORM sites, but case-by-case determinations may demonstrate the need to use alternative dose criteria for sites where the 5 pCi/g radium exemption limit is used.

N.5e. specifies that actions to confine TENORM on sites or remediate sites shall be based on expected longevity of the controls for 1,000 years, with an option that a longer time may be specified. The expectation for longevity refers to prudent application of institutional controls, the engineering design of the remediated site, and radioactive decay of residual contamination. The expectation for longevity should encompass all these aspects of the project. Institutional controls could include government ownership and regulations regarding land or resource use, and annotation of deeds to limit future land use. The potential for erosion, intrusion, and potential flooding shall be considered.

1.2 Radiation Dose from Radon and Its Decay Products

N.5c. notes that doses from indoor radon and its progeny shall not be included in determination of the TEDE, unless specifically directed otherwise by the Agency. Furthermore, N.5d excludes the dose from inhalation of radon and its radon progeny. These exclusions of the dose from radon and its decay products are for both radon-222 and radon-220. The exclusions only apply to the radiation dose from inhalation of radon and its short half-life (i.e., less than one day) decay products indoors for the standards for the members of the public. These exclusions do not apply to the inhalation dose for radiation workers, for which Part D provides Derived Air Concentrations (DAC's) and effluent limits for releases from licensed sites, for which Part D also provides concentration limits.

The exclusion of the dose from radon and its short half-life progeny is only for the inhalation dose. The dose from external gamma is included for both radiation measurements and for environmental pathways modeling.

2.0 Do I have TENORM?

Companies may question whether material they have is TENORM. TENORM may accumulate to significant levels in process operations involving the extraction, purification, filtration, smelting, or pipeline transport of virtually any material of geologic origin. Surface and groundwater, metals, petroleum, natural gas, and process treatment sludges are among such materials. The underlying principle that distinguishes naturally occurring radioactive material (NORM) from TENORM is that, with TENORM, an increased concentration of radionuclides over that found in the same material in nature has resulted from human activity. This section gives guidance on determining whether a material is TENORM or is NORM that is not regulated under Part N, or is radioactive material regulated under other federal or state regulations.

Therefore, it is essential that industries that use naturally occurring radioactive materials assess their processes to determine where NORM material could be concentrated to a degree qualifying as TENORM. To make this determination industries must analyze the materials they are using, understand the chemical and physical properties of naturally occurring radionuclides, and analyze their products and waste streams to determine if NORM has been concentrated into material that would be considered TENORM. See the NORM 3 Report (CRCPD94-2) for discussion of industrial practices that result in concentration of NORM.

2.1 Is my material source material or uranium or thorium by-product material?

Part N applies to naturally occurring radioactive material, other than source material, whose concentration has been technologically enhanced. Source material is defined in Part A.2 of the SSRCR and in 10 CFR 40.4 as "uranium or thorium, or any combination thereof, in any physical or chemical form; or, ores that contain by weight one-twentieth of one percent (0.05 percent) or more of uranium or thorium, or any combination of uranium or thorium." The definition of TENORM specifically excludes source material and byproduct material as both are defined in the Atomic Energy Act of 1954, as amended, as implemented by the Nuclear Regulatory Commission.

Some source material by-products and mill tailings defined by 10 CFR 40 are regulated by NRC and Agreement States. This preempts states from regulating these materials as TENORM. Some source material by-products and mill tailings processed prior to 1978 may not be regulated by the NRC and therefore, may be regulated by states as TENORM. Uranium by-product is defined as waste material that has become contaminated from the fuel cycle or uranium recovery operations. UMTRCA also sets standards for cleanup of lands and facilities that had become contaminated from the fuel cycle industry. Waste material and tailings that were generated from recovery of source material either under the Atomic Energy Act or an NRC or Agreement State license are controlled and regulated under existing regulations for uranium mill tailings. The federal regulations established under 10 CFR 40 and UMTRCA have established clean-up standards and standards for disposal of uranium mill tailings and by-product materials.

Part N of the Suggested State Regulations for Control of Radiation establishes model regulations

for “technologically enhanced” naturally occurring radioactive material. Materials that are radioactive, but in which the radioactive constituents have not been concentrated through human intervention, are not addressed by Part N. Soil and rocks that are naturally radioactive and materials made from these, provided that human intervention has not concentrated the naturally occurring radioactive materials, are not regulated by Part N.

2.2 How do I know if my TENORM is included or exempted from regulations?

After determining that NORM has been or could be concentrated in a process, the company must refer to N.4 to determine if the material is exempted by regulation. Part N recognizes that the societal benefit of some materials, such as fertilizers, outweigh the radiation associated risks presented by the materials and exempts these materials from regulations. Some TENORM materials are adequately controlled under other regulations such as the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) and the Resources Conservation and Recovery Act (RCRA) and have been exempted from regulation by Part N for that reason. Part N does not address the regulation of TENORM while the material is in transport. Regulation of transport and storage incident to transport is addressed by Parts D and T of the SSRCR’s. N.4 exempts persons who receive products or materials that are manufactured and distributed as exempt products under a specific license.

N.4a. presents the most difficult case for determining whether materials are exempt or regulated by Part N. This exemption applies to materials such as soil, scales and sludges containing TENORM that is dispersed throughout the materials. This exemption does not apply to surface contamination on equipment, such as pumps, valves and piping, that is contaminated with scales or other material containing TENORM.

To apply this exemption to equipment such as pipe, it must be determined that the concentration of total radium is less than 0.18 Bq [5 pCi] per gram in the scales excluding the weight of the pipe or object contaminated with scales or other TENORM containing material. The release of equipment for unrestricted use is addressed in N.7.

N.4a. does not explicitly prohibit the purposeful dilution of waste to render the waste exempt from regulation, but this is covered in N.8e. and N.9. Purposeful dilution to render TENORM exempt shall not be performed without regulatory agency approval. Dilution resulting from normal product processing is not considered purposeful dilution to render TENORM exempt. The definition of waste has been generally accepted as being material that has no further useful purpose. Waste streams must be analyzed separately to determine if the concentration is greater than the exempt limit prior to mixing the waste streams. Waste materials subject to regulation under Part N by virtue of their TENORM concentrations may not be commingled with materials that are exempted by N.4 unless authorized by the Agency. The Agency may consider relative volumes, radionuclides and their concentrations, and chemical and physical characteristics of waste streams in approving commingling of wastes for management. This subsection disallows soil

mixing, spreading, or landfarming of contaminated materials to achieve exempt concentrations unless the regulatory agency has previously authorized the activity. States may allow landfarming or on-site disposal of regulated material under section N.8a.iii. However, alternate methods of disposal for materials that are not exempted must be approved by the regulatory authority and should not be initiated without such approval. Further discussion of landfarming is contained in Section 4 of this document. If a determination is made that the TENORM or TENORM contaminated material is regulated under Part N, then it must be determined whether the material comes under Part N's general license or specific license provisions.

Section N.4c. denotes that distribution, including custom blending, possession, and use and disposal of zircon, zirconia, and zircon products is exempt. The concentrations of uranium and thorium in these materials are less than 0.05 percent and conservative radiation dose assessments have indicated that the radiation dose to workers is less than 1 mSv per year (100 mrem/year) TEDE. The critical radiation dose pathway for workers is inhalation. The potential dose from inhalation is reduced from prior analyses by consideration of the physical size of airborne material and the high density of zircon particles, which results in an average equivalent aerodynamic diameter (EAD) of greater than 5 micrometers, versus the usual default particle size of 1 micrometer EAD. The revised dose assessments have used the dosimetry of International Commission on Radiological Protection (ICRP) Publication 68 (ICRP94) which has been accepted by the NRC Commissioners and Technical Staff (NRC 99-077, April 1999) in a license amendment and by the Illinois Department of Nuclear Safety in a license amendment for the West Chicago Rare Earths Facility. The Commission has recommended that ICRP Publication 68 dosimetry be considered for future rulemakings.

The exemption for fertilizer, zircon, zirconia, and zircon products is for distribution, including custom blending, possession, and use and disposal of the materials. The manufacturing (i.e., mining or extraction of zirconium metal) of these materials is not explicitly exempted. The Agency should evaluate the manufacturing facilities and processes and determine whether general or specific licenses are necessary. Furthermore, the option of licensing specific equipment or processes, versus total facilities, can be considered.

3.0 Licensing

3.1 Introduction

TENORM is widely distributed and exists in conjunction with other materials desired for their non-radioactive attributes. As a result there are many products, materials and sites that contain TENORM at concentrations which require some level of control. This realization has been the driving force behind the development of Part N and requires a fundamentally different approach to regulating TENORM compared to other activities addressed in the SSRCR. An applicant for a license issued under Part C (or comparable regulations) typically intends to possess and use radiation sources for their radioactive properties and has to affirmatively seek to acquire the

necessary sources, whereas the possessor of TENORM often, but not always, acquired the TENORM “passively”, i.e., as an unintended, unnecessary adjunct to the material or facility acquired for its other attributes.

On the other hand, basic principles of radiation protection imply that some level of mandatory controls is necessary at many facilities possessing or contaminated with TENORM. In an attempt to strike the proper balance, the drafters of Part N concluded that the majority of facilities possessing TENORM should be subject to a general license, with provisions for specific licenses for those facilities and activities for which more stringent controls are appropriate.

3.2 What is a general license and do I need one?

Part N establishes a general license for anyone who possesses TENORM and is neither exempted nor required to obtain a specific license. A state adopting Part N should review its particular administrative procedures act to ensure that the procedures for issuing the general license and making it applicable to a specific facility are consistent with those procedures and authorized under state law.

Part N.5d provides the option of a notice to the state of a facility's intent to be covered under the general license. The state may elect to require notice of intent as a prerequisite for coverage; under such a regulatory scheme, facilities which possess TENORM, but which do not notify the state TENORM licensing agency, are then operating in violation of regulations and may be subject to enforcement of the regulatory requirement. On the other hand, a state having many TENORM facilities, in order to reduce the regulatory burden and the administrative overhead, may elect not to require notification as a prerequisite, or even not to provide for notification at all.

Enforcement is one factor influencing this decision. Each state must determine how compliance with the regulation and the general license will be assessed. If routine inspections are contemplated, some mechanism to identify and locate TENORM facilities is required, and building a notification requirement into the general license provisions is one way to do so. However, if the state elects only to respond to incidents reported through other channels, notification may not be required.

Most TENORM is produced incidental to an industry's main products. Examples are scale in oil and gas production, resins in water treatment, some phosphate wastes in the fertilizer industry and wastes in the rare earths and metal industries. Other industries also may concentrate NORM that would be regulated under Part N. N.10 issues a general license to possess, own, use, transfer, distribute or dispose of TENORM subject to the requirements of Sections N.5 through N.10.

A general licensee may continue operations with minimal burdens from regulation. The general licensee must control TENORM to the extent that the spread of contamination and excessive exposure to workers and the general public is prevented. N.10d. requires each general licensee to

notify the regulatory agency of TENORM in custody. This is an option that a state may choose to impose or not impose depending upon its regulatory philosophy.

A general licensee may perform routine maintenance on TENORM contaminated equipment, facilities, and land that the general licensee owns or controls. However, N.10c. prohibits the general licensee from performing decontamination. Routine maintenance differs from decontamination in that it does not generally involve the potential for significantly increased exposure of workers to TENORM contamination and radiation. The general licensee should therefore review all aspects of the operation to determine which activities may increase the potential for additional radiation exposure and contamination of workers. For example, confined space entries per 29 CFR 1910 should be evaluated to determine if special procedures are required to prevent the workers from receiving a dose in excess of 10% of the occupational limits (e.g., 5 mSv [500 mrem] per year TEDE) specified in Part D of the SSRCR (see N.5b). For purposes of radiation protection, any recurring activity that increases the worker's exposure in excess of 10% of the occupational limit is considered a significant dose and may require a specific license. Any activity conducted for the specific purpose of removing TENORM, such as scale contaminated with radium at concentrations not exempt, must be conducted by personnel operating under a specific license. Pipe and equipment released for use based on an approved screening procedure should be used in the same condition in which it was received. A person under a general license who accepts the pipe or equipment is not authorized to perform decontamination of the pipe or equipment received. The Agency's approval of screening methods includes an assessment of the radiation levels on the equipment or pipe and a determination that a release of the pipe or equipment, as it exists at time of release, is consistent with N.5. Activities that remove TENORM contaminated scales from pipe or equipment generate waste that may exceed the exempt concentration of radium and increase the potential for internal and/or external exposure. Therefore, a specific license is required to perform this activity.

Contaminated equipment, facilities and land may be transferred from one general licensee to another general license under the following conditions: The transferor must notify the recipient that the facilities, equipment or land is contaminated with TENORM that is subject to regulation; and, the transferor must determine that the recipient will use contaminated facilities and/or equipment for the same purpose. For example, the transfer of equipment like a drier or separator from niobium producer to tin producer or transfer of contaminated oilfield pipe to another person if the contaminated pipe is to be used in oil and gas production. However, the recipient cannot use the pipe for irrigation or water pipe and should not use the pipe for construction purposes unless it has been released for unrestricted use in accordance with a method acceptable to the regulatory agency for releasing the pipe.

N.10e. provides two options for transfer of land, Sections N.10e.i. and 10.e.ii. N.10e.i. provides the basis for transfer of land with either annotation of the deed records or notice to be given to owners of surface and mineral rights. N.10e.ii. notes that if the requirements of N.10e.i. are not met, prior written approval must be obtained from the Agency. To obtain this approval, the general

licensee shall submit information that demonstrates compliance with N.7 where, N.7 requires demonstrating that the site meets requirements for unrestricted use, or written approval by the Agency for alternative criteria. Records of such compliance shall be maintained by the general licensee as specified and submitted to the Agency upon request.

N.7c. provides for conditional release of metal, with limited contamination, for recycle. It is clarified that this is not to be a means of waste disposal without written approval of the Agency. However, the Agency has the option, by a rule-making or administrative decision, to make this a viable disposal alternative at a permitted disposal site.

Land that is contaminated above release limits may be transferred from one licensee to another as authorized by the regulatory agency. N.10e.i.(2) allows the state to require annotation of the deed or, at a minimum, a disclosure to the recipient that the land is contaminated with TENORM above the concentrations allowable for release.

N.10e.iii. prohibits the release of any equipment, facilities, or land for unrestricted use unless the general licensee complies with the requirements of N.7. The person who transfers contaminated equipment or property may be required under N.10e.iii. to make measurements that confirm the contamination is within the limits of N.7 and to retain the documentation of these measurement results. Recipients of equipment, facilities, or land not meeting the requirements of N.7 become general licensees. It then becomes their responsibility to restrict access to the contaminated property, maintain it to prevent contamination and/or exposure, and prevent unauthorized use. N.10f. requires written disclosure of the type and amount of TENORM. The disclosure may be MSDS certification or equivalent information describing the identity of the TENORM material e.g., pipe scale, 55 gallons, not exceeding 1 Bq per gram (27 pCi/g). N.10g. gives the Agency the authority to require in writing that a general licensee apply for and obtain a specific license. The Agency shall state the reason for determining that a specific license is required.

N.9 provides prohibitions, noting that purposeful dilution to avoid regulation as TENORM is prohibited, without prior Agency approval.

3.3 What is a specific license and do I need one?

A specific license requires the submission of an application to the Agency and the issuance of a licensing document by the Agency. The licensee is subject to all applicable portions of the Agency's regulations and any limitations specified in the licensing document. The requirements for a specific license with regard to TENORM are contained in N.20 through N.31. Anyone who wishes to receive, own, possess, use, process, transfer, distribute, or dispose of TENORM that is not exempt from regulation, and who does not qualify for a general license, must apply for and receive a specific license. These activities include the manufacture and distribution of consumer or retail products containing TENORM the possession and use of which are exempt under N.4a. Manufacture and distribution of other products (e.g., commercial products) should be evaluated by

the licensing authority to determine if a license is required. A transfer of products containing TENORM between general licensees under N.10f. does not require a specific license, nor do persons exempted under N.4 require a specific license. Anyone who decontaminates equipment, facilities or land that is owned by someone else, unless performing routine maintenance under contract and in accordance with Section N.10c., must apply for and receive a specific license. Anyone who receives TENORM waste from other persons for storage, treatment and/or disposal must apply for and receive a specific license or have applicable permits from other agencies under a general license (e.g., N.8c.).

Labeling requirements under N.22c.iii.(9) are required to ensure adequate information is provided with the transfer of items. The licensee may propose alternative labeling procedures for approval by the Agency.

3.4 On-site waste management

Concern should be given to proper management of TENORM waste. Good practices for managing TENORM waste on site include an evaluation of the following areas:

- erosion prevention such as use of bermed areas;
- preventing migration and infiltration with such methods as lined areas (e.g., concrete, clay or HDPE);
- prevention of wind blown migration by use of covers or containers.

In summary, following sound principles of pollution prevention and minimization that are established in other waste management programs should result in minimizing worker and public exposure to TENORM wastes managed on site.

4.0 How do I transfer or dispose of TENORM waste?

Disposal and transfer of TENORM waste is covered in N.8. The transfer of TENORM waste is a separate matter from the release of equipment or facilities contaminated with TENORM that is covered in N.7. The discussion that follows is intended to give guidance on:

- disposal options;
- types of TENORM that are appropriately disposed via each option;
- methods for evaluating the disposal of TENORM using each option;
- key issues to evaluate when considering TENORM disposal via each option.

4.1 What are the disposal options under Part N?

Section N.8 contains the following options for disposing of TENORM:

1. transfer of the wastes for disposal to a facility licensed under requirements for uranium or thorium byproduct materials in either 40 CFR 192 or 10 CFR 40

2. Appendix A or equivalent regulations of an Agreement State; or transfer of the wastes for disposal to a disposal facility licensed by the NRC, an Agreement State, or a Licensing State; or
3. By an alternate method authorized by the permitting agency for the disposal site upon application or upon the agency's initiative. The authorized method must ensure that no member of the public receives an annual TEDE from TENORM in excess of whatever fraction of 1 mSv [100 mrem] dose criteria the state establishes. The person is also responsible for compliance with applicable Clean Water Act, Safe Drinking Water Act and other US EPA requirements for disposal of such wastes.

These options include disposal at sites licensed by the NRC or Agreement States and also provide the option for disposal of waste at sites that have been permitted for receipt and disposal of appropriate waste by other applicable regulatory agencies. Part N is not intended to foreclose the option of transferring TENORM waste to regulated waste disposal facilities, including RCRA-permitted solid waste disposal facilities. N.8c. clarifies acceptance and disposal of TENORM waste is conditioned on the absence of express prohibition, e.g., by the disposal facility's operating permit, and must not be contrary to applicable federal and state law governing the type of TENORM waste to be disposed.

See the CRCPD Web Site at www.crcpd.org for information on facilities accepting TENORM wastes and other commercial radioactive waste disposal services.

Depending upon the type, physical and chemical form, and the quantities of radionuclides, there are other specific disposal options that a state may consider under N.8a.iii. These include: landfills permitted under RCRA, Subtitle C and D or state equivalent; injection wells permitted under federal or state regulations, e.g., 40 CFR 144 (Underground Injection Control Program); and land application of TENORM materials.

TENORM disposal within impoundments meeting the requirements for disposal of byproduct materials under 40 CFR 192 is consistent with Part N and should be acceptable to state regulatory agencies. This method for disposal of TENORM waste should also be sanctioned within facilities operating under a specific license issued by NRC or an Agreement State. Final decisions must be approved by the appropriate regulatory agencies.

As of the publication of this guidance, USEPA has issued draft guidance on disposal of drinking water treatment wastes and regulations on uranium mill tailings, but no requirements for TENORM disposal.

Under N.8a.iii., states may authorize alternative methods for disposal of TENORM wastes. While relatively high hazard TENORM wastes may be appropriate for disposal within specifically licensed facilities, wastes with relatively low TENORM concentrations may more appropriately be

disposed of in general licensed facilities such as specially designed and controlled landfills. On-site disposal, in conjunction with institutional controls, may be the most feasible option where large volumes of mildly contaminated materials are involved. Some states have approved down-hole disposal of certain oil field wastes as an appropriate option. N.8a.iii. is intended to provide states with considerable flexibility in determining acceptable disposal methods for unique TENORM materials as long as the Agency agrees the dose criteria in N.5 will be met. State approval of disposal options can be based on *de novo* proposals by applicants or on generic evaluations of various processes or disposal options which have been previously evaluated as acceptable by a state regulatory agency, USEPA or NRC.

Equipment which is contaminated with TENORM in excess of levels specified in Appendix A to Part N, and which is to be disposed of as waste, has separate requirements. The disposal method must prevent any reintroduction into commerce or unrestricted use; and, the disposal area and methods must meet the same criteria as other types of TENORM wastes.

Records of disposal, including manifests if appropriate, must meet the same requirements as other types of radioactive wastes. These requirements can be found in Part D of the SSRCR. Methods involving disposal on-site, such as land farming and down-hole disposal, do not require manifests.

4.2 How do I evaluate a proposed transfer of TENORM waste for disposal?

If the TENORM for disposal is being transferred to an appropriate disposal facility licensed or with an appropriate permit to accept the type of waste in question, evaluation is greatly simplified. Handling, packaging and transport of the waste will be governed by state regulations for radioactive waste in general and by the disposal facility's permit requirements for acceptance of TENORM waste.

If the TENORM in question is to be managed and disposed of in accordance with N.8a.iii. (i.e., an alternative method approved by the regulatory agency) the evaluative process becomes very important and much more formal. In this situation, TENORM waste evaluation presents some special difficulties. First, TENORM comes from a variety of sources, can take many different chemical and physical forms, and can contain many radionuclides in widely differing amounts. The CRCPD NORM 3 Report (CRCPD94-2) reviews many of the types of TENORM and their characteristics. Second, states can have differing performance criteria and dosimetric approaches for evaluating TENORM waste. So the method of evaluation will depend to a certain extent on the characteristics of specific TENORM waste under consideration and the criteria established by the particular state in which the disposal is being proposed.

An evaluation begins with the dose criteria that have been established by the host state of the disposal site. The maximum allowable annual public dose from all licensed and registered sources established by N.5a. is a TEDE of 1 mSv [100 mrem]. Since it is difficult to confirm that the TENORM in question is the only licensed source of exposure for consideration, states may elect to

adopt some fraction of 1 mSv [100 mrem] per year as the dose criteria that must be met during the evaluation.

Once dose criteria have been established by a state, there is a need for specific guidance on modeling, sampling, analysis, etc., that will be acceptable to the Agency in support of the proposed disposal methodology. The goal of the analyses is to make realistic projections of dose that indicate that the reasonably maximally exposed individual will not receive an annual TEDE in excess of the state's standard. The evaluation necessarily involves assumptions, methods of calculation and analyses of uncertainties that are compatible with the Agency's expectations. Therefore, detailed guidance on these aspects should be made available by the Agency. The evaluation process, as assisted by currently available computer models, is discussed in the next section of this guidance document.

5.0 How do I evaluate my site for release under Part N?

This section provides information on computer assisted radiation dose forecast techniques currently in use. The objective of these computational models is to use the available information to make a good approximation of the radiological health risk to the population affected, and on that basis to make informed risk management decisions about the action under consideration. In practice, state risk management decisions under Part N are governed by the projected annual dose (TEDE) to the reasonably maximally exposed individual. Section N.5a. adopts 1 mSv [100 mrem] as the annual dose permitted to the reasonably maximally exposed individual from all regulated uses of radioactive materials and ionizing radiation. States are given the flexibility to adopt some fraction of 1 mSv [100 mrem] per year standard to allot to TENORM exposures in order to keep doses within the 1 mSv [100 mrem] per year standard.

Determination of the radiation dose for compliance to Part N is based on assessments of the dose for the "reasonably maximally exposed individual." The NRC uses the dose to the "average member of the critical group" for decommissioning and termination of license actions for 10 CFR 20. Licensees and agencies should be aware of the potential presence of AEA materials when performing decommissioning and termination of license actions and ensure that cleanup actions and any related radiation dose assessments meet all regulatory requirements. For application to decommissioning and license termination activities, especially for sites with AEA materials, Agencies and licensees should ensure that the dose limit applied to a specific site will result in a dose to the average member of the critical group from that site that will not exceed the NRC dose limit of 25 mrem for decommissioning and license termination. Please refer back to 1.1 for further discussion.

Dose forecast techniques depend upon pathway modeling to translate environmental concentrations or radiation measurements into doses, and/or risks, to selected populations or individuals. They involve hypothetical calculations and are intended to be an aid to decision making. Since conservative assumptions are usually involved, they may overestimate what will actually occur.

There have been extensive efforts over the last decade to develop user-friendly computer programs that incorporate multiple-pathways models. Several programs currently available do not require special expertise in modeling, but should only be used by personnel with professional radiation protection experience. Computer programs are available which calculate the radiation dose and health risk from a broad spectrum of radionuclides for numerous environmental pathways and exposure scenarios. Although some computer programs incorporate models that have extensive flexibility and can be used for assessing the doses from numerous exposure scenarios, generally, they are focused on a limited number of scenarios. Table 1 identifies several models and indicates their primary applications.

5.1 What are environmental exposure pathways and exposure scenarios?

The term “environmental exposure pathway” refers to a relationship among contaminated environmental media, various pathways and mechanisms for contaminant transport resulting in human exposure. Figure 1 provides an illustration of environmental exposure pathways. TENORM exposure primarily occurs via direct exposure to external gamma radiation and via inhalation of TENORM contaminated particles. Other modes of potential exposure include ingestion of contaminated water and food. Indoor radon may also be a pathway for radiation dose, but is excluded from the radiation dose criteria of Part N. See Section 1.2 concerning the exclusion of the inhalation dose from radon and short half-life decay products. The external gamma dose from the short half-life decay products of radon (i.e., less than one day) and the dose from food pathways are included in the dose assessment for the TEDE dose.

The term “exposure scenario” refers to the environmental setting in which people may be exposed via an environmental exposure pathway to a contaminant. Possible scenarios include an infant living in a residential environment where there is TENORM contamination, adults living in a “residential farming” situation, children exposed to TENORM in metal pipes used for playground equipment, and people working in a building contaminated with TENORM. The detailed RESRAD example discussed later in this section of the guidance document focuses on the “residential farmer” setting. However, models applicable to other settings, to the general population, and to commercial or industrial settings, are also discussed. RESRAD-Build code (RESRAD94) is a software package designed for assessing the radiation dose to people working in contaminated buildings, and MicroShield (Grove96) is a computer program used for calculating the external gamma dose for various geometries of radiation sources containing various radionuclides.

5.2 Which computer programs for dose assessment are useful for TENORM evaluations?

Table 1 provides a representative list of computer programs available for radiation dose assessment under different scenarios. References for each program, the agency for whom the program was developed and the company developing the program are given. Selected comments

on each program are also provided. Most of these programs use multiple pathway models to provide assessments for all of the environmental exposure pathways shown in Figure 1. MicroShield and RESRAD-Build, unlike the multiple pathway models, can be customized to a greater extent and have special applications. However, it should be emphasized that while all computer dose models are useful tools, each has its own limitations and needs to be applied with professional judgment.

5.3 What special use programs can be applied to TENORM evaluations?

MicroShield (Grove96) and RESRAD-Build (RESRAD94) incorporate unique coding that has special capabilities not present in most multiple pathway models. While relatively user-friendly, these programs require that the modeler have a reasonable understanding of the proposed dose scenarios in order to select the proper input parameters. In contrast, the multiple pathways programs have default parameters to cover most required inputs. MicroShield can be used to calculate external gamma dose for numerous source geometries. For example, the program can be used to calculate the external gamma dose from a single pipe containing TENORM (Bernhardt96, Rogers95), from configurations of multiple pipes, and from various geometries of slabs. MicroShield has a WIN95 (Version 5.01) and a Microsoft DOS version.

RESRAD-Build provides the ability to determine the external gamma dose, inhalation dose, and ingestion dose from occupancy of buildings with residual contamination. The assessments require the modeler to provide "knowledgeable" input parameters for the residual contamination and parameters related to inhalation and ingestion. The ingestion scenario can be structured as a dirty-hands concept, where a person interacts with removable contamination and accidentally ingests it.

5.4 What multiple environmental exposure pathways programs are useful for TENORM evaluations?

The RESRAD family of computer programs, developed by Argonne National Laboratory for the United States Department of Energy (DOE), has received wide use due to courses and consultation provided by DOE for state and other agencies. Since its inception, the model has had a user-friendly, menu-driven interface, which has made it relatively easy to use. The programs have been continuously upgraded since their introduction in the early 1990's. The RESRAD programs feature a relatively complete set of input parameters. The positive aspect of this feature is the relative ease of using the model. The negative aspect is the possibility of performing a dose assessment without understanding the underlying model and without having gone through the "thought process" which takes place when developing input values.

The PRESTO and PATHRAE families of computer programs have been developed by Rogers and Associates Engineering (RAE) of Salt Lake City, Utah for the USEPA. Most of the versions of these programs are oriented towards assessing the performance of waste disposal sites. Although the PRESTO program listed in Table 1 has a menu interface for use in WIN95, these programs

generally require users to be very familiar with the underlying models and with the concepts involved in pathway models. The PRESTO and PATHRAE programs include some of the basic modeling parameters, but generally require the user to provide most of the input data. This family of programs has been used mostly by its developer and USEPA and is not in general use.

The GEN II computer program evolved out of a series of models developed by the Pacific Northwest Laboratory, Richland, Washington. The program has a user interface requiring a detailed knowledge of numerous parameters and is not user-friendly. It requires extensive interpretation of underlying parameters and exposure scenarios.

The National Council on Radiation Protection and Measurements (NCRP) developed a comprehensive catalog of screening values that can be used to estimate radiation doses for a spectrum of pathways and exposure scenarios. The models and screening levels are provided as extensive tabular listings in NCRP Report 123 (NCRP96). The report allows for the assessment of doses from environmental exposure pathways for numerous radionuclides, including TENORM radionuclides.

The NRC has developed extensive models to support its recent rule making on decommissioning and decontamination (D&D) of nuclear facilities. The pathway models and screening levels have been issued as several drafts, and have not been finalized. Screening criteria and the basis models are provided in NUREG 5512 (NRC92).

Training on various pathway models may be available through the DOE National Low-Level Waste Management Program at Idaho National Engineering and Environmental Lab (www.inel.gov/national/national.html) and the computer code developers (see CRCPD web site).

5.5 How do I use the RESRAD computer program for TENORM dose assessments?

Although the basic RESRAD program (Version 5.82, more recently Version 6) does not have the sophistication and flexibility for custom calculations exhibited by the PRESTO, PATHRAE, and GEN II models, it is much more user-friendly. We shall use RESRAD (current version 5.82, subsequent Version 6 is available on the Argonne National Laboratory Internet Site <http://web.ead.anl.gov/resrad>) as the tool to discuss the details of performing dose assessments for purposes of complying with TENORM regulations patterned after Part N. However, much of the information is also applicable to other programs. Modelers should confirm that they are using current versions and appropriate models for their assessments.

5.5.1 In general, what information do I need for RESRAD?

You will need to select pathways, scenarios, and modeling parameters for estimating the radiation dose from residual TENORM on a site. The RESRAD program allows you to determine the radiation dose from a broad spectrum of radionuclides, and allows you to “turn on or off” the

various environment pathways (e.g., radon in a residence or eating fish from a farm pond). Therefore, the RESRAD program, with appropriate insight and understanding by the modeler, can be used to customize the dose assessment to specific exposure scenarios (e.g., a home built on a contaminated lot without intake of contaminated food or water). The relative significance of some parameters is dependent on the scenarios being included in the dose assessment. For example, food-pathway parameters do not affect the dose if food is not raised on the site. Similarly, the radon modeling parameters have little pertinence if buildings are not being built on a site, or the radon dose is not included in decision criteria.

The proper selection of the exposure scenario, including the basic criteria for characterizing the site, is of foremost importance. If there is residual contamination on the site, an important decision is whether the residual contamination is on the surface, or eventually will be on the surface due to erosion. Some of the alternative considerations related to external gamma dose include:

1. Contamination beneath the surface with surface conditions such that the material will likely remain beneath the surface. In this situation the external gamma radiation will be largely mitigated by shielding from the surface material, and possibly not be significant.
2. Cover with uncontaminated soil. There may be soil with residual contamination on the surface, but constraints on future uses may allow covering the site with a layer of uncontaminated soil. Depending on the specifications for the cover and the longevity of the cover, the external gamma dose and other pathways will be reduced and may be eliminated.
3. Retention of contaminated soil on the surface. The specifications may allow for soil with residual contamination to remain on the surface. Depending on the specifics of the scenario, the external gamma dose may be the primary dose pathway.

Some of the alternative considerations related to dose from use of groundwater include:

1. No use of groundwater: The specified use of the site or availability of groundwater may exclude the use of groundwater as a viable pathway.
2. No well actually located on the site: Due to the characteristics of the site or proposed controls of the site, the closest possible use of groundwater may be at a location outside of the site boundary; e.g., 15 meters away from the site.
3. Well for potable water on a contaminated site: The proposed site uses may include full unrestricted use and the site characteristics may make it viable to place a well

for human consumption in the center of the site or at the down-gradient boundary of the site. These two options are the basic scenarios modeled by the RESRAD Pathways code.

Present and future land use considerations, as agreed with the licensing authority, may exclude residential uses including growing of food crops, and placement of wells for recovery of groundwater on the site. These specifications, if they are accepted for long-term enforcement, allow excluding the food and groundwater pathways.

5.5.2 What input parameters do I use with RESRAD?

Table 2 identifies the various categories of parameters that may be used as input data. These include parameters for the basic description of the site (area and depth of contamination), geological parameters (thicknesses and characteristics of the geological structure of the site), parameters for transfer of contaminants from TENORM to food, and parameters specifying the uptake through food, drinking water, and inhalation of air. The parameters are organized into categories in the menu, and default values are given for most of them. As noted in Table 2, early versions of RESRAD used default dose parameters from DOE references. With Version 5.61, RESRAD adapted the USEPA dose factors from Federal Guidance Report No.11 (EPA88) as defaults. However, RESRAD, version 5.82 can use user-specific dose parameters, if desired. If default parameters are used exclusively, the only parameters that the user must provide are the radionuclides of concern and the concentrations for these radionuclides. The default parameters in the basic RESRAD code (version 5.82) are generally conservative, and the use of site-specific parameters will generally result in lower, more realistic radiation doses.

In setting up an assessment, one must first decide which pathways are to be included and the time frames for which calculations are to be performed. The available pathways are identified at the bottom of Table 2 and include "external gamma" exposure, "indoor radon" dose, and doses from contamination of groundwater. The groundwater and radon-dose pathways in RESRAD have limited options for customizing assessments, although the radon-dose pathway incorporates many of the features of the Rogers and Associates Engineering Corp.(RAE) radon diffusion codes (Nielson92, Rogers84). The present version of RESRAD offers only two options for calculating the groundwater dose: in the center of the site; or at the down-gradient edge of the site. Supplemental calculations are required to determine the dose at an off-site location. The PRESTO model (PRESTO98) provides more sophisticated radon and groundwater calculations than RESRAD. A RESRAD-groundwater model is in the test phase, and is expected to be available in the near future.

Table 3 identifies selected parameters related to site-specific conditions and scenarios. It provides information on specific parameters which can significantly impact the environmental exposure-pathways modeling and provides some references for obtaining parameter values.

Table 4 provides selected distribution coefficients (K_d), i.e., ratios of concentrations in soil divided by concentrations in water (units of milliliters per gram), used for determining the leaching of contaminants from TENORM residues and for modeling the flow of groundwater. Although there is extensive literature on K_d 's, it is difficult to accurately specify K_d values for materials and sites without performing site specific analyses. K_d values are needed for the contaminated material (residual TENORM), the unsaturated zone, and the saturated zone. A very good general reference for K_d 's is provided by Sheppard (Sheppard90). This reference and additional Sheppard references on K_d 's are listed in the Reference section of this Guidance (Sheppard85, Sheppard84, Sheppard80). Additional information on K_d 's can be found in the support documents for RESRAD (Yu93). Table 4 provides a range of K_d values including those of Auxier and Associates (Auxier96), which are based on measurements of TENORM from oil and gas production. The American Society for Testing & Materials publishes an empirical method (ASTM84) for determining K_d 's. There are also various leaching procedures used for K_d calculation involving analysis of the leachate. The USEPA TCLP leach procedure (40 CFR 264) is an example of a procedure that can be used to obtain data for K_d 's. The chemistry of the site being modeled should be reconciled with the pH requirements of the TCLP leach test.

5.5.3 What output reports are available from RESRAD?

RESRAD can produce several output reports of which the most useful and concise is the summary report, denoted as "Summary.rpt.". Other reports include the "Concentration Report," and the "Detailed Report." The listing of the groups of parameters in the second column of Table 2 is based on the sequence of parameters listed in a typical RESRAD "Summary Report." The sequence of parameters, examples of typical input parameters (mostly default values), and examples of the dose results for a demonstration run using RESRAD are included as Appendix D, which has a sample "Summary Report."

5.5.4 What are the results of a typical RESRAD dose assessment?

Table 5 provides the results for an example of a RESRAD dose assessment for residual TENORM on a property. The input parameters used for this assessment are the default parameters from RESRAD. The assumed depth of residual TENORM is 15 cm, with an average concentration of 0.15 Bq [4 pCi] per gram of Ra-226 and Pb-210, and 0.04 Bq [1 pCi] per gram of Ra-228 above natural background. Options in the RESRAD model include the short half-life decay products. Also, it is assumed that the radioactive decay products are in secular equilibrium with their respective parents (e.g., Ra-226). The environmental scenario is that of a resident farmer. The assessment is for all of the environmental exposure pathways, assuming that the family obtains all of its food from the site. The results for the indoor-radon assessment are given on the right-hand side of the Table, and are not included in the totals, since the dose from radon is excluded from the dose specification of the Part N regulations. Although the dose for the groundwater pathway is slightly higher at 500 years, the time frame of 1,000 years is used because many other scenarios produce a higher dose at 1,000 years, and 1000 years is often the longest time used for dose

assessment.

Table 6 gives the doses from five assessment scenarios. The totals in the table, both for the doses at 1 year and the doses at 1,000 years are for all of the pathways except indoor radon. Indoor radon dose, although a separate consideration under Part N, is not included in the dose standard contained in N.5a.

Scenario #1 is for the base scenario given in Table 5.

Scenario #2 is for the same basic scenario with a depth of residual TENORM of 30 cm [1 foot] instead of 15 cm [0.5 foot].

Scenario #3, uses parameters similar to those for the Scenario #2, except that K_d 's specific to oil and gas TENORM scale are used (see Table 4). Material specific K_d 's are generally higher than defaults, and their use generally gives lower doses than with default K_d 's. However, in this case they result in increases in doses for several of the pathways, with the notable exception of the groundwater pathway. This happens because the RESRAD code uses K_d 's, which are distribution coefficients, not only to estimate diffusion in groundwater, but also to estimate leaching of the contamination from the source term into the groundwater. With the higher material specific K_d 's, there is less removal of the source term by infiltrating precipitation. This results in higher doses than for Scenario #2, which uses "more conservative default parameters." This example illustrates why, for accurate assessments, the user needs more than a casual understanding of the modeling process. What appears to be conservative is not always conservative and the most health protective.

Scenario #4 introduces a 1 millimeter [0.04 inch] per year decrease in the depth to the groundwater table. This may represent the historic depletion of the groundwater table, or in the case of remediation of a site, it may represent changes in the water table due to excavations or other changes in site conditions. Incorporating this parameter generally produces a significant decrease in the groundwater related dose. For the parameter values used in this assessment the change is minimal.

Scenario #5 introduces a 30-cm [1-foot] layer of clean material over the residual TENORM. This is equivalent to a layer of TENORM 1 foot beneath the surface. The layer of clean material greatly reduces the external gamma dose and the inadvertent soil ingestion dose since the TENORM is not accessible. However, these doses increase with time as the clean material diminishes by surface erosion (assumed to be 1 millimeter [0.04 inch] per year). Proper design and stabilization of the cover material can eliminate erosion, thereby preserving the cover. Assessments of erosion can be performed using the Universal-Soil-Loss Equation and other evaluations (Corbitt99, PRESTO98).

Inspection of the range of results in Table 6 illustrates the impact of varying selected parameters.

The interactions between parameters are many and complex, and the impacts of changing parameters are not always self-evident. In dose assessment, conservative assumptions for modeling do not necessarily lead to conservative results. Even a relatively simple model like RESRAD requires a professional understanding of the concepts of the model and interaction of the parameters.

An example of the conservatism that can result from the use of generic input parameters is the impact of using what appears to be reasonable default parameters for infiltration of precipitation. RESRAD calculates the infiltration rate using a water-balance equation at the ground surface. While that equation takes the soil type into account in a general way, it does not consider the ability or inability of the soil to move the water downward from the surface. The downward water movement from the surface is limited to the value of the saturated hydraulic conductivity of those soils. Unfortunately, RESRAD does not limit the water infiltration rate to this parameter value. For sites designed to prevent ponding and for soils with a low permeability (e.g., 10^{-9} m/sec), RESRAD allows more water to move downward from the surface than can often be transmitted through the soil once it leaves the surface. This often results in unrealistically high peak annual doses within the first one thousand years. One can compensate for this aspect of RESRAD by using a site-specific infiltration fraction (fraction of precipitation that infiltrates), rather than the default value. A site-specific infiltration fraction can be calculated using equation E.4 on p.198 of reference Yu93.

The dose estimates in Table 5 are generally based on using the RESRAD default parameters for pathway scenarios. As addressed in Section 1.1, the use of reasonable site-specific parameters may result in lower doses. The primary site-specific parameters of concern include the site occupancy times for the presence of critical receptors inside and outside of structures, the depth of the residual contamination, and the specific scenarios applicable to the site. Use of site specific occupancy times for exposures over residual contamination may reduce the dose estimates by a factor of two or more. That is, although the illustrations in Table 5 and Table 6 indicate that potential radiation doses from residual radium concentrations of 5 pCi/g, the Part N exemption level, exceed the license termination criterion of 25 mrem per year, this will not be the case for many sites.

6.0 What radiation measurements are required for complying with Part N?

States adopting TENORM regulations will be faced with a variety of exposure scenarios depending upon the type of material processed and the processes involved. To accommodate this diversity Part N gives states the option of setting limits for the release of equipment based on screening methodologies. These methods must assure protection of the health and safety of the general public and protection of the environment consistent with existing state regulations.

Appendix A of Part N provides limits for unrestricted release of equipment. These limits are basically taken from NRC Regulatory Guide 1.86 and modified for TENORM. Although these

limits were not originally dose based, the radiation dose to the general population from the use of these limits can be determined from recent standards that have been developed by the Health Physics Society Standards Group for the American National Standards Institute. Due to the limited number of radionuclides of primary concern for TENORM the categories from Regulatory Guide 1.86 have been condensed to provide a single basic criterion of 5,000 dpm per 100 square centimeters for total surface contamination, with the related criteria for maximum values and removable contamination. Whereas, Regulatory Guide 1.86 provides separate categories for uranium (with its decay products present) and radium-226 (with its decay products present), due to the relative number of alpha and beta decay products (e.g., fourteen decay products for uranium and nine decay products for radium-226) for both uranium and radium, for simplicity a single category is used in Part N. The relative ratios of the individual alpha and beta decay products (excluding decay products with low beta energies that are difficult to detect) are similar. The radiation dose assessments performed for ANSI 13-12 (ANSI99) indicate that the potential doses associated with the criteria of Appendix A are about 10 microsievert per year (1 mrem per year), or under some circumstances may be conservatively as much as 50 microsievert per year (5 mrem per year).

Part N establishes surface contamination limits for alpha contamination and separate limits for beta/gamma contamination. When determining which limit applies, there must first be a determination as to which radionuclides are involved with the process. For example, in gas production the gas flow lines and separators may only be contaminated with radon progeny that decay to the longer half-life lead-210. Lead-210 is a beta emitter requiring that beta sensitive equipment be used to determine the surface contamination. In operations where scale deposits from water circulation are a problem, the contaminants may include radium and radium progeny. The person responsible for operations where TENORM is accumulated must understand the chemical and physical characteristics of the particular radionuclides involved with the materials and processes, where they are likely to accumulate, and how to properly evaluate resulting radiation hazards. This section discusses the radioactive elements and the selection of equipment that should be used to detect and/or measure the radioactive constituents.

6.1 What instruments are available for conducting radiation measurements?

Alpha detectors and beta/gamma detectors are used in the evaluation of TENORM contamination. Several types of alpha detectors are available. The most popular are the gas filled detector, the gas flow detector and the silver activated zinc sulfide scintillation detector. The simplest detector to use is the zinc sulfide scintillation detector. The radiation sensitive area of this instrument is a mylar foil externally coated with aluminum to exclude light, and internally coated with a thin layer of silver activated zinc sulfide that faces a photomultiplier tube. Alpha particles can pass through the foil and stimulate the zinc sulfide to emit photons of light that interact with the photomultiplier tube producing an electrical pulse that may be registered as a count. As this type of instrument counts approximately 30% of incident alpha particles, it has a 30% "detection efficiency".

The gas flow and gas filled detectors operate on the same principle, ionization of the gas by alpha particles. Some of the gas filled detectors must have the gas replenished by purging and refilling of the active volume of the detector. The gas flow detector has a gas cylinder attached, which provides a continuous flow of gas through the detector at a regulated pressure, so this apparatus is not as mobile as the two previously mentioned detectors.

Several types of beta/gamma detectors are available. When measuring beta/gamma, efficiencies for these types of instruments are generally in the range of 25%. However, the efficiency for gamma detection alone is generally less than one percent.

Another popular gamma detector is the sodium iodide crystal, a scintillation detector. Sodium iodide crystals come in different sizes referred to as 1 by 1, 2 by 2, etc. The numbers refer to the diameter and length of the crystal in inches. The larger the crystal, the higher the efficiency for higher energy photon gamma and x-ray emissions. These detectors only detect photons. The high-energy sodium iodide detectors are covered with a metal cap, usually aluminum, that attenuates the alpha and beta particles before they reach the crystal. A low energy gamma probe using sodium iodide is available. This detector has a thin wafer crystal with an end window made of mylar. The mylar allows low energy photons to enter the detector through the end window. The thin wafer crystal has a relatively high efficiency for lower energy photons. Conversely, it has a relatively low efficiency for high-energy photons. When using the low energy sodium iodide detector, the surveyor must be aware that the detector will also detect alpha and beta particles. Due to the thin mylar window, alpha and/or beta particles can enter the active volume of the detector, give up their energy in the crystal, and emit photons.

The manufacturer's literature provides approximate values of an instrument's radiation detection efficiency for each radiation type. These values serve for rough survey work; but, for measurements relative to regulatory limits, each instrument must be calibrated to a known radiation source traceable to a standard certified by the National Institute of Standards and Technology (NIST). Persons unfamiliar with radiation detection instruments should consult radiation professionals before selecting instruments.

6.2 What are the procedures for releasing equipment for unrestricted use?

Equipment released for unrestricted use must meet the levels of contamination indicated in Appendix A of Part N. Alpha contamination should be measured using a detector that has an active surface area of 100 square centimeters. If a detector with a smaller surface area is used, the surveyor needs several measurements to determine if the maximum contamination level is exceeded. If the total contamination indicated within any 100 square centimeter area exceeds 83 Bq [5,000 disintegrations per minute (dpm)], the surveyor must determine if the average contamination over a square meter exceeds the 83 Bq [5000 dpm] limit. If the level of contamination is greater than 83 Bq [5,000 dpm] per 100 square centimeters after averaging the

contamination over a square meter, the equipment may not be released for unrestricted use without decontaminating to below the specified limits. If any single 100 square centimeter area exceeds 250 Bq [15,000 dpm], the equipment may not be released for unrestricted use.

When using survey equipment, the readings should be acquired at the closest point to the contamination. The surveyor should be aware that windows on gas filled, as well as scintillation, probes can be easily ruptured. A tear in the mylar film window of a scintillation detector allows stray light to enter the probe causing pulses to be generated in the photomultiplier tube. A tear in the mylar film of a gas filled detector allows gas to escape causing the detector to cease acquiring information. The presence of a magnetic field poses another problem when using a scintillation detector because the photomultiplication and associated count rate can be affected. This can occur when surveying drill stem that has become slightly magnetized from the vibration and rotation of the drill stem during the drilling process.

As described in Appendix A to Part N, a wipe sample is collected for evaluation of removable contamination. Generally, the wipe is submitted to a laboratory for analysis; however, the wipe analysis may be performed on site if the analytical instrument used is of laboratory quality. Analytical control samples must be part of the quality assurance program to assure that the instrument and procedures are precise and accurate. The analytical procedures must include calibration of the equipment with known radiation sources that are traceable to standards certified by the NIST. Operational checks must be performed with each day of use to verify that calibration is within control boundaries. Duplicate samples and blind standards must be analyzed along with the routine samples to assure that reproducible and accurate results are being obtained. Quality assurance data must be plotted and remedial action taken when controls are not within the limits of variation established for the analytical procedure. For release of equipment, wipe analyses must verify that removable contamination is less than 17 Bq [1,000 dpm] per 100 square centimeters for gross alpha and 17 Bq [1000 dpm] per 100 square centimeters for gross beta and gamma.

As an alternative to the above procedure for release of equipment, a state may adopt a screening procedure for release of equipment. Generally screening limits will be established based on exposure levels measured in micrograys (μGy) or microroentgen (μR) per hour at the surface of the equipment. It is more difficult to adequately screen equipment that is internally contaminated since the activity may be either removable or fixed, inside the equipment, and not easily accessible. Many μGy (μR) per hour instruments use sodium iodide crystals for which the radiation detection efficiency varies with the radiation energy. The instrument used to verify compliance with screening limits should be calibrated to the radiation energies that are being measured. The screening method should, within reason, assure that the equipment is adequately characterized. Should any portion of the equipment exceed the screening level, the equipment cannot be released unless a wipe sample analysis and surface survey of the equipment indicates that the limits specified in Appendix A to Part N are met. Appendix C contains information on release limits adopted by various states.

Conditional release based on screening of equipment is an alternative that some regulatory jurisdictions may wish to consider. Screening methods may not clearly determine whether the concentration of contaminants contained within the equipment, e.g., pumps or pipe, meet the exemption level specified in N.4. Such factors as inconsistent geometry, uneven scale thickness and uneven wall thickness make it difficult to relate a dose rate to a concentration of contaminant. As a result, some regulatory jurisdictions may be reluctant to release equipment for unrestricted use based on screening measurements. Also, some jurisdictions may wish to consider requests to use various screening levels dependent upon the intended disposition of the equipment. For instance, pipe could be conditionally released for such purposes as smelting, construction of fences or other use that will not result in an exposure to the public that exceeds the fraction of 1 mSv [100 mrem] adopted by the jurisdiction under N.5.

N.7c. provides for conditional release for metal recycle based on a screening level of 50 μ R/hr (microrentgen per hour). The screening level of 50 μ R/hr includes natural background. N.7c denotes that the screening level is not to be used for processing or use of materials in a manner that constitutes disposal, without approval of the Agency.

6.3 What are the procedures for the release of facilities for unrestricted use?

Released facilities refer to buildings, other structures, and building rubble that are to be left in place, transferred to the general public or disposed of at an industrial or municipal landfill.

When preparing a survey of a building for potential release, divide the inside and outside walls, and the floors and roof of the building into one-meter grid squares identifying each square with a reference code. Make a historical review of the use of the building to determine the most likely areas of contamination. With an appropriate survey instrument, measure the contamination levels of a minimum of ten percent of the grid squares with special attention to areas such as TENORM storage areas, used equipment storage areas, equipment cleaning areas and septic systems. Evaluate each area that has an elevated measurement for compliance with Appendix A to Part N in accordance with the following. If the total contamination is less than 17 Bq [1,000 dpm] per 100 square centimeters, a wipe sample analysis is not required. However, for compliance with Appendix A of Part N, any surface contamination exceeding 17 Bq [1,000 dpm] per 100 square centimeters must be evaluated to determine if the contamination is removable. Should the survey indicate that greater than 10% of the grids surveyed are above the limits for release, a more thorough survey is required.

Survey concrete slabs using a grid pattern as previously described. Give special attention to cracks and joints where contamination may have a conduit to the soil beneath the slab. Should a determination be made that contamination has accumulated in cracks posing the potential for contamination of the surface or subsurface soil, core samples may be required to show compliance with the regulations.

6.4 What are the procedures for release of open land for unrestricted use?

A general or specific licensee responsible for land known or suspected to be TENORM-contaminated must follow and document compliance with applicable procedures established by the regulatory agency before land may be released for unrestricted use. The licensee should perform a review of historical use of the land to determine areas that could be affected by TENORM. For areas greater than one acre, the licensee should perform a survey that is statistically defensible. For guidance in performing large open land surveys, the licensee may refer to the "Multi-Agency Radiation Survey and Site Investigation Manual" (MARSSIM), NUREG-1575. For areas less than one acre, the licensee should grid the area in no more than 100 square meter sample areas with not less than five meters on any one side.

The determination of how many soil samples to collect and where to collect them should only be made after conducting an instrument survey and a review of the historical use of the land. Since it is difficult to determine actual concentrations of a contaminant in the soil based on instrument surveys, a correlation study should be undertaken. Soil samples from several areas should be analyzed and compared with instrument readings for those areas to determine at what instrument reading all samples are below the release limit. Instrument readings above this level can then be used to identify areas in need of soil analysis. For areas requiring soil analyses it is impractical to analyze the entire volume of the sampling area, 100 square meter by 15 centimeters deep. Therefore, for any area that has elevated readings, a representative sampling of the 100 square meter area must be performed and analyzed. The individual samples collected from the sampling area may be commingled prior to analysis or they may be analyzed separately and averaged to determine the average concentration.

Using the results of the survey described above, the licensee must estimate an annual total effective dose equivalent (TEDE) to the reasonably maximally exposed individual should the land be released for unrestricted use. Dose modeling for this purpose is discussed in Section 5 of this document. The licensee is responsible for assuring that the reasonably maximally exposed individual is unlikely to receive a TEDE greater than the limit established by the regulatory authority, that is some fraction of 1 mSv [100 millirem] per year.

6.5 What are the requirements for documentation of surveys and sample analyses, and what must be submitted for release concurrence?

All surveys for releasing equipment, facilities, and land must be documented. The documentation should include: The exact location of the survey samples and measurements; instrument readings; identification of the individual performing the survey and the survey instruments; and, date the survey was performed. Documentation of each sample should include: The date and time of collection; identification of the individual collecting the sample; location of sampling (for soil samples include depth of sample); and, the results of sample analyses. The use of chain of

custody procedures should be considered.

The regulatory authority may require that the licensee notify the authority of any proposed release of equipment, facilities, and/or land for unrestricted use and receive the authority's concurrence prior to release. This notification should include copies of all documentation supporting the proposal. The licensee should maintain the documentation until authorization to dispose of the documentation is granted.

7.0 Financial Assurance

Under what circumstances should someone possessing TENORM have to provide financial assurance? The following does not address financial assurance that might be required of someone who distributes products containing TENORM; rather, financial assurance that may be required of licensees who possess TENORM is discussed.

Authority to require provision of financial assurance is predicated on the authority to require a license. An entity required by regulations modeled on Part N, or by regulations promulgated in conformance with another Part (for example, a manufacturer licensed under Part C) to obtain and maintain a license may be required to maintain financial assurance as a prerequisite for the license. A 'license' is an authorization to do something. In this sense, any requirement to maintain financial assurance, with penalties for non-compliance, is a 'license' whether so denominated or not. The regulations provide for general and specific licenses. The regulation could have been drafted to include a requirement for demonstration of financial assurance as a precondition for acquiring coverage under a general license. However, in as much as the general license is unilaterally imposed on anyone who possesses TENORM without any precondition for notice or request or election, it is doubtful that financial assurance can be required of general licensees. If an Agency requires general licensees to provide a notice of intent and or register (see Section 3.2 and optional item N.10d.), the Agency may also be able to require financial assurance.

Specific licenses are required for manufacture of products containing TENORM, decontamination of equipment or land, or receipt of TENORM for disposal. With the proper regulatory authority, any applicant for a specific license for any of these activities can be required to provide proof of financial assurance in such form and amount as the licensing agency deems appropriate.

Examples of frameworks for financial assurance include Part S of the SSRCR and the following provisions of 40 CFR Part 264.143 (RCRA):

- (a) Coverage for sudden accidental occurrences. An owner or operator of a hazardous waste treatment, storage, or disposal facility, ... must demonstrate financial responsibility for bodily injury and property damage to third parties caused by sudden accidental occurrences arising from operations of the facility or group of facilities. The owner or operator must have and maintain liability

coverage for sudden accidental occurrences in the amount of at least \$1 million per occurrence with an annual aggregate of at least \$2 million, exclusive of legal defense costs. This liability coverage may be demonstrated as specified in paragraphs (a) (1), (2), (3), (4), (5), or (6) of this section:

(1) An owner or operator may demonstrate the required liability coverage by having liability insurance as specified in this paragraph.

(i) Each insurance policy must be amended by attachment of the Hazardous Waste Facility Liability Endorsement or evidenced by a Certificate of Liability Insurance.

The wording of the endorsement must be identical to the wording specified in § 264.151(i). The wording of the certificate of insurance must be identical to the wording specified in § 264.151(j). ...

(2) An owner or operator may meet the requirements of this section by passing a financial test or using the guarantee for liability coverage as specified in paragraphs (f) and (g) of this section.

(3) An owner or operator may meet the requirements of this section by obtaining a letter of credit for liability coverage as specified in paragraph (h) of this section.

(4) An owner or operator may meet the requirements of this section by obtaining a surety bond for liability coverage as specified in paragraph (i) of this section.

(5) An owner or operator may meet the requirements of this section by obtaining a trust fund for liability coverage as specified in paragraph (j) of this section.

(6) An owner or operator may demonstrate the required liability coverage through the use of combinations of insurance, financial test, guarantee, letter of credit, surety bond, and trust fund, ...

Other sections specify the amount of financial assurance required for closure and for post-closure maintenance and monitoring. These regulations also spell out, in great detail, the form and content of the various financial instruments that may be used to satisfy the requirement.

To put this in perspective, USEPA designed the RCRA land disposal regulations to ensure that there would be a "reasonable degree of certainty" that a land disposal unit would not allow migration of hazardous constituents through the final barrier during the post-closure period. The post-closure period is defined as 30 years, unless the licensee can demonstrate that a lesser period is equally protective, 40 CFR Part 264.117(a). The choice of a 30-year period for post-closure monitoring is not based on a technical determination that the wastes in question will decay away; it is more a policy decision that in 30 years we will know more about the behavior of the disposal facility and the fate of the contaminants, and that 30 years, compared to the span of social and political institutions, is a period of time over which control can reasonably be assured and after which the situation can be reevaluated.

Inasmuch as the effective half-lives of most TENORM radionuclides are long compared to 30 years, the same considerations should be applied to a choice of post-closure monitoring. Most TENORM radionuclides will not decay away; however, the behavior of the facility should be

better understood and the potential for eventual exposure to the radioactive constituents should be better defined after 30 years.

Appendix A: Figures and Tables

Figure 1. Environmental Transport Pathways

Table 1 Selected Models for Assessing the Radiation Exposure from Residual Radioactivity

Name of Model	Developer of Model	Basic Application of Model	Comment on Model
RESRAD (RESRAD93)	Argonne National Laboratory, for the DOE	People living on contaminated sites. Models numerous pathways.	DOS or Win95 Menu driven, relatively user friendly and easy to use. User should understand pathway models.
RESRAD-Build (RESRAD94)	Argonne National Laboratory, for the DOE	Personnel occupying buildings contaminated with residual radioactivity.	DOS menu driven, relatively user friendly, harder to use than RESRAD.
PRESTO (Presto98)	Rogers and Associates Engineering for USEPA	People living on contaminated sites. Models numerous pathways.	Win95 menu driven, but requires knowledgeable person. Relatively hard to use.
PATHRAE (EPA87)	Rogers and Associates Engineering for USEPA	People living on contaminated sites. Models numerous pathways	Not menu driven. Requires knowledgeable person with insight.
GEN II	Pacific Northwest Laboratory	People living on contaminated sites. Models numerous pathways	Not menu driven, relatively hard to use. Many options, sometimes hard to interpret the definition of scenarios and the results.
NCRP Report No. 123 (NCRP96)	Prepared by a committee of the National Council on Radiation Protection and Measurements (NCRP96)	People living on contaminated sites. Models numerous pathways.	Parameters and results published in tables, allowing extraction of values to perform assessments.
NRC NUREG 5512 (NRC92)	Prepared for NRC	People living on contaminated sites. Models numerous pathways.	Tends towards using default values and providing very conservative results.
MicroShield (Grove93)	Grove Engineering	External gamma dose for various source geometries and exposure geometries.	Commercial model, versions available for DOS and WIN95, relatively easy to use.

Table 2. Summary of Parameters Used in RESRAD

Menu

Source or

<u>Identifier</u>	<u>Description of Factor</u>	<u>Reference</u>	<u>Comment</u>
B-1	Dose Conv. Factors, Inhalation	Fed Guidance 11	Previous versions used DOE factors, current versions use Fed Guide 11. Users can develop case specific results.
D-1	Dose Conv. Factors, Ingestion	Fed Guidance 11	Previous versions used DOE factors, current versions use Fed Guide 11.
D-34	Food transfer factors	RESRAD default	Generally conservative, factors for soil to humans via food chain. Users can develop case specific results.
D-5	Fresh water bioaccumulation factors	RESRAD default	
R011	Site characterization parameters	Default/site specific	Default values given, can provide site specific data
R012	Specification of radionuclides & conc.		
R013	Site characterization parameters	Default/site specific	Default values given, can provide site specific data
R014	Groundwater site parameters	Default/site specific	Default values given, can provide site specific data
R015	Groundwater parameters, unsat zone	Default/site specific	Default values given, can provide site specific data
R016	Distribution coefficients; K_d	Default/site specific	Default values given, generally conservative, select site specific when possible
R017	Inhalation pathway parameters	Default/site specific	Default values given, generally conservative, select site specific when possible
	Site size parameters	Default/site specific	Default values given, used to modify pathway doses, based on size of site
R018	Food consumption and intake param	Default values given	Default values given, can change to U.S. EPA or site specific.
R019	Livestock pathway parameters	Default values given	
	Depth of mixing layer and root depth	Default values given	Important to use site specific parameters for root depth.
	Drinking water and water use param.	Default values given	
R19B	Food pathway parameters	Default values given	
C14	C-14 modeling parameters	Default values given	Not pertinent to TENORM
STOR	Storage times for food products	Default values given	Generally not pertinent to TENORM
R021	Radon pathway parameters	Default values given	

Additional input decisions:

Time increments for calculating doses and maximum time to which doses will be calculated; recommend maximum of 1,000 years.

Which pathways are included in calculations:

- a External gamma
- b Inhalation
- c Radon/indoor
- d Food, vegetables, fruits, meat and milk
- e Water dependent pathways (Drinking water/well water & Fish)

Table 3: Specific Parameters for Site Specific Conditions

Menu Identifier	Parameter	Alternate References	Comment
Parameters Specifying the Depth Distribution of Residual TENORM or Site Contamination			
R011	Thickness of contaminated zone		Thickness of zone effects external gamma dose, depth of material for root uptake, and radon emission.
R013	Thickness of cover		A cover of 15 cm significantly reduces the external gamma. A concern is longevity of the cover.
R013	Cover depth erosion rate		Proper design of the cover can minimize erosion. The default parameter erodes a 1 m cover in 1000 years.
		Universal soil loss	Assessments can be performed for site-specific parameters using the Universal-Soil-Loss Equation.
	Erosion rate for contaminated material	equation, Corbitt99	The default value results in elimination of the source TENORM over time; should be assessed.

Parameters of Special Concern related to Groundwater

R011,13,14	Parameters defining dimensions related to the site	Site measurements	These parameters can generally be measured as physical dimensions or conservative assumptions made.
R014	Water table drop rate	7th value in R014	This is an extremely important parameter. It is used to adjust to changes in the depth of the water table. The water table can be modeled to drop faster than material is transported in groundwater, resulting in contamination not reaching the groundwater.
R016	Distribution coefficients; Kd	Default/site specific	Default values given, generally conservative, select site specific when possible. Separate values for contaminated zone and for neutral zone. See Table 4 and related text.
R013	Precipitation parameters	ASTM84, Sheppard90 Sheppard85,84,80; Y93 Meteorological refs Mathe 64	The precipitation rate and fraction infiltrating the surface determine the source term of water infiltrating the site.

Food Pathway Parameters and Ingestion

D-34	Food transfer factors	RESRAD default Yu93, Oztunali84, EPA91	Generally conservative, factors for soil to humans via food chain. Default values can be modified to correspond to Kds.
------	-----------------------	---	---

R011	Site dimensions		Determine the amount of food that can be raised on a site and the viability of the resident-farmer scenario.
R018	Soil Ingestion, #7 of R018	EPA 91	One of the ingestion pathways is accidental soil ingestion, which can be characterized as the "dirty hands" scenario.
R018	Food consumption and intake parameter	Default values given	Default values given, can change to U.S. EPA or site specific.

Inhalation of Airborne Material

R017		EPA88, Yu93	RESRAD uses a mass loading resuspension concept which is very conservative. The code specifies an airborne concentration of 100 micrograms per cubic meter of contaminated soil. USEPA ambient air standards specify an annual average of about 60 micrograms per cubic meter, and all of the material would not have originated from the site.
------	--	-------------	---

Indoor Radon

RQ21	Radon emanating power	Material/site specific Rogers84, Nielson92	Fraction of radon released from material to pore space, material specific.
RQ21	Design of Buildings	Site specific	Contact of building with contaminated soil and building design.
RQ21	Building ventilation rate	Site specific	Air exchange rate of building

Table 4. Alternative K_d Values

K _d 's in Units of ml/gram							
<u>Reference</u>	<u>Material</u>	<u>U</u>	<u>Th</u>	<u>Ra</u>	<u>Pb</u>	<u>Pa</u>	<u>Ac</u>
Sheppard, H.P., Jr	Sand	35	3200	500	270	550	450
Oct 90 59/4,p471	Loss	15	3300	36000	16000	1800	150
	Clay	1600	5800	9100	550	2700	2400
	Organic	410	89000	2400	22000	6600	5400
Geometric Mean, Sand & Clay	Average	237	4308	2133	385	1219	1039
RESRAD V 5.61 Default		50	60000	70	100	50	20
Example of Site Specific; Clay		900	110000	94000			
Auxier96 Oil & Gas NORM Waste							
Soil contaminated with NORM				6000	5600		
Scale from Pipe				79000	72000		

Table 5. RESRAD Assessment of Residual TENORM for a Resident Farmer

Dose Per Year At 1 Year After Placement of Radioactive Contaminant							
Nuclide	pCi/g	Ext Gam mrem	Ingestion mrem	Inhalation mrem	Total Dose At 1 Year mrem	1000 yr Water mrem	Radon At 1 yr mrem
Ra-226	4	21.8	3.7	0.002	25	4	100
Pb-210	4	0.01	5.4	0.003	5	0	0.0
Ra-228	1	7.5	1.7	0.01	9	0	0.3
Total		29	11	0.01	40	4	101
Notes: Default parameters 15-cm depth of TENORM; 1 pCi/g of Ra-228 and 4 pCi/g of Ra-226							

Table 6. Comparison of Doses from Selected Scenarios

Doses At 1 Year After Placement of Materials (mrem/yr)								Doses At 1,000 Year After (mrem/yr)			
Scenario	Characteristics of Scenario	External Gamma	Inadvert Soil Ingestion	Food Ingestion	Indoor Radon	Ground Water	No Radon Total	External Gamma	Inadvert Soil Ingestion	Food Ingestion	Ingestion
#1	Default Parameters, 15 cm depth of contamination	29.3	1.0	9	100	0.0	40	0.0	0.0	0.0	
#2	Default Parameters, 30 cm depth of contamination	33.4	1.0	17	148	0.0	52	0.0	0.0	0.0	
#3	Material Specific Kd's 30 cm depth, no cover	33.9	1.0	18	150	0.0	53	13.0	0.5	5.9	
#4	Material Specific Kd's 30 cm depth, no cover 0.001 m/yr decrease in water table	33.9	1.0	18	150	0.0	53	13.0	0.5	5.9	
#5	Material Specific Kd's 30 cm depth, 30 cm cover	0.8	0	17	150	0	18	13.3	0.5	6.8	

Appendix B: References and Information Sources

General References

- ANSI99 American National Standards Institute, Inc., *Surface and Volume Radioactivity Standards for Clearance*, ANSI/HPS N13/12-1999, August 31, 1999.
- ICRP94 *Dose Coefficients for Intakes of Radionuclides by Workers*. ICRP Publication 68. *Annals of the ICRP* 24(4), 1994. Elsevier Science Ltd., Oxford.
- NCRP87 *Exposure of the Population in the United States and Canada from natural Background Radiation*. National Council on Radiation Protection and Measurements, NCRP No. 94, December 30, 1987.
- Myrick83 Myrick, T.E. and B.A. Berven, 1983. *Determination of Radionuclide Concentrations in Surface Soil and External Gamma Exposure Rates in the United States*. *Health Physics* 45/3:631, September 1983.
- MARSSIM00 *Multi-Agency Radiation Survey and Site Investigation Manual*, NUREG-1575, Rev 1, August 2000.
- NRC99 Committee on Evaluation of EPA Guidelines for Exposure to NORM, National Research Council. *Evaluation of Guidelines for Exposure to Technologically Enhanced Naturally Occurring Radioactive Materials*. 1999.
- GRAY99 Peter Gray & Associates. *The NORM Report*. May 1999. Quarterly Publication available at P.O. Box 470932, Tulsa, OK 74147. Current address change P.O. Box 11541 Fort Smith, AR 72917.
- CRCPD98-1 *SSCRC Volume I Part N "Regulation and Licensing of Technically Enhanced Naturally Occurring Radioactive Materials (TENORM)*. December 1998. Conference of Radiation Control Program Directors, Inc., Frankfort, KY.
- CRCPD98-2 *Rationale for Part N "Regulation and Licensing of Technically Enhanced Naturally Occurring Radioactive Materials (TENORM)*. December 1998. Conference of Radiation Control Program Directors, Inc., Frankfort, KY.
- USEPA98 *Estimation of Infiltration Rate in the Vadose Zone: (Volumes I&II)* EPA/600-R-97-128a & b. February 1998. Office of Radiation and Indoor Air (6601J), U.S. Environmental Protection Agency.
- NRC97 *Multi-Agency Radiation Site Survey and Investigation Manual (MARSSIM) NUREG-1575 (Final Report)*. December 1997. U.S. Nuclear Regulatory

Commission, Washington D.C. (Available from The Superintendent of Documents, U.S. Government Printing Office, P. O. Box 37082, Washington, DC 20402-9328 or the NRC's web site "www.nrc.gov").

- USEPA96-1 Technology Screening Guide for Radioactively Contaminated Sites EPA/402-R-96-017. November 1996. Office of Radiation and Indoor Air (6601J), U.S. Environmental Protection Agency.
- USEPA96-2 Radiation Exposure and Risks Assessment Manual (RERAM) EPA/402-R-96-016 Stabilization/Solidification Processes for Mixed Waste, EPA/402-R-96-014. June 1996. , Office of Radiation and Indoor Air (6601J), U.S. Environmental Protection Agency.
- USEPA96-3 Documenting Ground Water Modeling at Sites Contaminated with Radioactive Substances EPA/540-R-96-003. January 1996. Office of Radiation and Indoor Air (6601J), U.S. Environmental Protection Agency.
- USEPA96-4 Three Multimedia Models Used at Hazardous and Radioactive Waste Sites EPA/540-R-96-004. January 1996. Office of Radiation and Indoor Air (6601J), U.S. Environmental Protection Agency.
- CRCPD94-1 CRCPD Recognition of Licensing States for the Regulation and Control of NARM. CRCPD Publication 94-8. August 1994. Conference of Radiation Control Program Directors, Inc., Frankfort, KY.
- USEPA94 A Technical Guide to Ground Water Model Selection at Sites Contaminated with Radioactive Substances EPA/402-R-94-012. June 1994. Office of Radiation and Indoor Air (6601J), U.S. Environmental Protection Agency,
- CRCPD94-2 Report of the E-4 Committee on NORM Contamination and Decontamination/Decommissioning, Report 3. CRCPD Publication 94-6. April 1994. Conference of Radiation Control Program Directors, Inc., Frankfort, KY
- USEPA93-1 Incineration of Low-Level Radioactive and Mixed Wastes: Waste Handling and Operational Issues EPA/402-R-93-012. April 1993 Office of Radiation and Indoor Air (6601J), U.S. Environmental Protection Agency.
- USEPA93-2 Computer Models Used to Support Cleanup Decision-Making at Hazardous and Radioactive Waste Sites EPA 402-R-93-005. March 1993. Office of Radiation and Indoor Air (6601J), U.S. Environmental Protection Agency.
- USEPA93-3 Environmental Pathway Models- Ground Water Modeling. March 1993. Office of

Radiation and Indoor Air (6601J), U.S. Environmental Protection Agency

- USEPA93-4 Environmental Characteristics of EPA, NRC, and DOE Sites Contaminated with Radioactive Substances EPA/402-R-93-011. March 1993. Office of Radiation and Indoor Air (6601J), U.S. Environmental Protection Agency.
- USEPA90 Assessment of Technologies for the Remediation of Radioactively Contaminated Superfund Sites EPA/540/2-90/001. January 1990. Office of Radiation and Indoor Air (6601J), U.S. Environmental Protection Agency.
- CRCPD81 Natural Radioactivity Contamination Problems Report #2. August 1981
Conference of Radiation Control Program Directors, Inc., Frankfort, KY.
- CRCPD78 Natural Radioactivity Problems Report #1. EPA 520/4-77-015. February 1978.
Conference of Radiation Control Program Directors, Inc., Frankfort, KY.
- ICRP59 ICRP Publication #2: Report of Committee #2 on Permissible Dose for Internal Radiation. 1959. International Commission on Radiological Protection.

RESRAD References

- Corbitt99 Corbitt, R.A., Standard Handbook of Environmental Engineering, 2nd edition, 1999. McGraw-Hill.
- PRESTO98 Rogers and Associates Engineering. User's Guide for PRESTO-EPA-CLNCPG/CLNPOP Operation System, Version 4.0. 1998. Developed by Cheng Yeng Hung, U.S. Environmental Protection Agency, Office of Radiation and Indoor Air, RAE 9534/14-1.
- Bernhardt96 Bernhardt, D.E., D.H. Owen, and V.C. Rogers, "Assessments of NORM in Pipe from Oil and Gas Production". NORM/NARM: Regulation and Risk Assessment, Proceedings of the 29th Midyear Health Physics Society Topical Meeting. January 1996. Scottsdale, Arizona.
- Blasio96 Blasio, C.J., H.B. Spitz, C.W. Becker, G. Rajaretnam, "Dissolution of Radium from Soil Contaminated with Naturally Occurring Radioactive Materials Subjected to Accelerated Aging". paper presented at annual Pmeeting of Health Physics Society, July 1996. Seattle, WA.(based on thesis by C.J. Blasio, Vanderbilt University, Department of Environmental Health, 1996).
- NCRP96 National Council Radiation Protection and Measurements, Screening Models for Releases of Radionuclides to Atmosphere, Surface, Water, and Ground, NCRP Report No. 123 (2 volumes), 1996.
- Auxier96 Auxier & Associates, Inc. Leachate Analysis of Martha Oil Field Wastes Martha. November 1996. Kentucky.
- Rogers95 Rogers, V.C. and K.K. Nielson. Surveying for Oil and Gas NORM: What can be Learned from Gamma Radiation Measurements?," Proceedings of Second International Petroleum Environment Conference, New Orleans, LA; September 25, 9, 1995.
- RESRAD94 Yu, C., D.J. LePoire, C.O. Loureiro, L.F. Jones, and S.Y. Chen. RESRAD-Build: A Computer Model for Analyzing the Radiological Doses Resulting from the Remediation and Occupancy of Buildings Contaminated with Radioactive Material. 1994. ANL/EAD/LD-3.
- Grove936 Grove Engineering, Inc., MicroShield Version 46 Users Manual, 19936. Grove Engineering, Framatome Technologies, Inc.d.b.a., 1700 Rockville Pike, Suite 525 (301/231-5137), Shady Grove, Maryland. Earlier Version 4 or 5 and manual dated 1993 are also useable.

- RESRAD93 Yu, C., A.J. Zielen, J.J. Cheng, Y.C. Yuan, L.G. Jones, D.J. LePoire, Y.Y. Wang, C.O. Loureiro, E. Gnanapragasam, E. Pauillace, A. Wallo III, W.A. Williams, and H. Peterson. Manual for Implementing Residual Radioactive Material Guidelines Using RESRAD, Version 5.0. September 1992. ANL/EAD/LD-2.
- Yu93 Yu, C., C.O. Loureiro, J.J. Cheng, L.G. Jones, Y.Y. Wang, and E. Faillace. Data Collection Handbook to Support Modeling the Impacts of Radioactive Material in Soil, ANL/EAIS-8, UC511. 1993
- Nielson92 Nielson, K.K., Rogers V.C., et al. The RAETRAD Model of Radon Gas Generation, Transport, and Indoor Energy. October 1992. Rogers and Associates Engineering, RAE 9127/10-1.
- NRC92 Kennedy, W.E., Jr., and D.L. Strenge. Residual Radioactive Contamination from Decommissioning - Technical Basis for Translating Contamination Levels to Annual Total Effective Dose Equivalent. NUREG/CR-5512, Vol.1. 1992. U.S. Nuclear Regulatory Commission.
- USEPA91 U.S. Environmental Protection Agency, Risk Assessment Guidance for superfund, Volume I: Human Health evaluation Manual, Supplemental guidance, Standard Default exposure Factors, Interim Final". PB91-921314, OSWER Directive: 9285.6-03, March 1991. National Technical Information Service, U.S. Department of Commerce.
- Sheppard90 Sheppard, M.I. and D.H. Thibault. "Default Soil Solid/Liquid Partition Coefficients, Kds, for Four Major Soil types: A Compendium". Health Physics Journal, 59/4: 471-482, October 1990.
- USEPA88 U.S. Environmental Protection Agency, Limiting Values of Radionuclide Intake and Air Concentration and Dose Conversion Factors for Inhalation, Submersion, and Ingestion, Federal Guidance Report 11. 1988. Authored by Eckerman, K.F., A.B. Wolbarst, and A.C.B. Richardson, EPA-520/1-88-020.
- USEPA87 U.S. Environmental Protection Agency. Low-Level and NARM Radioactive Wastes -- Model Documentation, PATHRAE-EPA, Methodology and Users Manual. 1987. EPA 520/1-87-028.
- NCRP87 Exposure of the Population in the United States and Canada from natural Background Radiation. National Council on Radiation Protection and Measurements, NCRP No. 94. December 1987.

- Sheppard85 Sheppard, M.I. "Radionuclide Partitioning Coefficients in Soils and Plants and Their Correlation". Health Physics Journal, 49 :106-111, 1985.
- ASTM84 American Society for Testing and Materials (ASTM). Standard Test Method for Distribution Ratios by the Short-Term Batch Method. 1984. Designation: D 4319-83, ASTM Committee D-18.
- Oztunali84 Oztunali, O.I., G.W. Roles. De Minimis Waste Impacts Analysis Methodology. Nuclear Regulatory Commission. 1984. NUREG/CR-3585.
- Rogers84 Rogers, V.C., K.K. Nielson, D.R. Kalkwarf. Radon Attenuation Handbook for Uranium Mill Tailings Cover Design. Rogers and Associates Engineering Corp., NUREG/CR-3533, RAE-18-5, 1984.
- Sheppard84 Sheppard, M.I., D.I. Beals, D.H. Thibault, and P. O 'Connor. "Soil Nuclide Distribution Coefficients and Their Statistical Distribution". Atomic Energy of Canada Limited Report, AECL-8363. 1984.
- Sheppard80 Sheppard, M.I. "The Environmental Behavior of Uranium and Thorium". Atomic Energy of Canada Limited Report AECL-6795. 1980.
- Mather64 Mather J. R. "Average Climatic Water Balance Data of the Continents." Publications in Climatology. 1964. C.W. Thornthwaite Associates Laboratory of Climatology, Volume XVII, No. 3.

Information Sources

Regulations:

Summaries of state and federal regulations on NORM, including radiation and radioactivity limits for release of materials, are published by Peter Gray in his quarterly newsletter, "NORM Report" Ph. 501/646-5142 (CRCPD does not compile regulations.)

A summary of radioactive waste acceptance criteria is available on the U.S. DOE National Low-Level Waste Management Program web site, www.inel.gov/national/national.html.

A glossary of terms used in the regulation of TENORM and other radioactive material is available from CRCPD.

Available on the CRCPD web site, www.crcpd.org:

Summary of CRCPD assistance with unwanted radioactive material.

"Dealing with Discovered Radioactive Material" a 1 page overview

"Notes on the Scope and Use of the DOT Exemptions, E10656 & 11406" for moving scrap or trash, shipment approval forms, and telephone directory of radiation control program staff who issue shipment approvals. (Text of the exemptions from U.S. DOT for moving scrap and trash discovered to be radioactive is available from the CRCPD office but not yet posted on the CRCPD web site.)

List of publications, with ordering capability.

Radiation control program telephone numbers, accessed through a map on the web site.

Directory of commercial services for site inspection, decon and waste disposal: "Radioactive Waste Brokers" for small jobs, and "Providers of Radioactive Site Investigation and Decontamination" for larger jobs.

A directory of commercial laboratories for assay of radioactivity in samples of materials.

Manufacturers of portal radiation monitors, and portable equipment. Most manufacturers provide installation, training and calibration services

Directory of developers of computer codes for radiation dose from residual radioactivity. These companies provide training and assistance.

Information on radioactive waste disposal facilities.

**Appendix C: Screening Limits Adopted by Various States for Release of Contaminated
Equipment**

State	Screening Level ($\mu\text{R/hr}$)	Comments
Georgia	50	Includes background
Louisiana	50	Includes background
Mississippi	25	Above background
New Mexico	50	Includes background
South Carolina	50	Includes Background
Texas	50	Includes Background

Source: The NORM Report, May 1999 (See Reference GRAY99)

Appendix D

Example of a RESRAD Run for TENORM

Using: Default parameters
 15 cm depth of TENORM
 Constant depth of water table

RESRAD, Version 5.82 T½ Limit = 0.5 year
Summary : RESRAD CRCPD Part N--Example

05/07/99 19:01 Page 1
File: Site1.RAD

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary	2
Site-Specific Parameter Summary	3
Summary of Pathway Selections	7
Contaminated Zone and Total Dose Summary	8
Total Dose Components	
Time = 0.000E+00	9
Time = 1.000E+00	10
Time = 1.000E+01	11
Time = 5.000E+02	12
Time = 1.000E+03	13
Dose/Source Ratios Summed Over All Pathways	14
Single Radionuclide Soil Guidelines	14
Dose Per Nuclide Summed Over All Pathways	15
Soil Concentration Per Nuclide	15

Dose Conversion Factor (and Related) Parameter Summary
 File: DOSFAC.BIN

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Pb-210+D	2.320E-02	2.320E-02	DCF2(1)
B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2(2)
B-1	Ra-228+D	5.080E-03	5.080E-03	DCF2(3)
B-1	Th-228+D	3.450E-01	3.450E-01	DCF2(4)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Pb-210+D	7.270E-03	7.270E-03	DCF3(1)
D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3(2)
D-1	Ra-228+D	1.440E-03	1.440E-03	DCF3(3)
D-1	Th-228+D	8.080E-04	8.080E-04	DCF3(4)
D-34	Food transfer factors:			
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(1,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(1,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(1,3)
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(2,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(2,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(2,3)
D-34	Ra-228+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(3,1)
D-34	Ra-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(3,2)
D-34	Ra-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(3,3)
D-34	Th-228+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(4,1)
D-34	Th-228+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(4,2)
D-34	Th-228+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(4,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(1,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(1,2)
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(2,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(2,2)
D-5	Ra-228+D , fish	5.000E+01	5.000E+01	BIOFAC(3,1)
D-5	Ra-228+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(3,2)
D-5	Th-228+D , fish	1.000E+02	1.000E+02	BIOFAC(4,1)
D-5	Th-228+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(4,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.000E+04	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	1.500E-01	2.000E+00	---	THICKO
R011	Length parallel to aquifer flow (m)	1.000E+02	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	1.000E+02	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	1.000E+01	3.000E+00	---	T(3)
R011	Times for calculations (yr)	5.000E+02	1.000E+01	---	T(4)
R011	Times for calculations (yr)	1.000E+03	3.000E+01	---	T(5)
R011	Times for calculations (yr)	not used	1.000E+02	---	T(6)
R011	Times for calculations (yr)	not used	3.000E+02	---	T(7)
R011	Times for calculations (yr)	not used	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Pb-210	4.000E+00	0.000E+00	---	S1(1)
R012	Initial principal radionuclide (pCi/g): Ra-226	4.000E+00	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Ra-228	1.000E+00	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Th-228	1.000E+00	0.000E+00	---	S1(4)
R012	Concentration in groundwater (pCi/L): Pb-210	not used	0.000E+00	---	W1(1)
R012	Concentration in groundwater (pCi/L): Ra-226	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Ra-228	not used	0.000E+00	---	W1(3)
R012	Concentration in groundwater (pCi/L): Th-228	not used	0.000E+00	---	W1(4)
R013	Cover depth (m)	0.000E+00	0.000E+00	---	COVERO
R013	Density of cover material (g/cm**3)	not used	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	not used	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	1.000E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	4.000E-01	4.000E-01	---	TPCZ
R013	Contaminated zone effective porosity	2.000E-01	2.000E-01	---	EPCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	5.300E+00	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	2.000E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	not used	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.000E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.000E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	2.000E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	2.000E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	1.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS
R014	Density of saturated zone (g/cm**3)	1.500E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	4.000E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	2.000E-01	2.000E-01	---	EPSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.000E+02	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	2.000E-02	2.000E-02	---	HGWT
R014	Saturated zone b parameter	5.300E+00	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	0.000E+00	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	1.000E+01	1.000E+01	---	DWIBWT

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.500E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	4.000E+00	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.500E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	4.000E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	2.000E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	5.300E+00	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.000E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.217E-02	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC(2)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.165E-02	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for Ra-228				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC(3)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.165E-02	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for Th-228				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC(4)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU(4,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.704E-05	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	5.000E-05	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.000E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.500E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	1.000E+00	1.000E+00	>0 shows circular AREA.	FS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	not used	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	not used	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	not used	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	not used	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	not used	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	not used	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	not used	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	not used	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	not used	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	not used	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	not used	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	not used	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	not used	1.000E+00	---	FRACA(1)
R017	Ring 2	not used	2.732E-01	---	FRACA(2)
R017	Ring 3	not used	0.000E+00	---	FRACA(3)
R017	Ring 4	not used	0.000E+00	---	FRACA(4)
R017	Ring 5	not used	0.000E+00	---	FRACA(5)
R017	Ring 6	not used	0.000E+00	---	FRACA(6)
R017	Ring 7	not used	0.000E+00	---	FRACA(7)
R017	Ring 8	not used	0.000E+00	---	FRACA(8)
R017	Ring 9	not used	0.000E+00	---	FRACA(9)
R017	Ring 10	not used	0.000E+00	---	FRACA(10)
R017	Ring 11	not used	0.000E+00	---	FRACA(11)
R017	Ring 12	not used	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	1.600E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	1.400E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	9.200E+01	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	6.300E+01	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	5.400E+00	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	9.000E-01	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	5.100E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	1.000E+00	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	5.000E-01	5.000E-01	---	FR9
R018	Contamination fraction of plant food	-1	-1	0.500E+00	FPLANT
R018	Contamination fraction of meat	-1	-1	0.500E+00	FMEAT
R018	Contamination fraction of milk	-1	-1	0.500E+00	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LF15
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LF16
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LW15
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LW16
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DR00T
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	1.000E+00	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	1.500E-01	1.500E-01	---	FLOOR
R021	Bulk density of building foundation (g/cm**3)	2.400E+00	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	1.000E-01	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	3.000E-02	3.000E-02	---	PH2OFL

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	3.000E-07	3.000E-07	---	DIFFL
R021	in contaminated zone soil	2.000E-06	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	2.000E+00	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	5.000E-01	5.000E-01	---	REXG
R021	Height of the building (room) (m)	2.500E+00	2.500E+00	---	HRM
R021	Building interior area factor	0.000E+00	0.000E+00	code computed (time dependent)	FAI
R021	Building depth below ground surface (m)	-1.000E+00	-1.000E+00	code computed (time dependent)	DMFL
R021	Emanating power of Rn-222 gas	2.500E-01	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	1.500E-01	1.500E-01	---	EMANA(2)

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	active
Find peak pathway doses	suppressed

Contaminated Zone Dimensions	Initial Soil Concentrations, pCi/g
Area: 10000.00 square meters	Pb-210 4.000E+00
Thickness: 0.15 meters	Ra-226 4.000E+00
Cover Depth: 0.00 meters	Ra-228 1.000E+00
	Th-228 1.000E+00

Total Dose TDOSE(t), mrem/yr

Basic Radiation Dose Limit = 100 mrem/yr

Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)

t (years):	0.000E+00	1.000E+00	1.000E+01	5.000E+02	1.000E+03
TDOSE(t):	1.448E+02	1.399E+02	1.011E+02	4.590E+00	4.142E+00
M(t):	1.448E+00	1.399E+00	1.011E+00	4.590E-02	4.142E-02
Maximum TDOSE(t):	1.448E+02 mrem/yr at t = 0.000E+00 years				

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.												
Pb-210	1.420E-02	0.0001	2.969E-03	0.0000	0.000E+00	0.0000	4.220E+00	0.0291	4.497E-01	0.0031	2.375E-01	0.0016	7.961E-01	0.0055
Ra-226	2.250E+01	0.1554	1.101E-03	0.0000	1.037E+02	0.7158	3.086E+00	0.0213	1.598E-01	0.0011	2.122E-01	0.0015	1.456E-01	0.0010
Ra-228	3.057E+00	0.0211	1.625E-04	0.0000	0.000E+00	0.0000	8.354E-01	0.0058	4.326E-02	0.0003	5.743E-02	0.0004	3.942E-02	0.0003
Th-228	4.954E+00	0.0342	1.104E-02	0.0001	2.934E-01	0.0020	1.180E-02	0.0001	1.302E-03	0.0000	9.467E-05	0.0000	2.212E-02	0.0002
Total	3.052E+01	0.2108	1.527E-02	0.0001	1.040E+02	0.7179	8.153E+00	0.0563	6.541E-01	0.0045	5.072E-01	0.0035	1.003E+00	0.0069

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.												
Pb-210	0.000E+00	0.0000	5.720E+00	0.0395										
Ra-226	0.000E+00	0.0000	1.298E+02	0.8961										
Ra-228	0.000E+00	0.0000	4.032E+00	0.0278										
Th-228	0.000E+00	0.0000	5.293E+00	0.0366										
Total	0.000E+00	0.0000	1.448E+02	1.0000										

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.												
Pb-210	1.346E-02	0.0001	2.813E-03	0.0000	0.000E+00	0.0000	4.001E+00	0.0286	4.269E-01	0.0031	2.252E-01	0.0016	7.543E-01	0.0054
Ra-226	2.178E+01	0.1557	1.154E-03	0.0000	1.004E+02	0.7174	3.129E+00	0.0224	1.703E-01	0.0012	2.132E-01	0.0015	1.646E-01	0.0012
Ra-228	4.015E+00	0.0287	3.235E-03	0.0000	8.234E-02	0.0006	7.261E-01	0.0052	3.806E-02	0.0003	4.943E-02	0.0004	4.004E-02	0.0003
Th-228	3.447E+00	0.0246	7.679E-03	0.0001	2.042E-01	0.0015	8.209E-03	0.0001	9.059E-04	0.0000	6.585E-05	0.0000	1.539E-02	0.0001
Total	2.926E+01	0.2092	1.488E-02	0.0001	1.006E+02	0.7195	7.865E+00	0.0562	6.361E-01	0.0045	4.879E-01	0.0035	9.743E-01	0.0070

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.												
Pb-210	0.000E+00	0.0000	5.424E+00	0.0388										
Ra-226	0.000E+00	0.0000	1.258E+02	0.8995										
Ra-228	0.000E+00	0.0000	4.954E+00	0.0354										
Th-228	0.000E+00	0.0000	3.684E+00	0.0263										
Total	0.000E+00	0.0000	1.399E+02	1.0000										

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.												
Pb-210	8.334E-03	0.0001	1.732E-03	0.0000	0.000E+00	0.0000	2.463E+00	0.0244	2.627E-01	0.0026	1.386E-01	0.0014	4.642E-01	0.0046
Ra-226	1.629E+01	0.1612	1.393E-03	0.0000	7.490E+01	0.7411	3.089E+00	0.0306	2.078E-01	0.0021	2.015E-01	0.0020	2.657E-01	0.0026
Ra-228	2.298E+00	0.0227	3.657E-03	0.0000	9.692E-02	0.0010	1.865E-01	0.0018	9.950E-03	0.0001	1.251E-02	0.0001	1.580E-02	0.0002
Th-228	1.319E-01	0.0013	2.927E-04	0.0000	7.831E-03	0.0001	3.129E-04	0.0000	3.453E-05	0.0000	2.510E-06	0.0000	5.864E-04	0.0000
Total	1.873E+01	0.1853	7.074E-03	0.0001	7.501E+01	0.7422	5.739E+00	0.0568	4.805E-01	0.0048	3.526E-01	0.0035	7.463E-01	0.0074

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.												
Pb-210	0.000E+00	0.0000	3.338E+00	0.0330										
Ra-226	0.000E+00	0.0000	9.496E+01	0.9396										
Ra-228	0.000E+00	0.0000	2.624E+00	0.0260										
Th-228	0.000E+00	0.0000	1.410E-01	0.0014										
Total	0.000E+00	0.0000	1.011E+02	1.0000										

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.												
Pb-210	3.722E-14	0.0000	5.393E-15	0.0000	0.000E+00	0.0000	7.670E-12	0.0000	8.182E-13	0.0000	4.317E-13	0.0000	1.446E-12	0.0000
Ra-226	2.083E-06	0.0000	3.930E-10	0.0000	8.553E-06	0.0000	6.697E-07	0.0000	5.928E-08	0.0000	4.045E-08	0.0000	9.461E-08	0.0000
Ra-228	0.000E+00	0.0000												
Th-228	0.000E+00	0.0000												
Total	2.083E-06	0.0000	3.930E-10	0.0000	8.553E-06	0.0000	6.697E-07	0.0000	5.928E-08	0.0000	4.045E-08	0.0000	9.461E-08	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 5.000E+02 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.												
Pb-210	0.000E+00	0.0000	1.041E-11	0.0000										
Ra-226	3.983E+00	0.8677	5.673E-02	0.0124	1.652E-01	0.0360	3.076E-01	0.0670	3.599E-02	0.0078	4.183E-02	0.0091	4.590E+00	1.0000
Ra-228	4.026E-28	0.0000	1.945E-30	0.0000	0.000E+00	0.0000	3.114E-29	0.0000	4.312E-30	0.0000	9.405E-30	0.0000	4.494E-28	0.0000
Th-228	0.000E+00	0.0000												
Total	3.983E+00	0.8677	5.673E-02	0.0124	1.652E-01	0.0360	3.076E-01	0.0670	3.599E-02	0.0078	4.183E-02	0.0091	4.590E+00	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years
 Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.												
Pb-210	8.579E-26	0.0000	7.346E-27	0.0000	0.000E+00	0.0000	1.045E-23	0.0000	1.115E-24	0.0000	5.880E-25	0.0000	1.969E-24	0.0000
Ra-226	1.544E-13	0.0000	2.122E-17	0.0000	0.000E+00	0.0000	3.616E-14	0.0000	3.201E-15	0.0000	2.184E-15	0.0000	5.108E-15	0.0000
Ra-228	0.000E+00	0.0000												
Th-228	0.000E+00	0.0000												
Total	1.544E-13	0.0000	2.122E-17	0.0000	0.000E+00	0.0000	3.616E-14	0.0000	3.201E-15	0.0000	2.184E-15	0.0000	5.108E-15	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years
 Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.												
Pb-210	1.364E-13	0.0000	2.286E-15	0.0000	0.000E+00	0.0000	1.051E-14	0.0000	1.168E-15	0.0000	9.587E-16	0.0000	1.513E-13	0.0000
Ra-226	3.598E+00	0.8687	5.153E-02	0.0124	1.446E-01	0.0349	2.779E-01	0.0671	3.247E-02	0.0078	3.740E-02	0.0090	4.142E+00	1.0000
Ra-228	0.000E+00	0.0000												
Th-228	0.000E+00	0.0000												
Total	3.598E+00	0.8687	5.153E-02	0.0124	1.446E-01	0.0349	2.779E-01	0.0671	3.247E-02	0.0078	3.740E-02	0.0090	4.142E+00	1.0000

*Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways

Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction* t=	DSR(j,t) (mrem/yr)/(pCi/g)				
			0.000E+00	1.000E+00	1.000E+01	5.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	1.430E+00	1.356E+00	8.346E-01	2.602E-12	3.782E-14
Ra-226	Ra-226	1.000E+00	3.244E+01	3.141E+01	2.345E+01	2.763E-01	2.418E-01
Ra-226	Pb-210	1.000E+00	0.000E+00	4.650E-02	2.918E-01	8.713E-01	7.937E-01
Ra-226	ΣDSR(j)		3.244E+01	3.145E+01	2.374E+01	1.148E+00	1.036E+00
Ra-228	Ra-228	1.000E+00	4.032E+00	3.463E+00	8.778E-01	4.474E-28	0.000E+00
Ra-228	Th-228	1.000E+00	0.000E+00	1.491E+00	1.746E+00	2.483E-30	0.000E+00
Ra-228	ΣDSR(j)		4.032E+00	4.954E+00	2.624E+00	4.499E-28	0.000E+00
Th-228	Th-228	1.000E+00	5.293E+00	3.684E+00	1.410E-01	0.000E+00	0.000E+00

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 100 mrem/yr

Nuclide (i)	t=	0.000E+00	1.000E+00	1.000E+01	5.000E+02	1.000E+03
Pb-210		6.993E+01	7.375E+01	1.198E+02	3.843E+13	*7.631E+13
Ra-226		3.082E+00	3.179E+00	4.212E+00	8.714E+01	9.657E+01
Ra-228		2.480E+01	2.019E+01	3.811E+01	*2.726E+14	*2.726E+14
Th-228		1.889E+01	2.715E+01	7.094E+02	*8.192E+14	*8.192E+14

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 0.000E+00 years

Nuclide (i)	Initial pCi/g	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Pb-210	4.000E+00	0.000E+00	1.430E+00	6.993E+01	1.430E+00	6.993E+01
Ra-226	4.000E+00	0.000E+00	3.244E+01	3.082E+00	3.244E+01	3.082E+00
Ra-228	1.000E+00	2.381 ± 0.005	5.309E+00	1.883E+01	4.032E+00	2.480E+01
Th-228	1.000E+00	0.000E+00	5.293E+00	1.889E+01	5.293E+00	1.889E+01

Individual Nuclide Dose Summed Over All Pathways
 Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	DOSE(j,t), mrem/yr				
			t= 0.000E+00	1.000E+00	1.000E+01	5.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	5.720E+00	5.424E+00	3.338E+00	1.041E-11	1.513E-13
Pb-210	Ra-226	1.000E+00	0.000E+00	1.860E-01	1.167E+00	3.485E+00	3.175E+00
Pb-210	ΣDOSE(j):		5.720E+00	5.610E+00	4.506E+00	3.485E+00	3.175E+00
Ra-226	Ra-226	1.000E+00	1.298E+02	1.256E+02	9.379E+01	1.105E+00	9.672E-01
Ra-228	Ra-228	1.000E+00	4.032E+00	3.463E+00	8.778E-01	4.474E-28	0.000E+00
Th-228	Ra-228	1.000E+00	0.000E+00	1.491E+00	1.746E+00	2.052E-30	0.000E+00
Th-228	Th-228	1.000E+00	5.293E+00	3.684E+00	1.410E-01	0.000E+00	0.000E+00
Th-228	ΣDOSE(j):		5.293E+00	5.174E+00	1.887E+00	2.052E-30	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.



Individual Nuclide Soil Concentration
 Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	S(j,t), pCi/g				
			t= 0.000E+00	1.000E+00	1.000E+01	5.000E+02	1.000E+03
Pb-210	Pb-210	1.000E+00	4.000E+00	3.793E+00	2.348E+00	1.090E-11	2.969E-23
Pb-210	Ra-226	1.000E+00	0.000E+00	1.191E-01	8.130E-01	6.340E-07	6.847E-14
Pb-210	ΣS(j):		4.000E+00	3.912E+00	3.161E+00	6.340E-07	6.847E-14
Ra-226	Ra-226	1.000E+00	4.000E+00	3.874E+00	2.902E+00	4.319E-07	4.664E-14
Ra-228	Ra-228	1.000E+00	1.000E+00	8.588E-01	2.183E-01	8.931E-34	0.000E+00
Th-228	Ra-228	1.000E+00	0.000E+00	2.806E-01	3.303E-01	1.540E-33	0.000E+00
Th-228	Th-228	1.000E+00	1.000E+00	6.960E-01	2.669E-02	0.000E+00	0.000E+00
Th-228	ΣS(j):		1.000E+00	9.767E-01	3.570E-01	1.540E-33	0.000E+00

BRF(i) is the branch fraction of the parent nuclide.



Conference of Radiation Control
Program Directors, Inc.
205 Capital Avenue
Frankfort, KY 40601



FIRST CLASS MAIL

Paul Lohaus
Nuclear Regulatory Commission
One White Flint North
11555 Rockville Pike
Rockville, MD 20852